

South African National Plant Checklist

Report on additions and updates made to the South African National Plant Checklist during the period 1/2023–12/2023

Content

Names added.....	2
Taxonomic status change: accepted names that became synonyms	26
Taxonomic status change: synonyms that became accepted names	44
Publications incorporated	49

Report compiled
on 7/3/2023
by Dr Ronell R Kloppe
SA National Plant Checklist Co-ordinator

and Mr Pieter JD Winter
Deputy SA National Plant Checklist Co-ordinator
Alien Plant Checklist Co-ordinator

Foundational Research & Services Directorate
Foundational Biodiversity Sciences Division
South African National Biodiversity Institute

Names added

* = alien taxa naturalised in South Africa
E = taxa endemic to South Africa

AIZOACEAE

Aizoon L.

- ^E*Aizoon acutifolium* (Adamson) Klak, Taxon 66(5): 1163 (2017)
- ^E*Aizoon affine* (Sond.) Klak, Taxon 66(5): 1163 (2017)
- Aizoon africanum* (L.) Klak, Taxon 66(5): 1163 (2017)
- ^E*Aizoon arenarium* (Adamson) Klak, Taxon 66(5): 1163 (2017)
- ^E*Aizoon collinum* (Eckl. & Zeyh.) Klak, Taxon 66(5): 1163 (2017)
- Aizoon cryptocarpum* (Fenzl) Klak, Taxon 66(5): 1163 (2017)
- ^E*Aizoon cymosum* (Adamson) Klak, Taxon 66(5): 1163 (2017)
- Aizoon dregeanum* (Fenzl ex Sond.) Klak, Taxon 66(5): 1163 (2017)
- ^E*Aizoon ecklonis* (Walp.) Klak, Taxon 66(5): 1163 (2017)
- ^E*Aizoon exiguum* (Adamson) Klak, Taxon 66(5): 1163 (2017)
- ^E*Aizoon filiforme* (Thunb.) Klak, Taxon 66(5): 1163 (2017)
- ^E*Aizoon flavescens* Klak, nom.nov. pro *Galenia procumbens* L.f., Bothalia-ABC 52(1), a11: 4 (2022)
- ^E*Aizoon glanduliferum* (Bittrich) Klak, Taxon 66(5): 1163 (2017)
- Aizoon hemisphaericum* (Adamson) Klak, Taxon 66(5): 1163 (2017)
- ^E*Aizoon herniariifolium* (C.Presl) Klak, Taxon 66(5): 1163 (2017)
- ^E*Aizoon hispidissimum* (Fenzl ex Sond.) Klak, Taxon 66(5): 1163 (2017)
- Aizoon karooicum* (I.Verd.) Klak, nom.illegit., non Compton (1931), Taxon 66(5): 1163 (2017) =
Aizoon plinthoides Klak
- Aizoon megianum* (K.Mull.) Klak, Taxon 66(5): 1163 (2017)
- Aizoon namaense* (Schinz) Klak, Taxon 66(5): 1163 (2017)
- ^E*Aizoon neorigidum* Klak, nom.nov. pro *Galenia rigida* Adamson, Taxon 66(5): 1163 (2017)
- ^E*Aizoon pallens* (Eckl. & Zeyh.) Klak, Taxon 66(5): 1163 (2017)
- Aizoon plinthoides* Klak, nom. nov. pro *Plinthus karooicus* I.Verd. (1941), Phytotaxa 364(3): 299 (2018); Type: South Africa, Fauresmith district, 'Henenweerskop', January 1927, Smith 5286 (PRE0407110-0, holo.)
- ^E*Aizoon portulacaceum* (Fenzl ex Sond.) Klak, Taxon 66(5): 1163 (2017)
- Aizoon procumbens* (L.f.) Klak, nom.illegit., non *Aizoon procumbens* Crantz (1766), Taxon 66(5): 1163 (2017) = *Aizoon flavescens* Klak
- ^E*Aizoon prostratum* (G.Schellenb.) Klak, Taxon 66(5): 1163 (2017)
- Aizoon pruinatum* (Sond.) Klak, Taxon 66(5): 1163 (2017)
- ^E*Aizoon rehmannii* (G.Schellenb.) Klak, Taxon 66(5): 1163 (2017)
- Aizoon sarcophyllum* (Fenzl ex Sond.) Klak, Taxon 66(5): 1163 (2017)

Aizoon sericeum (Pax) Klak, Taxon 66(5): 1163 (2017)

^E*Aizoon subcarnosum* (Adamson) Klak, Taxon 66(5): 1163 (2017)

***Astridia* Dinter**

^E*Astridia parviflora* Klak, S. African J. Bot. 156: 145 (2023); Type: South Africa, Northern Cape, Kwaganap River, between Port Nolloth and Grootmis, 14 Jul. 2014, Klak 2396 (BOL0232478, holo.; K iso.)

***Kolleria* C.Presl**

Kolleria collina Eckl. & Zeyh., Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 3: 327 (1837) = *Aizoon collinum* (Eckl. & Zeyh.) Klak

Kolleria glauca Eckl. & Zeyh., Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 3: 328 (1837) = *Aizoon pallens* (Eckl. & Zeyh.) Klak

Kolleria herniariifolia C.Presl, Symb. Bot. (Presl) 1: 24, t.14 (1830) = *Aizoon herniariifolium* (C.Presl) Klak

***Lampranthus* N.E.Br.**

^E*Lampranthus umbraticola* Klak & Strydom, S. African J. Bot. 156: 152 (2023); Type: South Africa, Eastern Cape, between Steytlerville and Uitenhage, farm Kleinrivier, Springgatkloof, 7 Jan. 2022, Klak 3051 (BOL0232473, holo.; NBG, iso.)

***Mesembryanthemum* L.**

Mesembryanthemum filiforme Thunb., Prodr. Pl. Cap. 2: 89 (1800) = *Aizoon filiforme* (Thunb.) Klak

***Namaquanthus* L.Bolus**

^E*Namaquanthus cephalophylloides* Klak, Haseltonia 29: 21 (2022); Type: South Africa, Northern Cape, Kwaganap River, between Port Nolloth and Grootmis, 19 Jul. 2021, Klak 2917 (BOL, holo.)

***Ruschia* Schwantes**

^E*Ruschia joubertiniana* Klak, S. African J. Bot. 156: 149 (2023); Type: South Africa, Eastern Cape, Willowmore, near Joubertina, Kouga Wilderness, Farm Kleinrivier, 7 Jan 2008, Klak 1589 (BOL46184, holo.; NBG, iso.)

^E*Ruschia pseudocrassa* Klak, S. African J. Bot. 156: 147 (2023); Type: South Africa, Northern Cape, Kamiesberg, Farm Uitval, 1 Sep. 2022, Bruyns 14124 (BOL0232476, holo.; K, iso.)

^E*Ruschia rupestris* Klak, S. African J. Bot. 156: 151 (2023); Type: South Africa, Western Cape, east of Seweweekspoort on road to Bosluiskloof, 3 Apr 2021, Klak 2854 (BOL0232474, holo.)

^E*Ruschia variabilis* Klak, S. African J. Bot. 156: 146 (2023); Type: South Africa, Northern Cape, between Port Nolloth and Grootmis, 19 Jul. 2021, Klak 2919 (BOL0232477, holo.)

***Sialodes* Eckl. & Zeyh.**

Sialodes glauca Eckl. & Zeyh., Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 3: 329 (1837) = *Aizoon ecklonis* (Walp.) Klak

***Smicrostigma* N.E.Br.**

^E*Smicrostigma warmwaterbergense* Klak, Haseltonia 29: 19 (2022); Type: South Africa. Western Cape, Montagu: Warmwaterberg, Sanbona, 9 Dec. 2021, Bruyns 14033 (BOL, holo.; NBG, iso.)

AMARYLLIDACEAE

***Haemanthus* L.**

^E*Haemanthus humanii* G.D.Duncan, Bot. Mag. 39(2): 292 (2022); Type: South Africa, Western Cape, 3018 (Kamiesberg), north of Bitterfontein, plentiful on flats and undulating quartz plains among dwarf succulents and geophytes, in Knersvlakte Quartz Vygieveld (–CC), August 2018, G.D. Duncan s.n. (holo., NBG).

APOCYNACEAE

***Ceropegia* L.**

Ceropegia acutiloba (N.E.Br.) Bruyns, S. African J. Bot. 112: 418 (2017)

Ceropegia alstonii (N.E.Br.) Bruyns, S. African J. Bot. 112: 420 (2017)

Ceropegia aperta (Masson) Bruyns, S. African J. Bot. 112: 423 (2017)

^E*Ceropegia arcuata* (N.E.Br.) Bruyns, S. African J. Bot. 112: 420 (2017)

^E*Ceropegia arcuata* (N.E.Br.) Bruyns subsp. *arcuata*

^E*Ceropegia arcuata* subsp. *mirkinii* (Pillans) Bruyns, S. African J. Bot. 112: 420 (2017)

^E*Ceropegia arenicola* (N.E.Br.) Bruyns, S. African J. Bot. 112: 418 (2017)

^E*Ceropegia arenicola* (N.E.Br.) Bruyns subsp. *arenicola*

^E*Ceropegia arenicola* subsp. *pilifera* (Bruyns) Bruyns, S. African J. Bot. 112: 419 (2017)

^E*Ceropegia arenosa* (C.A.Luckh.) Bruyns, S. African J. Bot. 112: 422 (2017)

^E*Ceropegia arida* (Masson) Bruyns, S. African J. Bot. 112: 419 (2017)

^E*Ceropegia armata* (N.E.Br.) Bruyns, S. African J. Bot. 112: 419 (2017)

^E*Ceropegia armata* (N.E.Br.) Bruyns subsp. *armata*

^E*Ceropegia armata* subsp. *maritima* (Bruyns) Bruyns, S. African J. Bot. 112: 419 (2017)

^E*Ceropegia articulata* (Aiton) Bruyns, S. African J. Bot. 112: 419 (2017)

^E*Ceropegia articulata* subsp. *asperiflora* (N.E.Br.) Bruyns, S. African J. Bot. 112: 420 (2017)

^E*Ceropegia articulata* subsp. *borealis* (Bruyns) Bruyns, S. African J. Bot. 112: 420 (2017)

^E*Ceropegia aurea* (C.A.Luckh.) Bruyns, S. African J. Bot. 112: 419 (2017)

Ceropegia ausana (Dinter & A.Berger ex Dinter) Bruyns, S. African J. Bot. 112: 423 (2017)

Ceropegia barklyana Bruyns, nom.nov. pro *Decabelone barklyi* Dyer, S. African J. Bot. 112: 421 (2017)

^E*Ceropegia bayeriana* (Bruyns) Bruyns, S. African J. Bot. 112: 419 (2017)

^E*Ceropegia brevilobulata* Bruyns, nom.nov. pro *Pectinaria breviloba* R.A.Dyer, S. African J. Bot. 112: 419 (2017)

Ceropegia cactiformis (Hook.) Bruyns, S. African J. Bot. 112: 421 (2017)

- Ceropegia cactiformis* (Hook.) Bruyns subsp. *cactiformis*
- ^E*Ceropegia cactiformis* subsp. *felina* (D.T.Cole) Bruyns, S. African J. Bot. 112: 421 (2017)
- ^E*Ceropegia cincta* (C.A.Luckh.) Bruyns, S. African J. Bot. 112: 419 (2017)
- ^E*Ceropegia coleorum* (Plowes) Bruyns, as 'colei', S. African J. Bot. 112: 420 (2017)
- ^E*Ceropegia columnaris* (Nel) Bruyns, S. African J. Bot. 112: 421 (2017)
- Ceropegia currorii* (Hook.) Bruyns, S. African J. Bot. 112: 420 (2017)
- Ceropegia currorii* subsp. *lugardii* (N.E.Br.) Bruyns, J. African J. Bot. 112: 420 (2017)
- ^E*Ceropegia divaricata* (Masson) Bruyns, S. African J. Bot. 112: 422 (2017)
- ^E*Ceropegia dregei* (N.E.Br.) Bruyns, S. African J. Bot. 112: 420 (2017)
- ^E*Ceropegia erectiflora* (N.E.Br.) Bruyns, S. African J. Bot. 112: 422 (2017)
- ^E*Ceropegia exasperata* (Bruyns) Bruyns, S. African J. Bot. 112: 419 (2017)
- Ceropegia flavanthera* Bruyns, nom. nov. pro *Trichocaulon flavum* N.E.Br., S. African J. Bot. 112: 420 (2017)
- ^E*Ceropegia framesii* (Pillans) Bruyns, S. African J. Bot. 112: 419 (2017)
- Ceropegia gigantea* (N.E.Br.) Bruyns, S. African J. Bot. 112: 422 (2017); Type: South Africa, Natal, Gerrard 717 (K, lecto.). Lectotype designated by Bruyns et al., South African Journal of Botany 112: 422 (2017).
- ^E*Ceropegia glanduliflora* (Masson) Bruyns, S. African J. Bot. 112: 422 (2017)
- Ceropegia gordonii* (Masson) Bruyns, S. African J. Bot. 112: 420 (2017)
- Ceropegia grandiflora* (Masson) Bruyns, S. African J. Bot. 112: 422 (2017)
- Ceropegia grandiflora* (Masson) Bruyns var. *grandiflora*
- ^E*Ceropegia grandiflora* var. *conformis* (N.E.Br.) Bruyns, S. African J. Bot. 112: 422 (2017)
- Ceropegia incarnata* (L.f.) Bruyns, S. African J. Bot. 112: 419 (2017)
- ^E*Ceropegia inversa* (N.E.Br.) Bruyns, S. African J. Bot. 112: 419 (2017)
- Ceropegia juttiae* (Dinter) Bruyns, nom. illegit., non (Dinter) Bruyns (2017: 420), S. African J. Bot. 112: 422 (2017) = *Ceropegia portae-aurinae* (Dinter & A.Berger) Bruyns
- ^E*Ceropegia khamiesbergensis* (Bruyns) Bruyns, S. African J. Bot. 112: 419 (2017)
- ^E*Ceropegia lineariloba* Bruyns, nom. nov. pro *Caralluma linearis* N.E.Br., S. African J. Bot. 112: 419 (2017)
- ^E*Ceropegia longipes* (N.E.Br.) Bruyns, S. African J. Bot. 112: 420 (2017)
- ^E*Ceropegia longipes* subsp. *villetii* (C.A.Luckh.) Bruyns, S. African J. Bot. 112: 420 (2017)
- Ceropegia mammillaris* (L.) Bruyns, S. African J. Bot. 112: 419 (2017)
- Ceropegia marientalensis* (Nel) Bruyns, S. African J. Bot. 112: 423 (2017)
- Ceropegia marlothii* (N.E.Br.) Bruyns, S. African J. Bot. 112: 421 (2017)
- Ceropegia meloformis* (Marloth) Bruyns, S. African J. Bot. 116: 140 (2018)
- ^E*Ceropegia miscella* (N.E.Br.) Bruyns, S. African J. Bot. 112: 421 (2017)
- ^E*Ceropegia multioriflora* Bruyns, nom. nov. pro *Caralluma multiflora* R.A.Dyer, S. African J. Bot. 112: 419 (2017)

- Ceropegia neronis* (Pillans) Bruyns, S. African J. Bot. 112: 419 (2017)
- ^E*Ceropegia nevillei* Bruyns, nom.nov. pro *Caralluma pillansii* N.E.Br., S. African J. Bot. 112: 419 (2017)
- ^E*Ceropegia obducta* (L.C.Leach) Bruyns, S. African J. Bot. 112: 422 (2017)
- Ceropegia officinalis* (N.E.Br.) Bruyns, S. African J. Bot. 112: 420 (2017)
- Ceropegia officinalis* (N.E.Br.) Bruyns subsp. *officinalis*
- Ceropegia pachyrrhiza* (Dinter) Bruyns, S. African J. Bot. 112: 423 (2017)
- ^E*Ceropegia pallens* (Bruyns) Bruyns, S. African J. Bot. 112: 419 (2017)
- ^E*Ceropegia paniculata* (Willd.) Bruyns, S. African J. Bot. 112: 422 (2017)
- ^E*Ceropegia paniculata* (Willd.) Bruyns subsp. *paniculata*
- ^E*Ceropegia paniculata* subsp. *scitula* (L.C.Leach) Bruyns, S. African J. Bot. 112: 422 (2017)
- ^E*Ceropegia parvioriflora* Bruyns, nom.nov. pro *Stapelia parviflora* Masson, S. African J. Bot. 112: 419 (2017)
- ^E*Ceropegia parvioriflora* Bruyns subsp. *parvioriflora*
- ^E*Ceropegia parvioriflora* subsp. *confusa* (Plowes) Bruyns, S. African J. Bot. 112: 419 (2017)
- ^E*Ceropegia parvioriflora* subsp. *dependens* (N.E.Br.) Bruyns, S. African J. Bot. 112: 419 (2017)
- ^E*Ceropegia parvioriflora* subsp. *gracilis* (C.A.Luckh.) Bruyns, S. African J. Bot. 112: 419 (2017)
- ^E*Ceropegia parvioriflora* subsp. *swanepoelii* (Lavranos) Bruyns, S. African J. Bot. 112: 419 (2017)
- ^E*Ceropegia parvipuncta* (N.E.Br.) Bruyns, S. African J. Bot. 112: 423 (2017)
- ^E*Ceropegia parvipuncta* subsp. *trucata* (C.A.Luckh.) Bruyns, S. African J. Bot. 112: 423 (2017)
- Ceropegia penduliflora* (Sweet) Bruyns, S. African J. Bot. 112: 423 (2017); Type: Jacq., Stap.: t. 61 (lecto.). Lectotype designated by Bruyns et al., South African Journal of Botany 112: 423 (2017).
- ^E*Ceropegia penduliflora* (Sweet) Bruyns subsp. *penduliflora*
- Ceropegia penduliflora* subsp. *longipes* (C.A.Luckh.) Bruyns, S. African J. Bot. 112: 423 (2017)
- Ceropegia perlata* (Dinter) Bruyns, S. African J. Bot. 112: 421 (2017)
- Ceropegia picta* (N.E.Br.) Bruyns, nom.illegit. non (Schltr.) H.Huber (1957), S. African J. Bot. 112: 421 (2017) = *Ceropegia meloformis* (Marloth) Bruyns
- Ceropegia pilifera* (L.f.) Bruyns, S. African J. Bot. 112: 420 (2017)
- ^E*Ceropegia pilifera* (L.f.) Bruyns subsp. *pilifera*
- ^E*Ceropegia pilifera* subsp. *annulata* (N.E.Br.) Bruyns, S. African J. Bot. 112: 420 (2017)
- ^E*Ceropegia pillansoides* Bruyns, nom.nov. pro *Pectinaria pillansii* N.E.Br., S. African J. Bot. 112: 419 (2017)
- Ceropegia portae-aurinae* (Dinter & A.Berger) Bruyns, S. African J. Bot. 116: 140 (2018)
- Ceropegia pruinosa* (Masson) Bruyns, S. African J. Bot. 112: 419 (2017)
- ^E*Ceropegia pulchra* (Bruyns) Bruyns, S. African J. Bot. 112: 419 (2017)
- Ceropegia pulvinata* var. *gariensis* (Pillans) Bruyns, S. African J. Bot. 112: 422 (2017)

- ^E*Ceropegia pulvinata* var. *glabricaulis* (N.E.Br.) Bruyns, S. African J. Bot. 112: 422 (2017)
- ^E*Ceropegia pulvinata* var. *praetermissa* (L.C.Leach) Bruyns, S. African J. Bot. 112: 422 (2017)
- ^E*Ceropegia ramosa* (Masson) Bruyns, S. African J. Bot. 112: 419 (2017)
- ^E*Ceropegia stayneri* (M.B.Bayer) Bruyns, S. African J. Bot. 112: 419 (2017)
- ^E*Ceropegia tessellata* (Pillans) Bruyns, S. African J. Bot. 112: 421 (2017)
- ^E*Ceropegia tigrina* (Nel) Bruyns, S. African J. Bot. 112: 423 (2017); Type: South Africa, Hellskloof, Herre sub STE6049 (missing). White & Sloane, Stap., ed. 2, 2: Fig. 607 (lecto.). Lectotype designated by Bruyns et al., South African Journal of Botany 112: 423 (2017).
- ^E*Ceropegia tulipiflora* (C.A.Luckh.) Bruyns, S. African J. Bot. 112: 419 (2017)
- Ceropegia umdausensis* (Nel) Bruyns, S. African J. Bot. 112: 423 (2017)
- ^E*Ceropegia villetiae* (C.A.Luckh.) Bruyns, S. African J. Bot. 112: 422 (2017)
- ^E*Ceropegia willowmorensis* (Bruyns) Bruyns, S. African J. Bot. 112: 420 (2017)

***Stapelia* L.**

- Stapelia comata* Jacq., Stapel. Hort. Vindob. Cult.: t. 49 (1817) = *Ceropegia pulvinata* (Masson) Bruyns var. *pulvinata*
- Stapelia depressa* Jacq., Stapel. Hort. Vindob. Cult.: t. 55 (1819) = *Ceropegia pulvinata* (Masson) Bruyns var. *pulvinata*
- Stapelia gordonii* Masson, Stapel. Nov.: 24, t. 40 (1797) = *Ceropegia gordonii* (Masson) Bruyns
- Stapelia pilifera* L.f., Suppl. Pl.: 171 (1782) = *Ceropegia pilifera* (L.f.) Bruyns

ARALIACEAE

***Cussonia* Thunb.**

- Cussonia buchananii* Harms, Bot. Jahrb. Syst. 26(3-4): 251 (1899); Type: Malawi: Nyasaland, sine loc., 1895, bud & fl., Buchanan 295 (BM00645597, lecto.; BR00886172, E00217670, K000350554, SRGH0106562-0, isolecto.). Lectotype designated by Lowry et al., Candollea 72(2): 280 (2017). = *Neocussonia umbellifera* (Sond.) Hutch.

***Neocussonia* (Harms) Hutch.**

- Neocussonia buchananii* (Harms) Hutch., Gen. Fl. Pl. 2: 79 (1967) = *Neocussonia umbellifera* (Sond.) Hutch.
- Neocussonia umbellifera* (Sond.) Hutch., Gen. Fl. Pl. 2: 79 (1967); Type: South Africa. Prov. KwaZulu-Natal: Port Natal [= Durban], Gueinziuss.n. (S14-41368, lecto.; CGE, G00341683, LE, P04352720, P04352724, P04352725, PRE, S14-41367, SAM, W, isolecto.). Lectotype designated by Lowry et al., Candollea 72(2): 280 (2017).

***Schefflera* J.R.Forst. & G.Forst.**

- Schefflera umbellifera* var. *buchananii* (Harms) Tennant, Kew Bull. 14: 220 (1960) = *Neocussonia umbellifera* (Sond.) Hutch.

ASPHODELACEAE

Aloe L.

^E*Aloe framesii* L.Bolus subsp. *framesii*

^E*Aloe framesii* subsp. *amoena* (Pillans) Klopper, Phytotaxa 628(1): 36 (2023); Type: South Africa. Western Cape: north of Van Rhynsdorp, January 1928, fl. hort. Pillans, Rosebank May 1933, N.S. Pillans BOL16024 (BOL140199, lecto.; K000256678, isolecto.). Lectotype designated by Klopper et al., Phytotaxa 628(1): 36 (2023).

^E*Aloe framesii* subsp. *maraisii* Klopper, Phytotaxa 628(1): 38 (2023); Type: South Africa. Western Cape: Stompneus Bay, in St Helena Bay, 28 May 1952, A. Hertzog NBG 390/52 (NBG [2 sheets], holo.)

^E*Aloe khamiesensis* Pillans subsp. *khamiesensis*

^E*Aloe khamiesensis* subsp. *hantamensis* Klopper, Phytotaxa 628(1): 45 (2023); Type: South Africa, Northern Cape: Calvinia Division, Bokkeveld Mountains, on between Meulsteinvlei and Zwart Doorn River, 15 May 1926, E.B. Watermeyer in H.W.R. Marloth 6829 (PRE, holo.)

^E*Aloe khamiesensis* subsp. *knervslakensis* (S.J.Marais) Klopper, Phytotaxa 628(1): 46 (2023); Type: South Africa, Western Cape: Knervslakte, Namaqualand (between Vanrhynsdorp and Nuwerus), Jakkalsdraai, no date, S.J. Marais s.n. (NBG0207177-1 to NBG0207177-9 [9 sheets], holo.)

^E*Aloe microstigma* subsp. *juttiae* (Dinter) Klopper, Phytotaxa 628(1): 51 (2023); Type: Namibia: Gubub, 7 June 1922, M.K. Dinter 3601 (B 10 1244036 as 'holo.', lecto.; B 10 1244034 & B 10 1244035 [2 sheets] as 'holotype', BOL140198 as 'isotype', DR081354, PRE0090536-1 & -2 [2 sheets] as 'isotype', SAM0073732-0 as 'isotype', isolecto.)

Aloe spirella (Haw.) Salm-Dyck, Cact. Rais.: 10 (1817) = *Astroloba spirella* (Haw.) Molteno & Gideon F.Sm.

^E*Aloe succotrina* Weston, Bot. Univ. 1: 5 (1770); Type: *A. succotrina*, *angustifolia spinosa*, flore purpureo, J. Commelin, Horti medici Amstelædamensis 1: 91, t. 48 (1697) (lecto.). Lectotype designated by Wijnands, The botany of the Commelins: 126 (1983).

Aloe zeyheri Baker, nom. illegit., pro syn., J. Linn. Soc., Bot. 18: 178 (1880) = *Aloidendron barberae* (Dyer) Klopper & Gideon F.Sm.

Aloiampelos Klopper & Gideon F.Sm.

^E*Aloiampelos tenuior* (Haw.) Klopper & Gideon F.Sm. var. *tenuior*

^E*Aloiampelos tenuior* var. *decidua* (Reynolds) Van Jaarsv., Fl. Pl. Africa 67: 33 (2021); Type: South Africa. Eastern Cape Province, Victoria East Div., N of Alice, fl. 27 January 1936, Reynolds 1760 (PRE, holo.; BOL, iso.)

^E*Aloiampelos tenuior* var. *densiflora* (Reynolds) Van Jaarsv., Fl. Pl. Africa 67: 34 (2021); Type: South Africa. Eastern Cape Province, Peddie Div., near Breakfast Vlei, fl. 15 May 1937, Reynolds 2390 (PRE, holo.)

^E*Aloiampelos tenuior* var. *ernstii* Gideon F.Sm. & Figueiredo, Phytotaxa 571(1): 94 (2022); Type: South Africa. Gauteng province. Tshwane, ex hort., material originally collected in a domestic garden in Somerset West, Western Cape, South Africa, 20 August 2016, G.F. Smith & E. Figueiredo 42 (PRU, holo.)

^E*Aloiampelos tenuior* var. *rubriflora* (Reynolds) Van Jaarsv., Fl. Pl. Africa 67: 34 (2021); Type: South Africa. Eastern Cape Province, Pondoland, Mlengana, E of Umtata on road to Port St. Johns, fl. 19 January 1936, Reynolds 1750 (PRE, holo.)

^E*Aloiampelos tenuior* var. *viridifolia* (Van Jaarsv.) Van Jaarsv., Fl. Pl. Africa 67: 33 (2021); Type: South Africa. Eastern Cape Province, Kabouga, Van Jaarsveld, Voigt & Bayer 17832 (NBG, holo.)

***Apicra* Willd.**

Apicra deltoidea (Hook.f.) Baker, J. Linn. Soc., Bot. 18: 217 (1880) = *Astroloba congesta* (Salm-Dyck) Uitewaal

Apicra deltoidea var. *intermedia* A.Berger, Pflanzenr. (Engler) IV, 38: 120 (1908) = *Astroloba congesta* (Salm-Dyck) Uitewaal

Apicra deltoidea var. *turgida* (Baker) A.Berger, Pflanzenr. (Engler) IV, 38: 118 (1908) = *Astroloba congesta* (Salm-Dyck) Uitewaal

Apicra pentagona var. *spirella* (Haw.) Baker, J. Linn. Soc., Bot. 18: 217 (1880) = *Astroloba spirella* (Haw.) Molteno & Gideon F.Sm.

Apicra spirella (Haw.) Willd. ex Haw., Suppl. Pl. Succ.: 64 (1819) = *Astroloba spirella* (Haw.) Molteno & Gideon F.Sm.

Apicra turgida Baker, J. Bot. 27: 44 (1889) = *Astroloba congesta* (Salm-Dyck) Uitewaal

***Astroloba* Uitewaal**

Astroloba deltoidea var. *turgida* (Baker) H.Jacobsen, nom.inval., Handb. Sukkulent. Pfl. 1: 272 (1954) = *Astroloba congesta* (Salm-Dyck) Uitewaal

Astroloba foliolosa subsp. *congesta* (Salm-Dyck) Roberts Reinecke, nom.inval., The Genus *Astroloba*: 214 (1965) = *Astroloba congesta* (Salm-Dyck) Uitewaal

Astroloba pentagona var. *spirella* (Haw.) Uitewaal, Succulenta (Netherlands) 28: 54 (1947) = *Astroloba spirella* (Haw.) Molteno & Gideon F.Sm.

^E*Astroloba spirella* (Haw.) Molteno & Gideon F.Sm., Haseltonia 25: 76 (2018); Type: Illustration of *Aloe spirella* (Haw.) Salm-Dyck in Monogr. Gen. Aloes [Fasciculus 2. Figure 2] §. 1. Fig. 3 (1837) (neo-). Neotype designated by Groen, Succulenta 66(9): 174 (1987). Epitype: South Africa, Western Cape, Ladismith: Knuis Wagendrift, S. Molteno 448 (NBG, epi.). Epitype designated by Molteno et al., Haseltonia 25: 77 (2018).

***Bulbine* Wolf**

^E*Bulbine audreyae* N.R.Crouch & Gideon F.Sm., Bradleya 39: 127 (2021); Type: South Africa. Western Cape province, Oudtshoorn: Montagu Pass, 6 December 2019, N. Crouch 1295 (BNRH, holo.)

***Haworthia* Duval**

Haworthia corrugata (N.L.Mey. & Gideon F.Sm.) M.Hayashi, Haworthia Study 3: 13 (2000) = *Astroloba corrugata* N.L.Mey. & Gideon F.Sm.

ASTERACEAE

***Doria* Thunb.**

Doria taraxacoides DC., Prodr. [A. P. de Candolle] 6: 470 (1838) = ***Othonna taraxacoides* (DC.) Sch.Bip.**

***Muscosomorphe* J.C.Manning**

^E***Muscosomorphe aretioides* (Turcz.) J.C.Manning**, Bothalia 51(2)-a8: 2 (2021); Type: South Africa, Western Cape: summits of Table and Hottentots Holland mtns, Zeyher 2908 (KW-1000916, holo.; K-415093, P-21335 and 21336, PRE, S-06-14625, SAM, TCD, iso.)

***Osteospermum* L.**

***Osteospermum polypterum* (DC.) R.Sadler**, S. African J. Bot. 151: 244 (2022); Type: South Africa, Northern Cape, 'Zilwerfontein', Drege 2809 (G00460852, holo.)

***Othonna* L.**

^E***Othonna euphorbioides* Hutch. subsp. *euphorbioides***

^E***Othonna haumannii* Van Jaarsv. & A.le Roux**, Avonia 41(3): 175 (2023); Type: South Africa, Western Cape, 3319 (Worcester): Ouhangsberg, south-west of Worcester, growing on upper sandstone slopes (-DC), Le Roux, De Wet & Van Jaarsveld 1410 (holotype NBG).

***Roessleria* Stangb. & Anderb.**

***Roessleria armerioides* (DC.) Stangb. & Anderb.**, S. African J. Bot. 118: 226 (2018); Type: South Africa. Eastern Cape, Aliwal North: 'in Africa australis [South Africa] ad Willbergen, Drège s.n. (G-DC, holo.; HAL0113560, HBG504366, K000377547, K000377546, MO-391587, SAM0017193-0, NY00169437, P00159029, P00159028, P00159030, S14-17452, PRE0223427-0, TUB005888, possible iso.)

Roessleria armerioides* (DC.) Stangb. & Anderb. subsp. *armerioides

^E***Roessleria armerioides* subsp. *rudatisii* (Roessler) Stangb. & Anderb.**, S. African J. Bot. 118: 226 (2018); Type: South Africa. KwaZulu-Natal, Port Shepstone: Dumisa, Fairfield, 15 Oct 1909, Rudatis 754 (BM000537396, holo.; G00023886, HBG504366, JE00015225, K, L, P00159034, S-G-9770, Z-000051823, iso.)

***Roessleria bechuanensis* (S.Moore) Stangb. & Anderb.**, S. African J. Bot. 118: 227 (2018)

***Roessleria gazanioides* (Harv.) Stangb. & Anderb.**, S. African J. Bot. 118: 226 (2018)

***Roessleria linearifolia* (Bolus) Stangb. & Anderb.**, S. African J. Bot. 118: 227 (2018)

***Zyrphelis* Cass.**

^E***Zyrphelis foliosa* (Harv.) Kuntze var. *foliosa***

^E***Zyrphelis foliosa* var. *glabra* P.P.J.Herman**, Strelitzia 45: 196 (2022); Type: South Africa, Western Cape, Caledon Division, Platteberg [Platberg], near Oudebos, 3 December 1961, Esterhuysen 29419 (BOL, holo.)

^E***Zyrphelis lasiocarpa* (DC.) Kuntze var. *lasiocarpa***

^E***Zyrphelis lasiocarpa* var. *minor* P.P.J.Herman**, Strelitzia 45: 236 (2022); Type: South Africa, Western Cape, Paarl District, Franchhoek Forest Reserve, 28 September 1935, Compton 5845 (NBG, holo.)

BORAGINACEAE

Echium L.

Echium alopecuroides DC., Prodr. [A. P. de Candolle] 10: 15 (1846); Type: South Africa, Western Cape, Cape Town: 'Zwischen Groenekloof und Saldanhabaai, September, October', Drege 7854 (G-DC [G00137543], holo.; G350028, K418997, K418998, P571978, P599438, W, iso.) = *Echiostachys spicatus* (Burm.f.) Levyns

Echium caudatum Thunb., Prodr. Pl. Cap. 1: 33 (1794); Type: South Africa, Western Cape: 'Cap Bonae Spe', Thunberg s.n. (UPS-THUNB4095, lecto.; MEL6887, isolecto.). Lectotype designated by Nordenstam & Buys, Taxon 60(4): 1991 (2011). = *Echiostachys spicatus* (Burm.f.) Levyns

Echium ecklonianum (H.Buek) DC., Prodr. [A. P. de Candolle] 10: 14 (1846) = *Echiostachys ecklonianus* (H.Buek) Levyns

Echium eriostachyum (H.Buek) DC., Prodr. [A. P. de Candolle] 10: 14 (1846) = *Echiostachys spicatus* (Burm.f.) Levyns

Echium latifolium (H.Buek) DC., Prodr. [A. P. de Candolle] 10: 14 (1846) = *Echiostachys spicatus* (Burm.f.) Levyns

Echium splendens (H.Buek) DC., Prodr. [A. P. de Candolle] 10: 15 (1846) = *Echiostachys incanus* (Thunb.) Levyns

Echium viridiargenteum (H.Buek) DC., Prodr. [A. P. de Candolle] 10: 13 (1846) = *Echiostachys incanus* (Thunb.) Levyns

Lobostemon Lehm.

Lobostemon galpinii C.H.Wright, Fl. Cap. (Harvey) 4(2.1): 41 (1904); Type: South Africa, Western Cape, Caledon: 'Houw Hoek Mountains', 8 Nov 1897, Galpin 4349 (K-000418996, holo.; PRE, iso.) = *Echiostachys ecklonianus* (H.Buek) Levyns

Lobostemon viridiargenteus H.Buek, Linnaea 11(2): 144 (1837); Type: South Africa, Western Cape, Clanwilliam: 'ad radices Piquet-berge [Piketberg]', Oct., Ecklon & Zeyher (G190390, lecto.). Lectotype designated by Velani et al., South African Journal of Botany 156: 246 (2023). = *Echiostachys incanus* (Thunb.) Levyns

BRASSICACEAE

Brassica L.

**Brassica oxyrrhina* Coss., Notes Pl. Crit.: 26 (1849)

CACTACEAE

Soehrensia Backeb.

**Soehrensia spachiana* (Lem.) Schlumpb., Cactaceae Syst. Init. 28: 31 (2012)

DENNSTAEDTIACEAE

Hypolepis Bernh.

^E*Hypolepis rugosula* subsp. *rouxii* Schwartsb. & M.H.Oliveira, Folia Geobot. 51(4): 375 (2017); Type: South Africa, Western Cape, Orange Kloof, Simonstown, 24 Oct 2000, K. Roux 3023 (NBG-0219298–1 and NBG-0219298–2, holo. on 2 sheets)

DRYOPTERIDACEAE

Dryopteris Adans.

Dryopteris punctata subsp. *rugosula* (Labill.) C.Chr., Index Filic. [5]: 287 (1905) = *Hypolepis rugosula* (Labill.) J.Sm.

Dryopteris punctata var. *rugosula* (Labill.) Domin, Biblioth. Bot. 85: 41 (1913) = *Hypolepis rugosula* (Labill.) J.Sm.

EBENACEAE

Diospyros L.

Diospyros pubescens Pers., Syn. Pl. 2: 625 (1807) = *Royena hirsuta* L.

Royena L.

^E*Royena cordata* var. *scabrida* (Harv. ex Hiern) De Winter, Bothalia 7: 17 (1958)

Royena hirsuta subsp. *microphylla* (Burch.) De Winter, Bothalia 7: 18 (1858)

^E*Royena hirsuta* var. *rugosa* (E.Mey. ex A.DC.) Zahlbr., Ann. K. K. Naturhist. Hofmus. 18: 397 (1903)

Royena lycioides (Desf.) A.DC. subsp. *lycioides*

ERICACEAE

Erica L.

^E*Erica aristata* var. *parva* I.M.Turner, nom.nov. pro *Erica coruscans* var. *minor* L.Bolus, Taxon 65(5): 1124 (2016); Type: South Africa, Klein River Mountains, T.P. Stokoe 16202 (BOL)

EUPHORBIACEAE

Euphorbia L.

Euphorbia schinzii Pax subsp. *schinzii*

Euphorbia schinzii subsp. *bechuanica* (L.C.Leach) Bruyns, Phytotaxa 436(3): 214 (2020); Type: Botswana. Halfway between Palapye and Francistown, July 1937, Obermeyer (PRE, holo.; K, PRE, iso.)

Euphorbia schinzii subsp. *schinzioides* Bruyns, Phytotaxa 436(3): 215 (2020); Type: South Africa. Gauteng: Pretoria distr., Horn's Nek near Hartebeespoort Dam, 27 August 1949, Prosser 1011 (NBG, holo.; BM, K, PRE, iso.)

^E*Euphorbia steelpoortensis* Bruyns, Phytotaxa 436(3): 216 (2020); Type: South Africa. Limpopo: Steelpoort distr., turnoff to Penge, 20 August 1973, Nel 337 (NBG, holo.)

FABACEAE

Crotalaria L.

Crotalaria asarina P.J.Bergius, Descr. Pl. Cap.: 194 (1767) = *Psoralea asarina* (P.J.Bergius) T.M.Salter

Crotalaria versicolor E.Mey., Linnaea 7(2): 152 (1832) = *Leobordea decumbens* (B.-E.van Wyk) B.-E.van Wyk & Boatwr. subsp. *decumbens*

Entada Adans.

Entada burkei (Benth.) S.A.O'Donnell & G.P.Lewis, PhytoKeys 205: 113 (2022); Type: South Africa. Transvaal, Magaliesberg, Burke & Zeyher s.n. (K000232271, holo.; BM000842178, MO-954355, TCD, Z, iso.)

Entada elephantina (Burch.) S.A.O'Donnell & G.P.Lewis, PhytoKeys 205: 116 (2022); Type: South Africa. Cape Province, Bechuland Division, Kuruman District, between Matlowing River and Kuru, W.J. Burchell 2410 (K000232273, holo.; GH00058379, P00418275, iso.)

Entada goetzei (Harms) S.A.O'Donnell & G.P.Lewis, PhytoKeys 205: 119 (2022); Type: Tanzania. Rufiji District, W. Goetze 82 (B†, holo.; BM000842177, drawing; K, iso.)

Entada goetzei (Harms) S.A.O'Donnell & G.P.Lewis subsp. *goetzei*

^E*Entada obliqua* (Burt Davy) S.A.O'Donnell & G.P.Lewis, PhytoKeys 205: 124 (2022); Type: South Africa. Transvaal, between Carolina and Oshoek, ~ 1.6 km from Robinson's Farm, J. Burt Davy 2976 (BM000081856, holo.; FHO, K000232281, iso.)

^E*Entada praetermissa* (J.H.Ross) S.A.O'Donnell & G.P.Lewis, PhytoKeys 205: 129 (2022); Type: South Africa. Transvaal, Lydenburg District, Steelpoort Valley, near Sarahshof, L.E.W. Codd 9830 (PRE0391104-0, holo.; BM000842179, K000232268, iso.)

Entada rheedei Spreng. subsp. *rheedei*

Entada woodii (E.Phillips) S.A.O'Donnell & G.P.Lewis, PhytoKeys 205: 139 (2022); Type: South Africa. Natal, Klip River District, Pieters, near Colenso, J. Medley-Wood 7958 (NH0008767-0, holo.; PRE0392009-0, iso.)

Entada woodii (E.Phillips) S.A.O'Donnell & G.P.Lewis var. *woodii*

Entada woodii var. *pubescens* (E.Phillips) S.A.O'Donnell & G.P.Lewis, PhytoKeys 205: 140 (2022); Type: South Africa. Natal, Estcourt District, near Little Tugela, J. Medley-Wood 2867 (NH0002867-0, holo.)

Euchlora Eckl. & Zeyh.

Euchlora serpens (E.Mey.) Eckl. & Zeyh., Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 2: 171 (1836) = *Euchlora hirsuta* (Thunb.) Druce

Glycine L.

Glycine monophylla L., as 'monophyllum', Mant. Pl.: 101 (1767) = *Psoralea monophylla* (L.) C.H.Stirt.

Hallia Thunb.

Hallia monophylla (L.) Schindl., Repert. Spec. Nov. Regni Veg. 22: 274 (1926) = *Psoralea monophylla* (L.) C.H.Stirt.

***Hedysarum* L.**

Hedysarum cordatum Jacq., Pl. Rar. Hort. Schoenbr. 3: 25 (1798) = ***Psoralea monophylla* (L.) C.H.Stirt.**

***Leptis* E.Mey. ex Eckl. & Zeyh.**

Leptis divaricata Eckl. & Zeyh., Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 2: 175 (1836) = ***Leobordea divaricata* (Eckl. ex Zeyh.) Boatwr.**

***Lipozygis* E.Mey.**

Lipozygis carinata E.Mey., Comm. Pl. Afr. Austr. (Meyer) 1(1): 80 (1836) = ***Leobordea carinata* (E.Mey.) B.-E.van Wyk & Boatwr.**

Lipozygis mollis E.Mey., Comm. Pl. Afr. Austr. (Meyer) 1(1): 79 (1836) = ***Leobordea mollis* (E.Mey.) B.-E.van Wyk & Boatwr.**

Lipozygis pentaphylla E.Mey., Comm. Pl. Afr. Austr. (Meyer) 1(1): 79 (1836) = ***Leobordea pentaphylla* (E.Mey.) B.-E.van Wyk & Boatwr.**

Lipozygis polycephala E.Mey., Comm. Pl. Afr. Austr. (Meyer) 1(1): 79 (1836) = ***Leobordea polycephala* (E.Mey.) B.-E.van Wyk & Boatwr.**

***Lotodes* Kuntze**

Lotodes angustifolia (L'Her.) Kuntze, as 'angustifolium', Revis. Gen. Pl. 1: 194 (1891) = ***Psoralea angustifolia* L'Her.**

Lotodes axillaris (L.f.) Kuntze, as 'axillare', Revis. Gen. Pl. 1: 194 (1891) = ***Psoralea axillaris* L.f.**

Lotodes fruticans (L.) Kuntze, Revis. Gen. Pl. 1: 194 (1891) = ***Psoralea fruticans* (L.) Druce**

Lotodes mundiana (Eckl. & Zeyh.) Kuntze, as 'Mundtianum', Revis. Gen. Pl. 1: 194 (1891) = ***Psoralea mundiana* Eckl. & Zeyh.**

Lotodes obliqua (E.Mey.) Kuntze, as 'obliquum', Revis. Gen. Pl. 1: 194 (1891) = ***Psoralea obliqua* E.Mey.**

Lotodes oligophylla (Eckl. & Zeyh.) Kuntze, Revis. Gen. Pl. 1: 194 (1891) = ***Psoralea oligophylla* Eckl. & Zeyh.**

Lotodes pinnata (L.) Kuntze, as 'pinnatum', Revis. Gen. Pl. 1: 194 (1891) = ***Psoralea pinnata* L.**

Lotodes polysticta (Benth. ex Harv.) Kuntze, Revis. Gen. Pl. 1: 194 (1891) = ***Psoralea polysticta* Benth. ex Harv.**

Lotodes rotundifolia (L.f.) Kuntze, as 'rotundifolium', Revis. Gen. Pl. 1: 194 (1891) = ***Psoralea rotundifolia* L.f.**

Lotodes spicata (L.) Kuntze, as 'spicatum', Revis. Gen. Pl. 1: 194 (1891) = ***Psoralea spicata* L.**

Lotodes striata (Thunb.) Kuntze, as 'striatum', Revis. Gen. Pl. 1: 194 (1891) = ***Psoralea striata* Thunb.**

Lotodes tenuifolia (L.) Kuntze, Revis. Gen. Pl. 1: 194 (1891) = ***Psoralea tenuifolia* L.**

Lotodes thomii (Harv.) Kuntze, Revis. Gen. Pl. 1: 194 (1891) = ***Psoralea thomii* Harv.**

Lotodes triantha (E.Mey.) Kuntze, as 'trianthum', Revis. Gen. Pl. 1: 194 (1891) = ***Psoralea triantha* E.Mey.**

Lotodes venusta (Eckl. & Zeyh.) Kuntze, as 'venustum', Revis. Gen. Pl. 1: 194 (1891) = ***Psoralea venusta* Eckl. & Zeyh.**

Lotodes zeyheri (Harv.) Kuntze, Revis. Gen. Pl. 1: 194 (1891) = ***Psoralea zeyheri* Harv.**

***Microtropis* E.Mey.**

Microtropis hirsuta (Thunb.) E.Mey., Comm. Pl. Afr. Austr. (Meyer) 65 (1835) = ***Euchlora hirsuta* (Thunb.) Druce**

***Ononis* L.**

Ononis hirsuta Thunb., Prodr. Pl. Cap. 2: 129 (1800) = ***Euchlora hirsuta* (Thunb.) Druce**

***Otholobium* C.H.Stirt.**

Otholobium outrampsii C.H.Stirt. & du Preez, Bothalia 51(2)-a5: 1 (2021) = ***Psoralea outrampsii* (C.H.Stirt. & du Preez) C.H.Stirt.**

***Piptadenia* Benth.**

Piptadenia goetzei Harms, Bot. Jahrb. Syst. 28(4): 397 (1900) = ***Entada goetzei* (Harms) S.A.O'Donnell & G.P.Lewis**

***Psoralea* L.**

^E***Psoralea* × *kraussiana* Meisn.**, London J. Bot. 2: 81 (1843); Type: South Africa, ‘In solo argillaceo ad latus australe montis Tafelberg (III, A. e.)’, 1 Sep. 1838, Krauss s.n. (TUB001351, holo.)

^E***Psoralea accrescens* (C.H.Stirt. & Muasya) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 66 (2022); Type: South Africa, Eastern Cape, Otterford Forest Reserve, 31 Sep. 1947, Rodin 1128 (BOL, holo.; GRA, MO, iso.)

^E***Psoralea arborescens* (C.H.Stirt.) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 66 (2022); Type: South Africa, Spektakel Pass, 5 Dec. 1981, Stirton 10153 (NBG, holo.; K, MO, NBG, PRE, NU, iso., US02314009, isoneo.)

^E***Psoralea curtisiae* (C.H.Stirt. & Muasya) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 67 (2022); Type: South Africa, Western Cape, Bredasdorp Dist., Plaatjieskraal Farm, Sonderkosp, 7 Dec. 2012, Curtis 57 (BOL, holo.; K, NBG, PRE, iso.)

^E***Psoralea dreweae* (C.H.Stirt. & Muasya) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 67 (2022); Type: South Africa, Western Cape, Fernkloof Nature Reserve, 5 Nov. 1986, Drewe 450 (K, holo.; HER, iso.)

^E***Psoralea flexuosa* (C.H.Stirt.) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 67 (2022); Type: South Africa, from Garies to Khamieskroon, 5 Nov. 1986, Stirton & Žantovská 11442 (NBG, holo.; BOL, C, G, K, L, M, MO, PRE, iso.)

***Psoralea foliosa* subsp. *gazensis* (Baker f.) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 67 (2022); Type: Zimbabwe, Northern Melsetter, 20 Sep. 1906, Swynnerton 1417 (BM, holo.; K, NBG, iso.)

^E***Psoralea fumea* (C.H.Stirt.) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 67 (2022); Type: South Africa, KwaZulu-Natal, Mlamboja Valley, Jul. 1936, Marriott s.n. (K000392555, holo.; PRE0430773-0, iso.)

^E***Psoralea incana* (C.H.Stirt.) C.H.Stirt.**, nom.illegit., non Nutt. (1813), Bot. J. Linn. Soc. 200(1): 68 (2022); Type: South Africa, N^E of Lamberts Bay, 7 Jul. 1968, Acocks 19782 (PRE, holo.; K, iso.)

^E***Psoralea lanceolata* (C.H.Stirt. & Muasya) C.H.Stirt.**, nom.illegit., non Pursch (1813), Bot. J. Linn. Soc. 200(1): 68 (2022); Type: South Africa, Western Cape, between Drievlei and Morning View farms, 13 Jan. 1986, Stirton 11381 (K, holo.; MO, NBG, PRE, iso.)

- ^E***Psoralea lucens* (C.H.Stirt. & Muasya) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 68 (2022); Type: South Africa, Western Cape, Oudtshoorn district, Cango Valley, Rus-en-Vrede, 11 Nov. 1986, Stirton, Vlok & Žantovská 11561 (NBG, holo.; BOL, C, G, K, MO, NSW, PRE, S, iso.)
- ^E***Psoralea nitens* (C.H.Stirt. & Muasya) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 68 (2022); Type: South Africa, Western Cape, between Krom Rivier Peak and Krom Rivier Dome, Krom Rivier Kloof, 10 Oct. 1963, Esterhuysen 30375 (BOL, holo.; K, MO, NBG, iso.)
- Psoralea oligophylla* var. *glaucescens* (Eckl. & Zeyh.) Harv., Fl. Cap. [Harvey & Sonder] 2: 146 (1862) = ***Psoralea glaucescens* Eckl. & Zeyh.**
- ^E***Psoralea outrampsii* (C.H.Stirt. & du Preez) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 68 (2022); Type: South Africa, Western Cape, Fouriesberg in Outeniqua Mountains, 13 Dec. 2013, Viviers & Vlok 367 (PRE, holo.)
- ^E***Psoralea parviflora* (C.H.Stirt.) C.H.Stirt.**, nom.illegit., non Poir. (1816), Bot. J. Linn. Soc. 200(1): 68 (2022); Type: South Africa, 'Dutoitskloof, Drège s.n. (K000392537, lecto.; G00022520, G00022521, GBH63919, L, LE, MO, PRE, isolecto.)
- ^E***Psoralea picta* (C.H.Stirt.) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 68 (2022); Type: South Africa, Baviaanskloof Mountains, between Smitskraal and Wilgehof, Oliver 4588 (NBG, holo.; BM, G, K, PRE, iso.)
- ^E***Psoralea pilifera* (C.H.Stirt. & Muasya) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 68 (2022); Type: South Africa, EasternCape, Mount Coke, Sep. 1892, Sim 1507 (K, holo.; BOL, NU, PRE, iso.)
- Psoralea platyphylla* C.H.Stirt.**, nom.nov. pro *Psoralea pinnata* var. *latifolia* Harv., Bot. J. Linn. Soc. 200(1): 64 (2022); Type: South Africa, Eastern Cape, Katberg, Nov. 1880, Hutton s.n. (TCD, lecto.)
- ^E***Psoralea prodiens* (C.H.Stirt. & Muasya) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 69 (2022); Type: South Africa, Eastern Cape Province, Zuurberg Pass, 28 Sep. 1984, Stirton 10822 (GRA, holo.; K, PRE, iso.)
- ^E***Psoralea pungens* (C.H.Stirt.) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 69 (2022); Type: South Africa, Western Cape, Bredasdorp, Potberg, Acocks 22835 (K, holo.; PRE, iso.)
- ^E***Psoralea pustulata* (C.H.Stirt.) C.H.Stirt.**, nom.illegit., non F.Muell. (1859), Bot. J. Linn. Soc. 200(1): 69 (2022); Type: South Africa, SWW of Springbok, 24 Sep. 1957, Acocks 19581 (PRE, holo.; K, iso.)
- ^E***Psoralea rubicunda* (C.H.Stirt.) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 69 (2022); Type: South Africa, Klein Swartberg Mountains, Hoeko Road, 30 Oct. 1957, Wurts 1606 (NBG, holo.; NBG, iso.)
- ^E***Psoralea sabulosa* (C.H.Stirt. & Muasya) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 69 (2022); Type: South Africa, Western Cape, N of De Hoop Vlei, 25 Sep. 1973, Esterhuysen 33240a (BOL, holo.; K, iso.)
- ^E***Psoralea saxosa* (C.H.Stirt. & Muasya) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 69 (2022); Type: South Africa, Western Cape, Near Toll House, Garcia's Pass, Oct. 1904, Bolus 11264 (PRE, holo.; BOL, BR17122641, K, NH, PRE, iso.)
- ^E***Psoralea spissa* (C.H.Stirt. & Muasya) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 69 (2022); Type: South Africa, Western Cape, Montagu to Barrydale, 26 Oct. 1986, Stirton & Žantovská 11281 (NBG, holo.; BOL, K, iso.)
- ^E***Psoralea swartbergensis* (C.H.Stirt.) C.H.Stirt.**, Bot. J. Linn. Soc. 200(1): 69 (2022); Type: South Africa, Swartberg Pass, Stirton 10310 (PRE, holo.; BOL, K, MO, NH, NY, NBG, iso.)

^E*Psoralea velutina* E.Mey., Comm. Pl. Afr. Austr.: 89 (1836); Type: South Africa, ‘Sub montibus Zwartbergen, prope Klaarstroom’, Drège s.n. (P03050253, lecto.; UPS—Thunb., isolecto.).
Lectotype designated by Bello et al., Botanical Journal of the Linnean Society 200(1): 69 (2022).

Psoralea wilmsii Harms var. *wilmsii*

Psoralea wilmsii var. *nigricans* (C.H.Stirt.) C.H.Stirt., Bot. J. Linn. Soc. 200(1): 70 (2022); Type: South Africa, Wild Game Park, 15 May 1981, Stirton 8923 (PRE, holo.)

***Ruteria* Medik.**

Ruteria tenuifolia (L.) Moench, Suppl. Meth. (Moench): 38 (1802) = *Psoralea tenuifolia* L.

***Trifolium* L.**

Trifolium fruticans L., Sp. Pl. 2: 770 (1753) = *Psoralea fruticans* (L.) Druce

HYACINTHACEAE

***Lachenalia* J.Jacq. ex Murray**

^E*Lachenalia filamentosa* G.D.Duncan, Phytotaxa 585(4): 267 (2023); Type: South Africa. Western Cape: Die Poort, S of Bredasdorp, 3 September 1943, Barker 2500 (NBG, holo.)

^E*Lachenalia granitica* G.D.Duncan, Phytotaxa 585(4): 266 (2023); Type: South Africa. Western Cape: Vredenburg, 6 August, 1962, Barker 9680 (NBG, holo.)

^E*Lachenalia inflata* G.D.Duncan, Phytotaxa 585(4): 265 (2023); Type: South Africa. Northern Cape: Akkerendam Nature Reserve, Calvinia, 22 July 1961, Barker 9319 (NBG, holo.)

^E*Lachenalia komsbergensis* G.D.Duncan, Phytotaxa 585(4): 262 (2023); Type: South Africa. Northern Cape: Komsberg Pass, farm De Plaat on R354 from Matjiesfontein to Sutherland, 8 October 2001, Duncan 459 (NBG, holo.)

HYPNACEAE

***Aptychus* (Mull.Hal.) Mull.Hal.**

Aptychus sphaeropyxis Mull.Hal., Hedwigia 38: 141 (1899) = *Sematophyllum sphaeropyxis* (Mull.Hal.) Broth.

***Chryso-Hypnum* Hampe**

Chryso-Hypnum patens Hampe, Bot. Zeitung (Berlin) 28: 35 (1870) = *Mittenothamnium patens* (Hampe) Cardot

***Cupressina* (Mull.Hal.) Mull.Hal.**

Cupressina dregei (Mull.Hal.) Mull.Hal., Hedwigia 38: 146 (1899) = *Sematophyllum dregei* (Mull.Hal.) Magill

***Hypnum* Hedw.**

Hypnum brachycarpum Hampe, Icon. Musc.: 11 (1844) = *Sematophyllum brachycarpum* (Hampe) Broth.

Hypnum dregei Mull.Hal., Syn. Musc. Frond. 2: 311 (1851) = *Sematophyllum dregei* (Mull.Hal.) Magill

Hypnum gueinzii Hampe, Icon. Musc.: 12 (1844) = ***Sematophyllum gueinzii* (Hampe) Magill**

Hypnum subpinnatum (Brid.) Arn., Mém. Soc. Linn. Paris, 5: 302 (1827) = ***Sematophyllum subpinnatum* (Brid.) E.Britton**

***Stereodon* (Brid.) Brid.**

Stereodon brachycarpus (Hampe) Mitt., J. Proc. Linn. Soc. 4: 87 (1859) = ***Sematophyllum brachycarpum* (Hampe) Broth.**

LAMIACEAE

***Burnatastrum* Briq.**

Burnatastrum cylindraceum (Hochst. ex Benth.) P.V.Heath, Calyx 4(5): 175 (2001) = ***Coleus cylindraceus* (Hochst. ex Benth.) A.J.Paton**

Burnatastrum hereroensis (Engl.) P.V.Heath, Calyx 4(5): 175 (2001) = ***Coleus hereroensis* (Engl.) A.J.Paton**

Burnatastrum spicatum (E.Mey.) Briq., Nat. Pflanzenfam. [Engler & Prantl] 4(3a): 358 (1897) = ***Coleus subspicatus* (Hochst.) Walp.**

***Coleus* Lour.**

^E***Coleus aliciae* (Codd) A.J.Paton**, PhytoKeys 129: 14 (2019); Type: South Africa, Transkei, Butterworth, Kentani, Pegler 909 (PRE, holo.)

***Coleus autranii* Briq.**, as 'autrani', Bull. Herb. Boissier 2: 129 (1894); Type: Ethiopia, no precise locality, 1853, Schimper 693 (G, holo.; K, iso.)

****Coleus barbatus* var. *grandis* (L.H.Cramer) A.J.Paton**, PhytoKeys 129: 24 (2019); Type: Sri Lanka, Sita Eleiya, Cramer 3869 (PDA, holo.; K, US, iso.)

***Coleus bojeri* Benth.**, Labiat. Gen. Spec.: 52 (1832); Type: Madagascar, Emirna, Betani-mena, Bojer s.n. (P, lecto.). Lectotype designated by Hedge et al., Flore de Madagascar et des Comores, Famille 175: Labiatae (1998).

***Coleus calycinus* (Benth.) A.J.Paton**, PhytoKeys 129: 31 (2019); Type: South Africa, Eastern Cape, between St Johns and Umsikaba rivers, 1837, Drège 3584 (K, lecto.; MO, P, isolecto.). Lectotype designated by Codd, Bothalia 11(4): (1975).

***Coleus caninus* subsp. *flavovirens* (Gurke) A.J.Paton**, PhytoKeys 129: 32 (2019); Type: Tanzania, Lake Chala (Dschallasee), 1893, Volkens 1771 (B, holo. destroyed; BR, iso.)

***Coleus cylindraceus* (Hochst. ex Benth.) A.J.Paton**, PhytoKeys 129: 37 (2019); Type: Ethiopia, near Gapdia, 29 Nov.1838, Schimper 1113 (K, holo.; BM, G, P, W, iso.)

***Coleus dolichopodus* (Briq.) A.J.Paton**, PhytoKeys 129: 41 (2019); Type: South Africa, KwaZulu-Natal, Karkloof, n.d., Rehmann 7383 (Z, holo.)

***Coleus esculentus* (N.E.Br.) G.Taylor**, J. Bot. 69(Suppl. 2): 158 (1931); Type: cultivated at K from material sent by J. Medley Wood from KwaZulu-Natal, 1893 (K, lecto.; BOL, isolecto.). Lectotype designated by Codd, Bothalia 11(4): (1975).

Coleus flavovirens Gurke, Pflanzenw. Ost-Afrikas C: 347 (1895) = ***Coleus caninus* subsp. *flavovirens* (Gurke) A.J.Paton**

Coleus floribundus (N.E.Br.) Robyns & Lebrun, nom.illegit., non Baker (1900), Rev. Zool. Bot. Africaines 16: 359 (1928) = ***Coleus esculentus* (N.E.Br.) G.Taylor**

- Coleus floribundus* var. *longipes* (N.E.Br.) Robyns & Lebrun, Rev. Zool. Bot. Africaines 16: 360 (1928) = *Coleus esculentus* (N.E.Br.) G.Taylor
- ^E*Coleus gibbosus* A.J.Paton, nom.nov. pro *Plectranthus rehmannii* Gurke, PhytoKeys 129: 49 (2019); Type: South Africa, Natal, Karkloof, Rehmann 7359 (Z, holo.; K, iso.)
- Coleus grandidentatus* (Gurke) A.J.Paton, PhytoKeys 129: 52 (2019); Type: South Africa, [Eastern] Cape, East Griqualand, Emyembe Mt, April 1885, Tyson 1517 (K, lecto.). Lectotype designated by Codd, Bothalia 11(4): (1975).
- Coleus hadiensis* (Forssk.) A.J.Paton, PhytoKeys 129: 54 (2019)
- Coleus hereroensis* (Engl.) A.J.Paton, PhytoKeys 129: 56 (2019); Type: Namibia, Hereroland, Kaiser Wilhelmsberg near Okahandja, May 1886, Marloth 1350 (B, holo. destroyed; G, M, PRE, SAM, iso.)
- Coleus kirkii* (Baker) A.J.Paton, PhytoKeys 129: 61 (2019); Type: Malawi, Manganja Hills, Kirk s.n. (K, lecto.). Lectotype designated by Bramley in Paton et al., Flora of Tropical East Africa: (2009).
- Coleus lasianthus* Gurke, Bot. Jahrb. Syst. 19(2-3): 212 (1894); Type: Tanzania, Kondo District: Irangi, Fischer 507 (B, holo. destroyed); Type: Tanzania, Same District: Mkomazi Game Reserve, Ngurunga Dam, Abdallah, Mboya & Vollesen 96/109, (K, neo.; NHT, isoneo.). Neotype designated by Paton in Paton et al., Flora of Tropical East Africa: (2009).
- ^E*Coleus leemannii* (N.Hahn) A.J.Paton, Bothalia ABC 53(1): 2 (2023); Type: South Africa, Limpopo, Soutpansberg, Lejuma, 13 Apr 2005, N. Hahn 2086 (ZPB, holo.; PRE, PRU, iso.)
- Coleus livingstonei* A.J.Paton, nom.nov. pro *Pycnostachys urticifolia* Hook., PhytoKeys 129: 67 (2019); Type: Malawi, ex Hort. Kew, seeds sent from Mt Zomba by Livingstone (K, holo.)
- Coleus madagascariensis* (Pers.) A.Chev., Rev. Int. Bot. Appl. Agric. Trop. 33: 338 (1953); Type: Mauritius or Reunion, n.d., Commerson 266 (P-JU 5706, holo.)
- ^E*Coleus mutabilis* (Codd) A.J.Paton, PhytoKeys 129: 77 (2019); Type: South Africa, Transvaal, Pietersburgh District, farm Bulbul, eastern end of Blouberg, Codd 7953 (PRE, holo.)
- Coleus myrianthus* (Briq.) Brenan, Mem. New York Bot. Gard. 9: 43 (1954) = *Coleus hereroensis* (Engl.) A.J.Paton
- ^E*Coleus porcatus* (Van Jaarsv. & P.J.D.Winter) A.J.Paton, PhytoKeys 129: 85 (2019); Type: South Africa, Sekukuniland, N. Leolo Range, Farm de Kamp, P.J.D. Winter 6725 (PRE, holo.; NBG, iso.)
- Coleus psammophilus* (Codd) A.J.Paton, PhytoKeys 129: 86 (2019); Type: South Africa, KwaZulu-Natal, Makatini Flats, Jan. 1964, Strey 5779 (PRE, holo.; BR, K, M, NH, iso.)
- Coleus subspicatus* (Hochst.) Walp., Repert. Bot. Syst. 6: 658 (1847); Type: South Africa, Cape, Uitenhage, Krauss 1112 (TUB008736, TUB008735, syn.)
- Coleus tetragonus* (Gurke) Robyns & Lebrun, Ann. Soc. Sci. Bruxelles, Ser. B 49: 106 (1929); Type: Tanzania, Lushoto District: Usambara Mts, Mashewa (Mascheua), Holst 3573 (B, holo. destroyed; K, W, Z, iso.)
- Coleus urticifolius* (Hook.) Roberty, nom.illegit., non Benth. (1848), Bull. Inst. Franç. Afrique Noire, A. 16: 330 (1954) = *Coleus livingstonei* A.J.Paton
- Coleus venterii* (Van Jaarsv. & Hankey) A.J.Paton, PhytoKeys 129: 107 (2019); Type: South Africa, Northern Prov., Tzaneen, Geeneinde, Schoonoord, Sekekuneland, Venter 13626 (PRE, holo.)
- ^E*Coleus xerophilus* (Codd) A.J.Paton, PhytoKeys 129: 110 (2019); Type: South Africa, Transvaal, Lydenburg, district, near Marone, Codd & Dyer 7729 (PRE, holo.)

***Englerastrum* Briq.**

Englerastrum floribundum (N.E.Br.) T.C.E.Fr., Notizbl. Bot. Gart. Berlin-Dahlem 9: 73 (1924) = *Coleus esculentus* (N.E.Br.) G.Taylor

***Equilabium* Mwany., A.J.Paton & Culham**

Equilabium dolomiticum (Codd) Mwany. & A.J.Paton, PhytoKeys 129: 114 (2019); Type: South Africa, Transvaal, Farm Ostend, northwest of Penge Mine, 10 Dec. 1982, Van Jaarsveld 7052 (PRE, holo.)

Equilabium laxiflorum (Benth.) Mwany., A.J.Paton & Culham, Bot. J. Linn. Soc. 188(4): 367 (2018); Type: South Africa, KwaZulu-Natal, between Umzimkulu and Umkomaas Rivers, Drège 3586 (K, lecto.). Lectotype designated by Codd, Bothalia 11(4): (1975).

Equilabium petiolare (Benth.) Mwany. & A.J.Paton, PhytoKeys 129: 123 (2019); Type: South Africa, Eastern Cape, between Umtata and Umzimvubu Rivers, 1836, Drège 4773b (K, lecto.). Lectotype designated by Codd, Bothalia 11(4): (1975).

***Germanea* Lam.**

Germanea cylindracea (Hochst. ex Benth.) Hiern, Cat. Afr. Pl. (Hiern) 1(4): 861 (1900) = *Coleus cylindraceus* (Hochst. ex Benth.) A.J.Paton

***Ocimum* L.**

Ocimum madagascariense Pers., Syn. Pl. [Persoon] 2(1): 135 (1806) = *Coleus madagascariensis* (Pers.) A.Chev.

***Plectranthus* L'Her.**

Plectranthus caninus subsp. *flavovirens* (Gurke) A.J.Paton, Fl. Trop. E. Africa, Lam.: 345 (2009) = *Coleus caninus* subsp. *flavovirens* (Gurke) A.J.Paton

Plectranthus floribundus var. *longipes* N.E.Br., Bull. Misc. Inform. Kew 1894: 13 (1894); Type: South Africa, valley of Umzingwani R., Baines s.n. (K, lecto.). Lectotype designated by Robyns & Lebrun, Revue de Zoologie et de Botanique Africaines 16: (1928). = *Coleus esculentus* (N.E.Br.) G.Taylor

Plectranthus lasianthus (Gurke) Vollesen, Opera Bot. 59: 84 (1980) = *Coleus lasianthus* Gurke

Plectranthus pachystachyus Briq., Bull. Herb. Boissier, sér. 2, 3: 1003 (1903); Type: South Africa, KwaZulu-Natal, Umkomaas, 3.1892, Medley Wood 4621 (G, holo.; K, iso.) = *Coleus calycinus* (Benth.) A.J.Paton

***Pycnostachys* Hook.**

Pycnostachys kirkii Baker, Fl. Trop. Afr. [Oliver et al.] 5(2): 381 (1900) = *Coleus kirkii* (Baker) A.J.Paton

Pycnostachys urticifolia var. *pubescens* (Gurke) Gurke, Bot. Jahrb. Syst. 22: 146 (1895) = *Coleus livingstonei* A.J.Paton

LESKEACEAE

***Leskea* Hedw.**

Leskea caespitosa Sw., nom.illegit., Fl. Ind. Occid. 3: 1807 (1806) = *Sematophyllum subpinnatum* (Brid.) E.Britton

Leskea subpinnata Brid., Muscol. Recent. Suppl. 2: 54 (1812) = *Sematophyllum subpinnatum* (Brid.) E.Britton

LINDERNIACEAE

Stemodiopsis Engl.

Stemodiopsis kamundii K.Balkwill, S. African J. Bot. 135: 381 (2020); Type: South Africa, Limpopo, Soutpansberg district, Farm Prince 758 MS, Medike, 10 Apr 1993, Balkwill & Balkwill 8262 (J, holo.; E, PRE, iso.)

OCHNACEAE

Ochna L.

^E*Ochna maguirei* K.Balkwill, S. African J. Bot. 133: 299 (2020); Type: South Africa, Limpopo Province, Pietersburg: Lajuma Research Centre, between Lajuma Peak and the farmhouse, 27 Oct 2015, Balkwill et al. 13658 (J, holo.; B, BM, K, MO, PRE, iso.)

OLEACEAE

Dekindtia Gilg

Dekindtia africana Gilg, Bot. Jahrb. Syst. 32(1): 139 (1902); Type: Malawi, Nyasaland, Buchanan 283. = *Noronhia battiscombei* (Hutch.) Hong-Wa & Besnard

Noronhia Stadman ex Thouars

Noronhia battiscombei (Hutch.) Hong-Wa & Besnard, Molec. Phylogen. Evol. 67(2): 375 (2013); Type: Kenya, K4, Nairobi Dist. Nairobi Forests, Battiscombe 517.

Noronhia foveolata (E.Mey.) Hong-Wa & Besnard, Molec. Phylogen. Evol. 67(2): 376 (2013); Type: South Africa, Drège s.n.

Noronhia foveolata (E.Mey.) Hong-Wa & Besnard subsp. *foveolata*

Noronhia foveolata subsp. *major* (I.Verd.) Hong-Wa & Besnard, Molec. Phylogen. Evol. 67(2): 376 (2013); Type: South Africa, Graskop, Marieskop Forest, Urry 28568.

^E*Noronhia foveolata* subsp. *tomentella* (I.Verd.) Hong-Wa & Besnard, Molec. Phylogen. Evol. 67(2): 376 (2013); Type: South Africa, Burchell 5539.

^E*Noronhia peglerae* (C.H.Wright) Hong-Wa & Besnard, Molec. Phylogen. Evol. 67(2): 377 (2013); Type: South Africa, Kentani, Pegler 819.

PENAEACEAE

Penaea L.

Penaea myrtifolia Endl., Gen. Pl. [Endlicher] Suppl. 4, II: 73 (1848) = *Penaea cneorum* Meerb.

Penaea myrtoides L.f., Suppl. Pl.: 122 (1782) = *Penaea cneorum* Meerb.

PLANTAGINACEAE

Plantago L.

Plantago carnos var. *hirsuta* (Thunb.) Beg., Bull. Soc. Bot. Ital. 1906: 92 (1906) = *Plantago carnos* Lam.

Plantago thunbergii Poir., nom.superfl., Encyc. [J. Lamarck & al.] Suppl. 4: 431 (1816) = *Plantago carnos* Lam.

POACEAE

Poa L.

**Poa iconia* Azn., Magyar Bot. Lapok 1918, xvii: 67 (1919); Type: Turkey. Anatolia centralis [Lycaonia:] Mont Hagios ['Agios' on G isotypes] Philippos, pres de Konia, 30 Apr 1913, B.V.D. Post (Post B 53, E00367667, lecto.; G00308664, G00386674, isolecto.). Lectotype designated by Soteng et al., PhytoKeys 165: 40 (2020).

**Poa iconia* Azn. var. *iconia*

**Poa infirma* Kunth, Nov. Gen. Sp. [H.B.K.] 1: 158 (1816); Type: Colombia. Crescit in frigidis regni Novogranatensis, inter Fonibon, Suba et Santa Fe de Bogota, floret. Aug, Humboldt & Bonpland s.n. (P00669436, herb. Humboldt & Bonpland Ameriqui Ecuatorial, lecto.; P00128983, US1851276 fragm. ex P, US2851277 (134; Aug 1801; Colombia [ex P-Bonpl.], isolecto.)). Lectotype designated by Sylvester et al., Annals of the Missouri Botanical Garden 105(2): (2020).

**Poa pratensis* L. subsp. *pratensis*

**Poa pratensis* subsp. *irrigata* (Lindm.) H.Lindb., Exsicc. (Pl. Finland.) 2: 20 (1916); Type: Sweden. Upsaliae, Ehrhart 115 (LINN-HS127-54, lecto.; LE00009654, LE00009655, LE00009656, LE00009657, LE00009658 plant B on sheet, LE-TRIN-2598.02, O [plant B on E. Fries, Hb. Norm. 9: 93a, from "Upsaliae"], UPS, W0029751, isolecto.). Lectotype designated by Sylvester et al., Annals of the Missouri Botanical Garden 105(2): (2020).

**Poa trivialis* L. subsp. *trivialis*

Rytidosperma Steud.

Rytidosperma distichum (Nees) Cope, as 'disticha', Fl. Zambes. 10(2): 9 (1999) = *Tenaxia disticha* (Nees) N.P.Barker & H.P.Linder

Tenaxia N.P.Barker & H.P.Linder

Tenaxia disticha var. *dracomontana* H.P.Linder, Syst. Bot. 39(2): 437 (2014); Type: South Africa, KwaZulu-Natal: Bergville District, Camel on Organ Pipes, 8 Jan 2011, Clark & Keevey in Perl 31 (Z, holo.; GRA, iso.)

Tenaxia disticha var. *lustriola* H.P.Linder, Syst. Bot. 39(2): 437 (2014); Type: South Africa, Kwazulu-Natal: Bergville District, top of Organ Pipes pass, 8 Jan 2011, Clark & Keevey in Perl 29 (Z, holo.; GRA, iso.)

^E*Tenaxia disticha* var. *vlokii* H.P.Linder, Syst. Bot. 39(2): 437 (2014); Type: South Africa. Western Cape Province: Oudtshoorn, Koos Raubenheimer Dam, 30 Oct 2010, Perl 10 (Z, holo.; GRA, iso.)

POLYPODIACEAE

Polypodium L.

Polypodium rugosulum Labill., Nov. Holl. Pl. 2: 92, t.241 (1806) = *Hypolepis rugosola* (Labill.) J.Sm.

POTTIACEAE

Algaria Hedd. & R.H.Zander

^E*Algaria overbergensis* Hedd. & R.H.Zander, J. Bryol. 44(3): 218 (2022); Type. South Africa, Western Cape Province, Napier Area, Skurwekop, Cameron McMaster Reserve, 11 September 2021, Hedderson 20055 (BOL, holo.; MO, iso.)

Hennediella Paris

^E*Hennediella austroafricana* Hedd. & M.J.Cano, J. Bryol. 44(3): 223 (2022); Type: South Africa. Western Cape Province: Touws Rivier area, road from R318 to Nougaspoort, at Drie Kuilen, Hedderson 18472a, 22 September 2013 (BOL, holo.; MUB 61034, iso.)

RAFFLESIACEAE

Scytanthus Liebm.

Scytanthus currorii Hook., Hooker's Icon. Pl. 7: t. 605-606 (1844) = *Ceropegia currorii* (Hook.) Bruyns

RHAMNACEAE

Phyllogeiton (Weberb.) Herzog

^E*Phyllogeiton trachybasis* R.G.C.Boon & A.E.van Wyk, Phytotaxa 585(3): 195 (2023); Type: South Africa. KwaZulu-Natal: Hluhluwe, Bonamanzi Game Park [Reserve], 5 March 1996, Abbott 6929 (PRU 081091, holo.; NH, PCE, iso.)

Scutia (Comm. ex DC.) Brongn.

Scutia indica Brongn., nom.superfl., Mém. Fam. Rhamnées 56 (1826) (1826) = *Scutia myrtina* (Burm.f.) Kurz

ROSACEAE

Rubus L.

Rubus anas A.Beek, Phytotaxa 515(1): 18, fig. 3A-B (2021) = *Rubus pinnatus* subsp. *pappei* (Eckl. & Zeyh.) Sochor

Rubus cacoeimon A.Beek, Phytotaxa 515(1): 35, fig. 12 (2021) = *Rubus rigidus* Sm.

Rubus cryptopetalus A.Beek, Phytotaxa 515(1): 24, figs. 5C-D (2021); Type: South Africa. KwaZulu-Natal: Road from Vryheid to Louwsburg, 3.1 km before the exit to Louwsburg, south side of the road, 14 February 2018, Beek 2018.07 (holotype L; isotype NBG). = *Rubus apetalus* Poir. var. *apetalus*

- Rubus fertilis* A.Beek, Phytotaxa 515(1): 38, fig. 14A-B (2021) = ***Rubus rigidus* Sm.**
- Rubus leptodytus* A.Beek, Phytotaxa 515(1): 29, fig. 8A-C (2021) = ***Rubus rigidus* Sm.**
- Rubus leptostelechus* A.Beek, Phytotaxa 515(1): 18, fig. 4 (2021) = ***Rubus pinnatus* subsp. *pappei* (Eckl. & Zeyh.) Sochor**
- Rubus noli-tangere* A.Beek, Phytotaxa 515(1): 37, fig. 13A-C (2021) = ***Rubus rigidus* Sm.**
- ****Rubus pensilvanicus* Poir.**, Encycl. [J. Lamarck & al.] 6(1): 246 (1804)
- Rubus pinnatus* subsp. *pappei* (Eckl. & Zeyh.) Sochor**, S. African J. Bot. 147: 521 (2002); Type: South Africa, Eastern Cape: inter frutices nemorum in Krakamma et Ado, tum ad Zwartehoogdens et prope Katrivier (Uitenhage, Albany), Ecklon 1706 (P [02579473], lecto., designated by Sochor et al. (2022); L [0019831; the two larger inflorescences only], isolecto.)
- Rubus pinnatus* Willd. subsp. *pinnatus***
- ^E***Rubus thaumasius* A.Beek**, Because of the older homonym of Foerster (1878: 155) a replacement name for this beautiful bramble (thaumasius = wonderful) was required., Phytotaxa 515(1): 40 (2021); Type: South Africa. Eastern Cape, Hogsback, 4 June 1926, Rattray 4261 lectotype GRA, designated in Sochor et al. (2022).

SANTALACEAE

Thesium L.

- ^E***Thesium hispidifructum* N.Lombard & M.M.le Roux**, Taxonomy 3(1): 103 (2023); Type: South Africa. Limpopo Province: Lebowa, Blouberg, Farm Beauily 260 LR, 12 February 1991, L. Smook 7447 (PRE0775984, holo.)

SEMATOPHYLLACEAE

Rhaphidostegium (Schimp.) De Not.

- Rhaphidostegium brachycarpum* (Hampe) A.Jaeger, Ber. Thätigk. St. Gallischen Naturwiss. Ges. 1876–77: 396 (Gen. Sp. Musc. 2: 462) (1878) = ***Sematophyllum brachycarpum* (Hampe) Broth.**
- Rhaphidostegium caespitosum* (Mitt.) Besch., Ann. Sci. Nat., Bot., sér. 6, 3: 247 (1876) = ***Sematophyllum subpinnatum* (Brid.) E.Britton**
- Rhaphidostegium dregei* (Mull.Hal.) A.Jaeger, Ber. Thätigk. St. Gallischen Naturwiss. Ges. 1876–77: 407 (Gen. Sp. Musc. 2: 473) (1878) = ***Sematophyllum dregei* (Mull.Hal.) Magill**
- Rhaphidostegium gueinzii* (Hampe) A.Jaeger, Ber. Thätigk. Gallischen Naturwiss. Ges. 1876–77: 407 (Gen. Sp. Musc. 2: 473) (1878) = ***Sematophyllum gueinzii* (Hampe) Magill**
- Rhaphidostegium sphaeropyxis* (Mull.Hal.) Paris, Index Bryol. Suppl.: 297 (1900) = ***Sematophyllum sphaeropyxis* (Mull.Hal.) Broth.**
- Rhaphidostegium subpinnatum* (Brid.) E.Britton, Bryologist 21: 28 (1918) = ***Sematophyllum subpinnatum* (Brid.) E.Britton**
- Rhaphidostegium wageri* (C.H.Wright ex Wager) Dixon, Trans. Roy. Soc. South Africa 18: 260 (1929) = ***Sematophyllum brachycarpum* (Hampe) Broth.**

SOLANACEAE

Solanum L.

**Solanum diphyllum* L., Sp. Pl. [Linnaeus] 1: 184 (-185) (1753); Type: P.Browne s.n., lectotype
LINN (NO. 248.5) (NO. 248.5)

**Solanum nitidibaccatum* Bitter, nom. cons. prop., Repert. Spec. Nov. Regni Veg. 11: 208 (1912);
Type: Chile, Poeppig, EF s.n. (lecto. W)

THELYPTERIDACEAE

Phegopteris Fee

Phegopteris punctata var. *rugosula* (Labill.) Hillebr., as 'rugulosa', Fl. Hawaiian Isl. [Hillebrand]:
563 (1888) = *Hypolepis rugosola* (Labill.) J.Sm.

Phegopteris rugosula (Labill.) Fee, as 'rugulosa', Mém. Foug., 5. Gen. Filic.: 242 (1852) =
Hypolepis rugosola (Labill.) J.Sm.

Taxonomic status change: accepted names that became synonyms

AIZOACEAE

***Antimima* N.E.Br.**

Antimima lawsonii (L.Bolus) H.E.K.Hartmann, Bothalia 28(1): 74 (1998) = *Ruschia lawsonii* (L.Bolus) L.Bolus

***Erepsia* N.E.Br.**

Erepsia aristata (L.Bolus) Liede & H.E.K.Hartmann, Bradleya 16: 64 (1998) = *Ruschia aristata* L.Bolus

***Galenia* L.**

Galenia acutifolia Adamson, J. S. African Bot. 22: 112 (1956) = *Aizoon acutifolium* (Adamson) Klak

Galenia affinis Sond., Fl. Cap. (Harvey) 2: 476 (1862) = *Aizoon affine* (Sond.) Klak

Galenia africana L., Sp. Pl. 1: 359 (1753) = *Aizoon africanum* (L.) Klak

Galenia collina (Eckl. & Zeyh.) Walp., Repert. Bot. Syst. (Walpers) 2: 232 (1843) = *Aizoon collinum* (Eckl. & Zeyh.) Klak

Galenia crystallina (Eckl. & Zeyh.) Fenzl ex Harv. & Sond., Fl. Cap. (Harvey) 2: 477 (1862). = *Aizoon crystallinum* Eckl. & Zeyh.

Galenia crystallina var. *maritima* Adamson, J. S. African Bot. 22: 120 (1956) = *Aizoon crystallinum* Eckl. & Zeyh.

Galenia cymosa Adamson, J. S. African Bot. 22: 122 (1956) = *Aizoon cymosum* (Adamson) Klak

Galenia dregeana Fenzl ex Sond., Fl. Cap. (Harvey) 2: 477 (1862) = *Aizoon dregeanum* (Fenzl ex Sond.) Klak

Galenia ecklonis Walp., Repert. Bot. Syst. (Walpers) 2: 232 (1843) = *Aizoon ecklonis* (Walp.) Klak

Galenia exigua Adamson, J. S. African Bot. 22: 101 (1956) = *Aizoon exiguum* (Adamson) Klak

Galenia filiformis (Thunb.) N.E.Br., Bothalia 1: 155 (1923) = *Aizoon filiforme* (Thunb.) Klak

Galenia fruticosa (L.f.) Sond., Fl. Cap. (Harvey) 2: 477 (1862) = *Aizoon fruticosum* L.f.

Galenia glandulifera Bittrich, Bothalia 20(2): 217 (1990) = *Aizoon glanduliferum* (Bittrich) Klak

Galenia hemisphaerica Adamson, J. S. African Bot. 22: 122 (1956) = *Aizoon hemisphaericum* (Adamson) Klak

Galenia herniariifolia (C.Presl) Walp., Repert. Bot. Syst. (Walpers) 2: 232 (1843) = *Aizoon herniariifolium* (C.Presl) Klak

Galenia hispidissima Fenzl ex Sond., Fl. Cap. (Harvey) 2: 478 (1862) = *Aizoon hispidissimum* (Fenzl ex Sond.) Klak

Galenia meziana K.Mull., Bot. Jahrb. Syst. 42(2-3, Beibl. 97): 68 (1908) = *Aizoon mezianum* (K.Mull.) Klak

Galenia namaensis Schinz, Bull. Herb. Boissier 5, App. III: 76 (1897) = *Aizoon namaense* (Schinz) Klak

Galenia pallens (Eckl. & Zeyh.) Walp., Repert. Bot. Syst. (Walpers) 2: 232 (1843) = *Aizoon pallens* (Eckl. & Zeyh.) Klak

Galenia papulosa (Eckl. & Zeyh.) Sond., Fl. Cap. (Harvey) 2: 475 (1862) = *Aizoon papulosum* Eckl. & Zeyh.

Galenia portulacacea Fenzl ex Sond., Fl. Cap. (Harvey) 2: 475 (1862) = *Aizoon portulacaceum* (Fenzl ex Sond.) Klak

Galenia procumbens L.f., Suppl. Pl.: 227 (1782) = ***Aizoon flavescens* Klak**

Galenia prostrata G.Schellenb., Bot. Jahrb. Syst. 48(3-4): 501 (1912) = ***Aizoon prostratum* (G.Schellenb.) Klak**

Galenia pruinosa Sond., Fl. Cap. (Harvey) 2: 477 (1862) = ***Aizoon pruinsum* (Sond.) Klak**

Galenia pubescens (Eckl. & Zeyh.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 4(suppl. 2): 624 (1917) = ***Aizoon pubescens* Eckl. & Zeyh.**

Galenia rigida Adamson, J. S. African Bot. 22: 94 (1956) = ***Aizoon neorigidum* Klak**

Galenia sarcophylla Fenzl ex Sond., Fl. Cap. (Harvey) 2: 475 (1862) = ***Aizoon sarcophyllum* (Fenzl ex Sond.) Klak**

Galenia secunda (L.f.) Sond., Fl. Cap. (Harvey) 2: 474 (1862) = ***Aizoon secundum* L.f.**

Galenia squamulosa (Eckl. & Zeyh.) Fenzl, Fl. Cap. (Harvey) 2: 477 (1862) = ***Aizoon squamulosum* Eckl. & Zeyh.**

Galenia subcarnosa Adamson, J. S. African Bot. 22: 103 (1956) = ***Aizoon subcarnosum* (Adamson) Klak**

***Plinthus* Fenzl**

Plinthus arenarius Adamson, J. S. African Bot. 27: 149 (1961) = ***Aizoon arenarium* (Adamson) Klak**

Plinthus cryptocarpus Fenzl, Endl. Nov. Stirp. Dec.: 52 (1889) = ***Aizoon cryptocarpum* (Fenzl) Klak**

Plinthus karooicus I.Verd., Bothalia 4: 177 (1941) = ***Aizoon plinthoides* Klak**

Plinthus rehmannii G.Schellenb., Bot. Jahrb. Syst. 48(3-4): 499 (1912) = ***Aizoon rehmannii* (G.Schellenb.) Klak**

Plinthus sericeus Pax, Bot. Jahrb. Syst. 48(3-4): 499 (1912) = ***Aizoon sericeum* (Pax) Klak**

APIACEAE

***Deverra* DC.**

Deverra denudata subsp. *aphylla* (Cham. & Schltdl.) Pfisterer & Podlech = ***Deverra aphylla* (Cham. & Schltdl.) DC.**

***Pimpinella* L.**

Pimpinella schlechteri H.Wolff, Repert. Spec. Nov. Regni Veg. 16: 235 (1919) = ***Pimpinella caffra* (Eckl. & Zeyh.) D.Dietr.**

Pimpinella stadensis (Eckl. & Zeyh.) D.Dietr., Syn. Pl. [D. Dietrich] 2: 947 (1840) = ***Pimpinella caffra* (Eckl. & Zeyh.) D.Dietr.**

APOCYNACEAE

***Ceropegia* L.**

Ceropegia juttiae (Dinter) Bruyns, nom.illegit., non (Dinter) Bruyns (2017: 420), S. African J. Bot. 112: 422 (2017) = ***Ceropegia portae-aurinae* (Dinter & A.Berger) Bruyns**

Ceropegia picta (N.E.Br.) Bruyns, nom.illegit. non (Schltr.) H.Huber (1957), S. African J. Bot. 112: 421 (2017) = ***Ceropegia meloformis* (Marloth) Bruyns**

***Hoodia* Sweet ex Decne.**

Hoodia alstonii (N.E.Br.) Plowes, Asklepios 56: 7 (1992) = ***Ceropegia alstonii* (N.E.Br.) Bruyns**

Hoodia currorii (Hook.) Decne., Prodr. [A. P. de Candolle] 8: 665 (1844) = ***Ceropegia currorii* (Hook.) Bruyns**

Hoodia currorii subsp. *lugardii* (N.E.Br.) Bruyns, Bot. Jahrb. Syst. 115(2): 205 (1993) = ***Ceropegia currorii* subsp. *lugardii* (N.E.Br.) Bruyns**

Hoodia dregei N.E.Br., Fl. Cap. (Harvey) 4(1,6): 897 (1909) = ***Ceropegia dregei* (N.E.Br.) Bruyns**

Hoodia flava (N.E.Br.) Plowes, Asklepios 56: 8 (1992) = ***Ceropegia flavanthera* Bruyns**

Hoodia gordonii (Masson) Sweet ex Decne., Prodr. [A. P. de Candolle] 8: 665 (1844) = ***Ceropegia gordonii* (Masson) Bruyns**

Hoodia grandis (N.E.Br.) Plowes, Asklepios 56: 9 (1992) = ***Ceropegia coleorum* (Plowes) Bruyns**

Hoodia officinalis (N.E.Br.) Plowes, Asklepios 56: 9 (1992) = ***Ceropegia officinalis* (N.E.Br.) Bruyns**

Hoodia officinalis (N.E.Br.) Plowes subsp. *officinalis* = ***Ceropegia officinalis* (N.E.Br.) Bruyns subsp. *officinalis***

Hoodia pilifera (L.f.) Plowes, Asklepios 56: 10 (1992) = ***Ceropegia pilifera* (L.f.) Bruyns**

Hoodia pilifera subsp. *annulata* (N.E.Br.) Bruyns, Bot. Jahrb. Syst. 115(2): 235 (1993) = ***Ceropegia pilifera* subsp. *annulata* (N.E.Br.) Bruyns**

***Larryleachia* Plowes**

Larryleachia cactiformis (Hook.) Plowes, Excelsa 17: 5 (1996) = ***Ceropegia cactiformis* (Hook.) Bruyns**

Larryleachia cactiformis (Hook.) Plowes var. *cactiformis* = ***Ceropegia cactiformis* (Hook.) Bruyns subsp. *cactiformis***

Larryleachia cactiformis var. *felina* (D.T.Cole) Bruyns, Stapeliads S. Africa Madagascar 1: 223 (2005) = ***Ceropegia cactiformis* subsp. *felina* (D.T.Cole) Bruyns**

Larryleachia marlothii (N.E.Br.) Plowes, Excelsa 17: 7 (1996) = ***Ceropegia marlothii* (N.E.Br.) Bruyns**

Larryleachia meloformis (Marloth) Plowes, Excelsa 17: 7 (1996) = ***Ceropegia meloformis* (Marloth) Bruyns**

Larryleachia perlata (Dinter) Plowes, Excelsa 17: 9 (1996) = ***Ceropegia perlata* (Dinter) Bruyns**

Larryleachia picta (N.E.Br.) Plowes, Excelsa 17: 9 (1996) = ***Ceropegia meloformis* (Marloth) Bruyns**

***Notechidnopsis* Lavranos & Bleck**

Notechidnopsis tessellata (Pillans) Lavranos & Bleck, Cact. Succ. J. (Los Angeles) 57(6): 256 (1985) = ***Ceropegia tessellata* (Pillans) Bruyns**

***Ophonella* Bruyns**

Ophonella arcuata (N.E.Br.) Bruyns, Cact. Succ. J. Gr. Brit. 43(2–3): 72 (1981) = ***Ceropegia arcuata* (N.E.Br.) Bruyns**

Ophonella arcuata (N.E.Br.) Bruyns subsp. *arcuata* = ***Ceropegia arcuata* (N.E.Br.) Bruyns subsp. *arcuata***

Ophonella arcuata subsp. *mirkinii* (Pillans) Bruyns, Bot. J. Linn. Soc. 131(4): 395 (1999) = ***Ceropegia arcuata* subsp. *mirkinii* (Pillans) Bruyns**

Ophonella willowmorensis Bruyns, Bot. J. Linn. Soc. 131(4): 396 (1999) = ***Ceropegia willowmorensis* (Bruyns) Bruyns**

***Orbea* Haw.**

Orbea miscella (N.E.Br.) Meve, Kakteen And. Sukk. 51(7): 186 (2000) = ***Ceropegia miscella* (N.E.Br.) Bruyns**

***Pectinaria* Haw.**

Pectinaria articulata (Aiton) Haw. subsp. *articulata* = ***Ceropegia articulata* (Aiton) Bruyns subsp. *articulata***

Pectinaria articulata subsp. *asperiflora* (N.E.Br.) Bruyns, Cact. Succ. J. Gr. Brit. 43(2–3): 65 (1981) = ***Ceropegia articulata* subsp. *asperiflora* (N.E.Br.) Bruyns**

Pectinaria articulata subsp. *borealis* Bruyns, Cact. Succ. J. Gr. Brit. 43(2–3): 67 (1981) = ***Ceropegia articulata* subsp. *borealis* (Bruyns) Bruyns**

Pectinaria articulata subsp. *namaquensis* (N.E.Br.) Bruyns, Cact. Succ. J. Gr. Brit. 43(2–3): 66 (1981) = ***Ceropegia articulata* subsp. *namaquensis* (N.E.Br.) Bruyns**

Pectinaria erinacea Plowes, Aloe 51(1): 25 (2014) = ***Ceropegia articulata* subsp. *namaquensis* (N.E.Br.) Bruyns**

Pectinaria flavescens Plowes, Excelsa 20: 17 (2003) = ***Ceropegia articulata* (Aiton) Bruyns subsp. *articulata***

Pectinaria longipes (N.E.Br.) Bruyns, Cact. Succ. J. Gr. Brit. 43(2–3): 69 (1981) = ***Ceropegia longipes* (N.E.Br.) Bruyns**

Pectinaria longipes (N.E.Br.) Bruyns subsp. *longipes* = ***Ceropegia longipes* (N.E.Br.) Bruyns subsp. *longipes***

Pectinaria longipes subsp. *villetii* (C.A.Luckh.) Bruyns, Stapeliads S. Africa Madagascar 2: 341 (2005) = ***Ceropegia longipes* subsp. *villetii* (C.A.Luckh.) Bruyns**

Pectinaria maughanii (R.A.Dyer) Bruyns, Cact. Succ. J. Gr. Brit. 43(2–3): 69 (1981) = ***Ceropegia maughanii* (R.A.Dyer) Bruyns**

***Quaqua* N.E.Br.**

Quaqua acutiloba (N.E.Br.) Bruyns, Bradleya 1: 44 (1983) = ***Ceropegia acutiloba* (N.E.Br.) Bruyns**

Quaqua arenicola (N.E.Br.) Plowes, Excelsa 16: 98 (1994) = ***Ceropegia arenicola* (N.E.Br.) Bruyns**

Quaqua arenicola (N.E.Br.) Plowes subsp. *arenicola* = ***Ceropegia arenicola* (N.E.Br.) Bruyns subsp. *arenicola***

Quaqua arenicola subsp. *pilifera* (Bruyns) Bruyns, Bot. Jahrb. Syst. 121(3): 383 (1999) = ***Ceropegia arenicola* subsp. *pilifera* (Bruyns) Bruyns**

Quaqua arida (Masson) Plowes ex Bruyns, Stapeliads S. Africa Madagascar 2: 375 (2005) = ***Ceropegia arida* (Masson) Bruyns**

Quaqua armata (N.E.Br.) Bruyns, Bradleya 1: 65 (1983) = ***Ceropegia armata* (N.E.Br.) Bruyns**

Quaqua armata (N.E.Br.) Bruyns subsp. *armata* = ***Ceropegia armata* (N.E.Br.) Bruyns subsp. *armata***

Quaqua armata subsp. *maritima* Bruyns, Bradleya 1: 66 (1983) = ***Ceropegia armata* subsp. *maritima* (Bruyns) Bruyns**

Quaqua aurea (C.A.Luckh.) Plowes, Excelsa 16: 90 (1994) = ***Ceropegia aurea* (C.A.Luckh.) Bruyns**

Quaqua bayeriana (Bruyns) Plowes, Excelsa 16: 93 (1994) = ***Ceropegia bayeriana* (Bruyns) Bruyns**

Quaqua cincta (C.A.Luckh.) Bruyns, Asklepios 65: 17 (1995) = ***Ceropegia cincta* (C.A.Luckh.) Bruyns**

Quaqua framesii (Pillans) Bruyns, Bradleya 1: 43 (1983) = ***Ceropegia framesii* (Pillans) Bruyns**

Quaqua incarnata (L.f.) Bruyns, Bradleya 1: 39 (1983) = ***Ceropegia incarnata* (L.f.) Bruyns**

Quaqua incarnata (L.f.) Bruyns subsp. *incarnata* = ***Ceropegia incarnata* (L.f.) Bruyns subsp. *incarnata***

Quaqua incarnata subsp. *hottentotorum* (N.E.Br.) Bruyns, Bot. Jahrb. Syst. 121(3): 370 (1999) = ***Ceropegia incarnata* subsp. *hottentotorum* (N.E.Br.) Bruyns**

Quaqua incarnata subsp. *tentaculata* (Bruyns) Bruyns, Bot. Jahrb. Syst. 121(3): 369 (1999) = ***Ceropegia incarnata* subsp. *tentaculata* (Bruyns) Bruyns**

Quaqua inversa (N.E.Br.) Bruyns, Bradleya 1: 53 (1983) = ***Ceropegia inversa* (N.E.Br.) Bruyns**

Quaqua linearis (N.E.Br.) Bruyns, Bradleya 1: 71 (1983) = ***Ceropegia lineariloba* Bruyns**

Quaqua mammillaris (L.) Bruyns, Bradleya 1: 63 (1983) = ***Ceropegia mammillaris* (L.) Bruyns**
Quaqua multiflora (R.A.Dyer) Bruyns, Bradleya 1: 68 (1983) = ***Ceropegia multioriflora* Bruyns**
Quaqua pallens Bruyns, Bot. Jahrb. Syst. 121(3): 355 (1999) = ***Ceropegia pallens* (Bruyns) Bruyns**
Quaqua parviflora (Masson) Bruyns, Bradleya 1: 46 (1983) = ***Ceropegia parvioriflora* Bruyns**
Quaqua parviflora (Masson) Bruyns subsp. *parviflora* = ***Ceropegia parvioriflora* Bruyns subsp. *parvioriflora***
Quaqua parviflora subsp. *confusa* (Plowes) Bruyns, Bot. Jahrb. Syst. 121(3): 354 (1999) = ***Ceropegia parvioriflora* subsp. *confusa* (Plowes) Bruyns**
Quaqua parviflora subsp. *dependens* (N.E.Br.) Bruyns, Bradleya 1: 48 (1983) = ***Ceropegia parvioriflora* subsp. *dependens* (N.E.Br.) Bruyns**
Quaqua parviflora subsp. *gracilis* (C.A.Luckh.) Bruyns, Bradleya 1: 49 (1983) = ***Ceropegia parvioriflora* subsp. *gracilis* (C.A.Luckh.) Bruyns**
Quaqua parviflora subsp. *swanepoelii* (Lavranos) Bruyns, Bradleya 1: 50 (1983) = ***Ceropegia parvioriflora* subsp. *swanepoelii* (Lavranos) Bruyns**
Quaqua pillansii (N.E.Br.) Bruyns, Bradleya 1: 69 (1983) = ***Ceropegia nevillei* Bruyns**
Quaqua pruinosa (Masson) Bruyns, Bradleya 1: 74 (1983) = ***Ceropegia pruinosa* (Masson) Bruyns**
Quaqua pulchra (Bruyns) Plowes, Excelsa 16: 93 (1994) = ***Ceropegia pulchra* (Bruyns) Bruyns**

***Richtersveldia* Meve & Liede**

Richtersveldia columnaris (Nel) Meve & Liede, Pl. Syst. Evol. 234(1-4): 205 (2002) = ***Ceropegia columnaris* (Nel) Bruyns**

***Stapelia* L.**

Stapelia acuminata Masson, Stapel. Nov.: 15, t. 17 (1797) = ***Ceropegia indocta* (Nel) Bruyns**
Stapelia arenosa C.A.Luckh., S. African Gard. 25: 96 (1935) = ***Ceropegia arenosa* (C.A.Luckh.) Bruyns**
Stapelia cedrimontana Frandsen, Cact. Succ. J. (Los Angeles) 47(6): 260 (1975) = ***Ceropegia cedrimontana* (Frandsen) Bruyns**
Stapelia clavicorona I.Verd., Fl. Pl. South Africa 11: t. 407 (1931) = ***Ceropegia clavicorona* (I.Verd.) Bruyns**
Stapelia divaricata Masson, Stapel. Nov.: 17, t. 22 (1797) = ***Ceropegia divaricata* (Masson) Bruyns**
Stapelia erectiflora N.E.Br., Gard. Chron. ser. 3, 6: 650 (1889) = ***Ceropegia erectiflora* (N.E.Br.) Bruyns**
Stapelia erectiflora var. *prostratiflora* L.C.Leach, S. African J. Bot. 3(3): 178 (1984) = ***Ceropegia erectiflora* (N.E.Br.) Bruyns**
Stapelia flavopurpurea Marloth, Trans. S. African Philos. Soc. 18: 48 (1909) = ***Ceropegia flavopurpurea* (Marloth) Bruyns**
Stapelia gettliffei R.Pott, Ann. Transvaal Mus. 3(4): 226, t. 13 (1913) = ***Ceropegia gettliffei* (R.Pott) Bruyns**
Stapelia gigantea N.E.Br., Gard. Chron. n.s., 7: 684, f. 112 (1877) = ***Ceropegia gigantea* (N.E.Br.) Bruyns**
Stapelia glanduliflora Masson, Stapel. Nov.: 16, t. 19 (1797) = ***Ceropegia glanduliflora* (Masson) Bruyns**
Stapelia grandiflora Masson, Stapel. Nov. 13. t. 11. (1797) = ***Ceropegia grandiflora* (Masson) Bruyns**
Stapelia grandiflora Masson var. *grandiflora* = ***Ceropegia grandiflora* (Masson) Bruyns var. *grandiflora***
Stapelia grandiflora var. *conformis* (N.E.Br.) Bruyns, Stapeliads S. Africa Madagascar 2: 470 (2005) = ***Ceropegia grandiflora* var. *conformis* (N.E.Br.) Bruyns**
Stapelia hirsuta L., Sp. Pl. 1: 217 (1753) = ***Ceropegia pulvinata* (Masson) Bruyns var. *pulvinata***
Stapelia hirsuta L. var. *hirsuta* = ***Ceropegia pulvinata* (Masson) Bruyns var. *pulvinata***

Stapelia hirsuta var. *baylissii* (L.C.Leach) Bruyns, Stapeliads S. Africa Madagascar 2: 462 (2005) = ***Ceropegia pulvinata* var. *praetermissa* (L.C.Leach) Bruyns**

Stapelia hirsuta var. *gariensis* (Pillans) Bruyns, Stapeliads S. Africa Madagascar 2: 464 (2005) = ***Ceropegia pulvinata* var. *gariensis* (Pillans) Bruyns**

Stapelia hirsuta var. *tsomoensis* (N.E.Br.) Bruyns, Stapeliads S. Africa Madagascar 2: 461 (2005) = ***Ceropegia pulvinata* var. *glabricalis* (N.E.Br.) Bruyns**

Stapelia hirsuta var. *vetula* (Masson) Bruyns, Stapeliads S. Africa Madagascar 2: 463 (2005) = ***Ceropegia pulvinata* var. *vetula* (Masson) Bruyns**

Stapelia kwebensis N.E.Br., Fl. Trop. Afr. [Oliver et al.] 4(1.3): 501 (1903) = ***Ceropegia longipedicellata* (A.Berger) Bruyns**

Stapelia leendertziae N.E.Br., Ann. Transvaal Mus. 2: 168 (1910) = ***Ceropegia leendertziae* (N.E.Br.) Bruyns**

Stapelia obducta L.C.Leach, S. African J. Bot. 3(3): 169 (1984) = ***Ceropegia obducta* (L.C.Leach) Bruyns**

Stapelia olivacea N.E.Br., Gard. Chron. n.s., 3: 136 (1875) = ***Ceropegia olivacea* (N.E.Br.) Bruyns**

Stapelia paniculata subsp. *kougabergensis* (L.C.Leach) Bruyns, Stapeliads S. Africa Madagascar 2: 447 (2005) = ***Ceropegia paniculata* subsp. *kougabergensis* (L.C.Leach) Bruyns**

Stapelia paniculata subsp. *scitula* (L.C.Leach) Bruyns, Stapeliads S. Africa Madagascar 2: 446 (2005) = ***Ceropegia paniculata* subsp. *scitula* (L.C.Leach) Bruyns**

Stapelia paniculata Willd., Enum. Pl. Suppl. [Willdenow]: 13 (1814) = ***Ceropegia paniculata* (Willd.) Bruyns**

Stapelia paniculata Willd. subsp. *paniculata* = ***Ceropegia paniculata* (Willd.) Bruyns subsp. *paniculata***

Stapelia pillansii N.E.Br., Gard. Chron. ser. 3, 35: 242 (1904) = ***Ceropegia nevillepillansii* Bruyns**

Stapelia rubiginosa Nel, Jahrb. Deutsch. Kakteen-Ges. 1: 20 (1936) = ***Ceropegia rubiginosa* (Nel) Bruyns**

Stapelia rufa Masson, Stapel. Nov.: 16, t. 20 (1797) = ***Ceropegia rufa* (Masson) Bruyns**

Stapelia similis N.E.Br., Bull. Misc. Inform. Kew 1911(9): 358 (1911) = ***Ceropegia portae-taurinae* (Dinter & A.Berger) Bruyns**

Stapelia surrecta N.E.Br., Fl. Cap. (Harvey) 4(1,6): 970 (1909) = ***Ceropegia surrecta* (N.E.Br.) Bruyns**

Stapelia unicornis C.A.Luckh., S. A. G. 28: 228 (1938) = ***Ceropegia unicornis* (C.A.Luckh.) Bruyns**

Stapelia villetiae C.A.Luckh., S. A. G. 28: 228 (1938) = ***Ceropegia villetiae* (C.A.Luckh.) Bruyns**

***Stapeliopsis* Pillans**

Stapeliopsis breviloba (R.A.Dyer) Bruyns, Cact. Succ. J. Gr. Brit. 43(2–3): 81 (1981) = ***Ceropegia brevilobulata* Bruyns**

Stapeliopsis exasperata (Bruyns) Bruyns, Cact. Succ. J. Gr. Brit. 43(2–3): 82 (1981) = ***Ceropegia exasperata* (Bruyns) Bruyns**

Stapeliopsis khamiesbergensis Bruyns, Aloe 39(3–4): 82 (2002) = ***Ceropegia khamiesbergensis* (Bruyns) Bruyns**

Stapeliopsis neronis Pillans, S. African Gard. 18: 32 (1928) = ***Ceropegia neronis* (Pillans) Bruyns**

Stapeliopsis pillansii (N.E.Br.) Bruyns, Cact. Succ. J. Gr. Brit. 43(2–3): 81 (1981) = ***Ceropegia pillansioides* Bruyns**

Stapeliopsis saxatilis (N.E.Br.) Bruyns, Cact. Succ. J. Gr. Brit. 43(2–3): 77 (1981); Type: South Africa, Cape, Zout Kloof, N.S. Pillans 115 (K, holo.; BOL, iso.) = ***Ceropegia tulipiflora* (C.A.Luckh.) Bruyns**

Stapeliopsis stayneri (M.B.Bayer) Bruyns, Aloe 39(3–4): 82 (2002); Type: South Africa, Cape, about 8 km inland from Infanta on banks of Breede River, Stayner sub KG 731/71 (NBG, holo.) = ***Ceropegia stayneri* (M.B.Bayer) Bruyns**

Stapeliopsis urniflora Lavranos, J. S. African Bot. 32: 195 (1966) = ***Ceropegia urniflora* (Lavranos) Bruyns**

***Tavaresia* Welw.**

Tavaresia barklyi (Dyer) N.E.Br., Fl. Trop. Afr. [Oliver et al.] 4(1.3): 494 (1903) = ***Ceropegia barklyana* Bruyns**

***Tridentea* Haw.**

Tridentea dwequensis (C.A.Luckh.) L.C.Leach, Excelsa Taxon. Ser. 2: 35 (1980) = ***Ceropegia dwequensis* (C.A.Luckh.) Bruyns**

Tridentea gemmiflora (Masson) Haw., Syn. Pl. Succ.: 34 (1812) = ***Ceropegia gemmiflora* (Masson) Bruyns**

Tridentea jucunda (N.E.Br.) L.C.Leach, Trans. Rhodesia Sci. Assoc. 59(1): 3 (1978) = ***Ceropegia ausana* (Dinter & A.Berger ex Dinter) Bruyns**

Tridentea marientalensis (Nel) L.C.Leach, Trans. Rhodesia Sci. Assoc. 59(1): 3 (1978) = ***Ceropegia marientalensis* (Nel) Bruyns**

Tridentea marientalensis (Nel) L.C.Leach subsp. *marientalensis* = ***Ceropegia marientalensis* (Nel) Bruyns subsp. *marientalensis***

Tridentea pachyrrhiza (Dinter) L.C.Leach, Excelsa Taxon. Ser. 2: 14 (1980) = ***Ceropegia pachyrrhiza* (Dinter) Bruyns**

Tridentea parvipuncta (N.E.Br.) L.C.Leach, Trans. Rhodesia Sci. Assoc. 59(1): 3 (1978) = ***Ceropegia parvipuncta* (N.E.Br.) Bruyns**

Tridentea parvipuncta (N.E.Br.) L.C.Leach subsp. *parvipuncta* = ***Ceropegia parvipuncta* (N.E.Br.) Bruyns subsp. *parvipuncta***

Tridentea parvipuncta subsp. *truncata* (C.A.Luckh.) Bruyns, S. African J. Bot. 61(4): 194 (1995) = ***Ceropegia parvipuncta* subsp. *truncata* (C.A.Luckh.) Bruyns**

Tridentea peculiaris (C.A.Luckh.) L.C.Leach, Trans. Rhodesia Sci. Assoc. 59(1): 4 (1978) = ***Ceropegia peculiaris* (C.A.Luckh.) Bruyns**

Tridentea virescens (N.E.Br.) L.C.Leach, Trans. Rhodesia Sci. Assoc. 59(1): 3 (1978) = ***Ceropegia virescens* (N.E.Br.) Bruyns**

***Tromotriche* Haw.**

Tromotriche aperta (Masson) Bruyns, S. African J. Bot. 61(4): 208 (1995) = ***Ceropegia aperta* (Masson) Bruyns**

Tromotriche herrei (Nel) Bruyns, S. African J. Bot. 61(4): 208 (1995) = ***Ceropegia tigrina* (Nel) Bruyns**

Tromotriche pedunculata (Masson) Bruyns subsp. *pedunculata* = ***Ceropegia penduliflora* (Sweet) Bruyns subsp. *penduliflora***

Tromotriche pedunculata subsp. *longipes* (C.A.Luckh.) Bruyns, Stapeliads S. Africa Madagascar 2: 559 (2005) = ***Ceropegia penduliflora* subsp. *longipes* (C.A.Luckh.) Bruyns**

Tromotriche umdausensis (Nel) Bruyns, S. African J. Bot. 61(4): 207 (1995) = ***Ceropegia umdausensis* (Nel) Bruyns**

ARALIACEAE

***Schefflera* J.R.Forst. & G.Forst.**

Schefflera umbellifera (Sond.) Baill., Hist. Pl. (Baillon) 7: 162 (1879) = ***Neocussonia umbellifera* (Sond.) Hutch.**

ASPHODELACEAE

Aloe L.

Aloe knersvlakensis S.J.Marais, *Aloe* 47(4): 96 (2010); Type: South Africa, Western Cape Province, Knersvlakte, Namaqualand, Jakkalsdraai, S.J. Marais s.n. (NBG, holo.) = *Aloe khamiesensis* subsp. *knersvlakensis* (S.J.Marais) Klopper

Aloe succotrina Lam., nom.illegit., *Encycl. [J. Lamarck & al.]* 1(1): 85 (1783) = *Aloe succotrina* Weston

Gasteria Duval

Gasteria pseudonigricans (Salm-Dyck) Haw., nom.inval., name does not exist, refers to *G. subnigricans* Haw. (1827) = *Gasteria subnigricans* Haw. var. *subnigricans*

ASTERACEAE

Bryomorphe Harv.

Bryomorphe aretioides (Turcz.) Druce, *Rep. Bot. Soc. Exch. Club Brit. Isles* 4(Suppl. 2): 611 (1917); Type: South Africa, summits of Table and Hottentots Holland Mtns, common but rarely flowering, Zeyher 2908 (KW, holo.; P, K, PRE, S, SAM, TCD, iso.) = *Muscosomorphe aretioides* (Turcz.) J.C.Manning

Dimorphotheca Vaill. ex Moench

Dimorphotheca polyptera DC., *Prodr. [A. P. de Candolle]* 6: 73 (1838); Type: South Africa, Northern Cape, 'Zilwerfontein', Drege 2809 (G00460852, holo.) = *Osteospermum polypteron* (DC.) R.Sadler

Hirpicium Cass.

Hirpicium armerioides (DC.) Roessler, *Mitt. Bot. Staatssamml. München* 3: 360 (1959) = *Roessleria armerioides* (DC.) Stangb. & Anderb.

Hirpicium bechuanense (S.Moore) Roessler = *Roessleria bechuanensis* (S.Moore) Stangb. & Anderb.

Hirpicium echinus Less. = *Berkheyopsis echinus* (Less.) O.Hoffm.

Hirpicium gazanioides (Harv.) Roessler = *Roessleria gazanioides* (Harv.) Stangb. & Anderb.

Hirpicium linearifolium (Bolus) Roessler = *Roessleria linearifolia* (Bolus) Stangb. & Anderb.

Othonna L.

Othonna auriculifolia var. *arctotoides* Harv., *Fl. Cap. [Harvey]* 3: 340 (1865); Type: South Africa, 'Wolve River', May [?1842], Burke s.n., (K-0003037010, lecto.; K-0003037009, isolecto.). [Other original material: South Africa, without locality, Zeyher 992 (?TCD, P-0004616, syn.)]. Lectotype designated by Magoswana et al., *Bothalia ABC* 52(1): 5 (2023). = *Othonna auriculifolia* Less.

Othonna mucronata Harv., *Fl. Cap. (Harvey)* 3: 331 (1865); Type: South Africa, Western Cape, Clanwilliam: 'Langvalley', without date, Zeyher 998 (K-000306966, lecto.; BOL-139147, P-0004832, isolecto.). Lectotype designated by Magoswana et al., *South African Journal of Botany* 149: 613 (2022). = *Othonna coronopifolia* L.

Othonna trinervia DC., *Prodr. [A. P. de Candolle]* 6: 477 (1838); Type: South Africa, [Western Cape], 'in Africae Capensis distr. Carro', without date, Drege [6093 pp.] (G-DCG00473682, holo.; P-0010020, iso.) = *Othonna ramulosa* DC.

CACTACEAE

Echinopsis Zucc.

Echinopsis schickendantzii F.A.C.Weber, A misapplied name for *E. spachiana*., Dict. Hort. 1: 473 (1896) = ***Soehrensia spachiana* (Lem.) Schlumpb.**

Echinopsis spachiana (Lem.) Friedrich & G.D.Rowley, insufficiently known taxon, I.O.S. Bull. 3(3): 98 (1974) = ***Soehrensia spachiana* (Lem.) Schlumpb.**

CELASTRACEAE

Gymnosporia (Wight & Arn.) Hook.f.

Gymnosporia angularis var. *orbiculata* Davison, Bothalia 2: 316 (1927) = ***Gymnosporia heterophylla* (Eckl. & Zeyh.) Loes.**

DENNSTAEDTIACEAE

Hypolepis Bernh.

Hypolepis goetzei Hieron. ex Reimers, nom.nov. pro *Hypolepis rugosula* var. *africana* C.Chr., Notizbl. Bot. Gart. Berlin-Dahlem 12(112): 189 (1934) = ***Hypolepis rugosula* subsp. *africana* (C.Chr.) Schwartsb. & J.Prado**

EBENACEAE

Diospyros L.

Diospyros acocksii (De Winter) De Winter = ***Royena acocksii* De Winter**

Diospyros austroafricana De Winter, as 'austro-africana', Bothalia 7: 457 (1961) = ***Royena hirsuta* L.**

Diospyros austroafricana var. *microphylla* (Burch.) De Winter = ***Royena hirsuta* subsp. *microphylla* (Burch.) De Winter**

Diospyros austroafricana var. *rubriflora* (De Winter) De Winter = ***Royena hirsuta* var. *rubriflora* De Winter**

Diospyros austroafricana var. *rugosa* (E.Mey. ex A.DC.) De Winter = ***Royena hirsuta* var. *rugosa* (E.Mey. ex A.DC.) Zahlbr.**

Diospyros dichrophylla (Gand.) De Winter = ***Royena dichrophylla* Gand.**

Diospyros galpinii (Hiern) De Winter = ***Royena galpinii* Hiern**

Diospyros glabra (L.) De Winter = ***Royena glabra* L.**

Diospyros glandulifera De Winter = ***Royena glandulosa* Harv. ex Hiern**

Diospyros lycioides subsp. *guerkei* (Kuntze) De Winter = ***Royena lycioides* subsp. *guerkei* (Kuntze) De Winter**

Diospyros lycioides subsp. *nitens* (Harv. ex Hiern) De Winter = ***Royena lycioides* subsp. *nitens* (Harv. ex Hiern) De Winter**

Diospyros lycioides subsp. *sericea* (Bernh.) De Winter = ***Royena lycioides* subsp. *sericea* (Bernh.) De Winter**

Diospyros pallens (Thunb.) F.White = ***Royena pallens* Thunb.**

Diospyros ramulosa (E.Mey. ex A.DC.) De Winter = ***Royena ramulosa* E.Mey. ex A.DC.**

Diospyros scabrida (Harv. ex Hiern) De Winter = ***Royena cordata* var. *scabrida* (Harv. ex Hiern) De Winter**

Diospyros scabrida var. *cordata* (E.Mey. ex A.DC.) De Winter = *Royena cordata* E.Mey. ex A.DC.

Diospyros simii (Kuntze) De Winter = *Royena simii* Kuntze

Diospyros villosa var. *parvifolia* (De Winter) De Winter = *Royena villosa* var. *parvifolia* De Winter

Diospyros whyteana (Hiern) F.White = *Royena lucida* L.

ERICACEAE

Erica L.

Erica aristata var. *minor* (L.Bolus) Dulfer, nom.illegit., non Andrews (1806), Ann. Naturhist. Mus. Wien 68: 57 (1964) = *Erica aristata* var. *parva* I.M.Turner

EUPHORBIACEAE

Euphorbia L.

Euphorbia complexa R.A.Dyer, Fl. Pl. South Africa 17: t. 643 (1937); Type: South Africa, Transvaal [Mpumalanga], road from Louw's Creek to Kaapmuiden, June 1936, Van der Merwe 100 sub PRE 21373 (PRE, holo.; K-2 sheets, W, iso.) = *Euphorbia schinzii* Pax subsp. *schinzii*

Euphorbia limpopoana L.C.Leach ex S.Carter, Kew Bull. 54(4): 960 (2000); Type: Zimbabwe, Fulton's Drift, NNW of Beitbridge, Sept. 1963, Leach 11582a (SRGH, holo.) = *Euphorbia schinzii* subsp. *bechuanica* (L.C.Leach) Bruyns

FABACEAE

Elephantorrhiza Benth.

Elephantorrhiza burkei Benth., London J. Bot. 5: 81 (1846) = *Entada burkei* (Benth.) S.A.O'Donnell & G.P.Lewis

Elephantorrhiza elephantina (Burch.) Skeels, Bull. Bur. Pl. Industr. U.S.D.A. 176: 29 (1910) = *Entada elephantina* (Burch.) S.A.O'Donnell & G.P.Lewis

Elephantorrhiza goetzei (Harms) Harms, Veg. Erde [Engler] 9(3, 1): 400 (1915) = *Entada goetzei* (Harms) S.A.O'Donnell & G.P.Lewis

Elephantorrhiza goetzei (Harms) Harms subsp. *goetzei* = *Entada goetzei* (Harms) S.A.O'Donnell & G.P.Lewis subsp. *goetzei*

Elephantorrhiza obliqua Burt Davy, Bull. Misc. Inform. Kew 1921(5): 191 (1921) = *Entada obliqua* (Burt Davy) S.A.O'Donnell & G.P.Lewis

Elephantorrhiza obliqua var. *glabra* E.Phillips, Bothalia 1: 189 (1923) = *Entada obliqua* (Burt Davy) S.A.O'Donnell & G.P.Lewis

Elephantorrhiza praetermissa J.H.Ross, Bothalia 11(3): 252 (1974) = *Entada praetermissa* (J.H.Ross) S.A.O'Donnell & G.P.Lewis

Elephantorrhiza woodii E.Phillips, Bothalia 1: 193 (1923) = *Entada woodii* (E.Phillips) S.A.O'Donnell & G.P.Lewis

Elephantorrhiza woodii E.Phillips var. *woodii* = *Entada woodii* (E.Phillips) S.A.O'Donnell & G.P.Lewis var. *woodii*

Elephantorrhiza woodii var. *pubescens* E.Phillips, Bothalia 1: 193 (1923) = *Entada woodii* var. *pubescens* (E.Phillips) S.A.O'Donnell & G.P.Lewis

***Leobordea* Delile**

Leobordea hirsuta (Schinz) B.-E. van Wyk & Boatwr., Based on illegitimate name, Taxon 60(1): 174 (2011); Type: South Africa, Limpopo Province, Houtbosch, Rehmann 6265 (Z, holo.; K, iso.) = ***Lotononis wilmsii* Dummer**

***Otholobium* C.H.Stirt.**

Otholobium accrescens C.H.Stirt. & Muasya, Kew Bull. 72(4)-50: 2 (2017); Type: South Africa, Eastern Cape Province, Otterford Forest Reserve, 31 Sept 1947, Rodin 1128 (BOL, holo.; GRA, MO, iso.) = ***Psoralea accrescens* (C.H.Stirt. & Muasya) C.H.Stirt.**

Otholobium acuminatum (Lam.) C.H.Stirt., S. African J. Bot. 52(1): 2 (1986) = ***Psoralea acuminata* Lam.**

Otholobium arborescens C.H.Stirt., S. African J. Bot. 57(2): 123 (1991) = ***Psoralea arborescens* (C.H.Stirt.) C.H.Stirt.**

Otholobium argenteum (Thunb.) C.H.Stirt., S. African J. Bot. 52(1): 2 (1986) = ***Psoralea argentea* Thunb.**

Otholobium bolusii (H.M.L.Forbes) C.H.Stirt., S. African J. Bot. 52(1): 2 (1986) = ***Psoralea bolusii* H.M.L.Forbes**

Otholobium bowieanum (Harv.) C.H.Stirt., S. African J. Bot. 52(1): 2 (1986) = ***Psoralea bowieana* Harv.**

Otholobium bracteolatum (Eckl. & Zeyh.) C.H.Stirt., S. African J. Bot. 52(1): 2 (1986) = ***Psoralea bracteolata* Eckl. & Zeyh.**

Otholobium caffrum (Eckl. & Zeyh.) C.H.Stirt., Advances Legume Syst. Part 1 1: 341 (1981) = ***Psoralea caffra* Eckl. & Zeyh.**

Otholobium candicans (Eckl. & Zeyh.) C.H.Stirt., S. African J. Bot. 52(1): 2 (1986) = ***Psoralea candicans* Eckl. & Zeyh.**

Otholobium carneum (E.Mey.) C.H.Stirt., S. African J. Bot. 52(1): 2 (1986) = ***Psoralea carnea* E.Mey.**

Otholobium curtisiae C.H.Stirt. & Muasya, S. African J. Bot. 87: 101 (2013); Type: South Africa, Western Cape Province, Bredasdorp Dist., Plaatjieskraal farm, upper slopes of Sonderkopskop, Dec 2012, Curtis 57 (BOL, holo.; K, NBG, PRE, iso.) = ***Psoralea curtisiae* (C.H.Stirt. & Muasya) C.H.Stirt.**

Otholobium dreweae C.H.Stirt. & Muasya, Kew Bull. 72(4)-50: 11 (2017); Type: South Africa, Western Cape Province, Fernkloof Nature Reserve, 5 Nov. 1986, Drewe 450 (K, holo.; HER, iso.) = ***Psoralea dreweae* (C.H.Stirt. & Muasya) C.H.Stirt.**

Otholobium flexuosum C.H.Stirt., S. African J. Bot. 57(2): 126 (1991) = ***Psoralea flexuosa* (C.H.Stirt.) C.H.Stirt.**

Otholobium foliosum (Oliv.) C.H.Stirt., S. African J. Bot. 52(1): 2 (1986) = ***Psoralea foliosa* Oliv.**

Otholobium foliosum subsp. *gazense* (Baker f.) Verdc., Fl. Zambes. 3(6): 48 (2000); Type: Zimbabwe, Melsetter Distr., 20 Sept. 1906, Swynnerton 1417 (BM, holo.; K, iso.) = ***Psoralea foliosa* subsp. *gazensis* (Baker f.) C.H.Stirt.**

Otholobium fruticans (L.) C.H.Stirt., S. African J. Bot. 52(1): 3 (1986) = ***Psoralea fruticans* (L.) Druce**

Otholobium fumeum C.H.Stirt., S. African J. Bot. 56(3): 336 (1990) = ***Psoralea fumea* (C.H.Stirt.) C.H.Stirt.**

Otholobium hamatum (Harv.) C.H.Stirt., S. African J. Bot. 52(1): 3 (1986) = ***Psoralea hamata* Harv.**

Otholobium heterosepalum (Fourc.) C.H.Stirt., S. African J. Bot. 52(1): 3 (1986) = ***Psoralea heterosepala* Fourc.**

Otholobium hirtum (L.) C.H.Stirt., S. African J. Bot. 52(1): 3 (1986) = ***Psoralea hirta* L.**

Otholobium incanum C.H.Stirt., S. African J. Bot. 57(2): 124 (1991) = ***Psoralea incana* (C.H.Stirt.) C.H.Stirt.**

Otholobium lanceolatum C.H.Stirt. & Muasya, Kew Bull. 72(4)-50: 14 (2017); Type: South Africa, Western Cape Province, between Drievlei and Morning View farms, 13 Jan. 1986, Stirton 11381 (K, holo.; MO, NBG, PRE, iso.) = ***Psoralea lanceolata* (C.H.Stirt. & Muasya) C.H.Stirt.**

- Otholobium lucens* C.H.Stirt. & Muasya, Kew Bull. 72(4)-50: 15 (2017); Type: South Africa, Western Cape Province, Oudtshoorn distr., Cango Valley, Rus-en-Vrede, 11 Nov. 1986, Stirton, Vlok & Žantovská 11561 (NBG, holo.; BOL, C, G, K, MO, NSW, PRE, S, iso.) = ***Psoralea lucens* (C.H.Stirt. & Muasya) C.H.Stirt.**
- Otholobium macradenium* (Harv.) C.H.Stirt., S. African J. Bot. 52(1): 3 (1986) = ***Psoralea velutina* E.Mey.**
- Otholobium mundianum* (Eckl. & Zeyh.) C.H.Stirt., S. African J. Bot. 52(1): 3 (1986) = ***Psoralea mundiana* Eckl. & Zeyh.**
- Otholobium nigricans* C.H.Stirt., S. African J. Bot. 56(3): 338 (1990) = ***Psoralea wilmsii* var. *nigricans* (C.H.Stirt.) C.H.Stirt.**
- Otholobium nitens* C.H.Stirt. & Muasya, Kew Bull. 72(4)-50: 3 (2017); Type: South Africa, Western Cape Province, between Krom Rivier Peak and Krom Rivier Dome, Krom Rivier Kloof, 10 Oct. 1963, Esterhuysen 30375 (BOL, holo.; K, MO, NBG, iso.) = ***Psoralea nitens* (C.H.Stirt. & Muasya) C.H.Stirt.**
- Otholobium obliquum* (E.Mey.) C.H.Stirt., S. African J. Bot. 52(1): 3 (1986) = ***Psoralea obliqua* E.Mey.**
- Otholobium parviflorum* C.H.Stirt., S. African J. Bot. 52(1): 3 (1986) = ***Psoralea parviflora* (C.H.Stirt.) C.H.Stirt.**
- Otholobium pictum* C.H.Stirt., J. S. African Bot. 49(4): 340 (1983) = ***Psoralea picta* (C.H.Stirt.) C.H.Stirt.**
- Otholobium piliferum* C.H.Stirt. & Muasya, Kew Bull. 72(4)-50: 5 (2017); Type: South Africa, Eastern Cape Province, Mount Coke, Sept. 1892, Sim 1507 (K, holo.; BOL, NU, PRE, iso.) = ***Psoralea pilifera* (C.H.Stirt. & Muasya) C.H.Stirt.**
- Otholobium polyphyllum* (Eckl. & Zeyh.) C.H.Stirt., S. African J. Bot. 52(1): 3 (1986) = ***Psoralea polyphylla* Eckl. & Zeyh.**
- Otholobium polystictum* (Benth. ex Harv.) C.H.Stirt., S. African J. Bot. 52(1): 3 (1986) = ***Psoralea polysticta* Benth. ex Harv.**
- Otholobium prodiens* C.H.Stirt. & Muasya, Kew Bull. 72(4)-50: 17 (2017); Type: South Africa, Eastern Cape Province, Zuurberg Pass, 28 Sept. 1984, Stirton 10822 (GRA, holo.; K, PRE, iso.) = ***Psoralea prodiens* (C.H.Stirt. & Muasya) C.H.Stirt.**
- Otholobium pungens* C.H.Stirt., Bothalia 14(1): 72 (1982) = ***Psoralea pungens* (C.H.Stirt.) C.H.Stirt.**
- Otholobium pustulatum* C.H.Stirt., S. African J. Bot. 57(2): 125 (1991) = ***Psoralea pustulata* (C.H.Stirt.) C.H.Stirt.**
- Otholobium racemosum* (Thunb.) C.H.Stirt., S. African J. Bot. 52(1): 3 (1986) = ***Psoralea racemosa* Thunb.**
- Otholobium rotundifolium* (L.f.) C.H.Stirt., S. African J. Bot. 52(1): 4 (1986) = ***Psoralea rotundifolia* L.f.**
- Otholobium rubicundum* C.H.Stirt., J. S. African Bot. 49(4): 337 (1983) = ***Psoralea rubicunda* (C.H.Stirt.) C.H.Stirt.**
- Otholobium sabulosum* C.H.Stirt. & Muasya, Kew Bull. 72(4)-50: 21 (2017); Type: South Africa, Western Cape Province, Hills N of De Hoop Vlei, 25 Sept. 1973, Esterhuysen 33240a (BOL, holo.; K, iso.) = ***Psoralea sabulosa* (C.H.Stirt. & Muasya) C.H.Stirt.**
- Otholobium saxosum* C.H.Stirt. & Muasya, Kew Bull. 72(4)-50: 7 (2017); Type: South Africa, Western Cape Province, Near Toll House, Garcia's Pass, Oct. 1904, Bolus 11264 (PRE, holo.; BOL, K, NH, PRE, iso.) = ***Psoralea saxosa* (C.H.Stirt. & Muasya) C.H.Stirt.**
- Otholobium sericeum* (Poir.) C.H.Stirt., S. African J. Bot. 52(1): 4 (1986) = ***Psoralea sericea* Poir.**
- Otholobium spicatum* (L.) C.H.Stirt., S. African J. Bot. 52(1): 4 (1986) = ***Psoralea spicata* L.**
- Otholobium spissum* C.H.Stirt. & Muasya, Kew Bull. 72(4)-50: 9 (2017); Type: South Africa, Western Cape Province, from Montagu to Barrydale, 26 Oct. 1986, Stirton & Žantovská 11281 (NBG, holo.; K, iso.) = ***Psoralea spissa* (C.H.Stirt. & Muasya) C.H.Stirt.**
- Otholobium stachyerum* (Eckl. & Zeyh.) C.H.Stirt., S. African J. Bot. 52(1): 4 (1986) = ***Psoralea stachyera* Eckl. & Zeyh.**
- Otholobium striatum* (Thunb.) C.H.Stirt., S. African J. Bot. 52(1): 4 (1986) = ***Psoralea striata* Thunb.**

Otholobium swartbergense C.H.Stirt., S. African J. Bot. 52(1): 4 (1986) = ***Psoralea swartbergensis* (C.H.Stirt.) C.H.Stirt.**

Otholobium thomii (Harv.) C.H.Stirt., S. African J. Bot. 52(1): 4 (1986) = ***Psoralea thomii* Harv.**

Otholobium trianthum (E.Mey.) C.H.Stirt., S. African J. Bot. 52(1): 4 (1986) = ***Psoralea triantha* E.Mey.**

Otholobium uncinatum (Eckl. & Zeyh.) C.H.Stirt., S. African J. Bot. 52(1): 4 (1986) = ***Psoralea uncinata* Eckl. & Zeyh.**

Otholobium venustum (Eckl. & Zeyh.) C.H.Stirt., S. African J. Bot. 52(1): 4 (1986) = ***Psoralea venusta* Eckl. & Zeyh.**

Otholobium virgatum (Burm.f.) C.H.Stirt., ms. name (not published) = ***Psoralea decumbens* Aiton**

Otholobium wilmsii (Harms) C.H.Stirt., S. African J. Bot. 52(1): 4 (1986) = ***Psoralea wilmsii* Harms**

Otholobium zeyheri (Harv.) C.H.Stirt., S. African J. Bot. 52(1): 4 (1986) = ***Psoralea zeyheri* Harv.**

***Psoralea* L.**

Psoralea foliosa var. *gazensis* Baker f., J. Linn. Soc., Bot. 40: 52 (1911) = ***Psoralea foliosa* subsp. *gazensis* (Baker f.) C.H.Stirt.**

Psoralea latifolia (Harv.) C.H.Stirt., nom.illegit., non Torr. (1828), S. African J. Bot. 112: 153 (2017); Type: South Africa, Eastern Cape, Fort Beaufort: Katberg, November 1880, Hutton s.n. (TCD, lecto.).
Lectotype designated by Bello et al., South African Journal of Botany 112: 153 (2017). = ***Psoralea platyphylla* C.H.Stirt.**

***Sesbania* Scop.**

Sesbania bispinosa var. *micrantha* (Chiov.) J.B.Gillett = ***Sesbania bispinosa* (Jacq.) W.Wight var. *bispinosa***

IRIDACEAE

***Aristea* Aiton**

Aristea angolensis auct., sensu mult., non Baker (1877), Trans. Linn. Soc. London, Bot. 1(5): 270 (1878) = ***Aristea majubensis* Baker**

Aristea angolensis subsp. *pulchella* Weim., Acta Univ. Lund., 2 36(1): 22 (1940) = ***Aristea flexicaulis* Baker**

Aristea racemosa var. *inflata* Weim., Acta Univ. Lund., 2 36(1): 80 (1940) = ***Aristea racemosa* Baker**

***Bobartia* L.**

Bobartia longicyma subsp. *microflora* Strid, Opera Bot. 37: 27 (1974) = ***Bobartia longicyma* J.B.Gillett subsp. *longicyma***

Bobartia macrospatha subsp. *anceps* (Baker) Strid = ***Bobartia anceps* Baker**

***Geissorhiza* Ker Gawl.**

Geissorhiza ornithogaloides subsp. *marlothii* (R.C.Foster) Goldblatt, Ann. Missouri Bot. Gard. 72(2): 325 (1985) = ***Geissorhiza ornithogaloides* Klatt subsp. *ornithogaloides***

***Lapeirousia* Pourr.**

Lapeirousia fastigiata (Lam.) Ker Gawl. = ***Codonorhiza fastigiata* (Lam.) Goldblatt & J.C.Manning**

Lapeirousia littoralis Baker subsp. *littoralis* = ***Lapeirousia littoralis* Baker**

Lapeirousia littoralis subsp. *caudata* (Schinz) Goldblatt = ***Lapeirousia caudata* Schinz**

***Micranthus* (Pers.) Eckl.**

Micranthus junceus (Baker) N.E.Br. = ***Micranthus plantagineus* (Aiton) Eckl.**

***Romulea* Maratti**

Romulea atrandra var. *esterhuyseniae* M.P.de Vos, J. S. African Bot. Suppl. 9: 215 (1972) = ***Romulea atrandra* G.J.Lewis**

Romulea atrandra var. *lewisiae* M.P.de Vos, J. S. African Bot. Suppl. 9: 217 (1972) = ***Romulea atrandra* G.J.Lewis**

Romulea cruciata var. *intermedia* (Beg.) M.P.de Vos, J. S. African Bot. Suppl. 9: 263 (1972) = ***Romulea cruciata* (Jacq.) Beg.**

Romulea flava (Lam.) M.P.de Vos var. *flava* = ***Romulea flava* (Lam.) M.P.de Vos**

Romulea flava var. *hirsuta* (Beg.) M.P.de Vos = ***Romulea flava* (Lam.) M.P.de Vos**

Romulea flava var. *minor* (Beg.) M.P.de Vos = ***Romulea flava* (Lam.) M.P.de Vos**

Romulea flava var. *viridiflora* (Beg.) M.P.de Vos = ***Romulea flava* (Lam.) M.P.de Vos**

Romulea hirsuta var. *framesii* (L.Bolus) M.P.de Vos, J. S. African Bot. Suppl. 9: 132 (1972) = ***Romulea hirsuta* (Steud. ex Klatt) Baker var. *hirsuta***

Romulea hirsuta var. *zeyheri* (Baker) M.P.de Vos, J. S. African Bot. Suppl. 9: 129 (1972) = ***Romulea hirsuta* (Steud. ex Klatt) Baker var. *hirsuta***

Romulea macowanii Baker var. *macowanii* = ***Romulea macowanii* Baker**

Romulea macowanii var. *alticola* (B.L.Burt) M.P.de Vos = ***Romulea macowanii* Baker**

Romulea macowanii var. *oreophila* M.P.de Vos = ***Romulea macowanii* Baker**

Romulea obscura var. *blanda* M.P.de Vos, J. S. African Bot. Suppl. 9: 239 (1972) = ***Romulea obscura* Klatt**

Romulea obscura var. *campestris* M.P.de Vos, J. S. African Bot. Suppl. 9: 237 (1972) = ***Romulea obscura* Klatt**

Romulea obscura var. *subtestacea* M.P.de Vos, J. S. African Bot. Suppl. 9: 238 (1972) = ***Romulea obscura* Klatt**

Romulea rosea var. *communis* M.P.de Vos, J. S. African Bot. Suppl. 9: 257 (1972) = ***Romulea rosea* var. *australis* (Ewart) M.P.de Vos**

Romulea rosea var. *elegans* (Klatt) Beg., Malpighia 23: 63 (1909) = ***Romulea rosea* (L.) Eckl. var. *rosea***

Romulea rosea var. *muirii* (N.E.Br.) J.C.Manning & Goldblatt, Bothalia 41(2): 275 (2011); Type: South Africa, Western Cape, Riversdale, Muir 4848 (K, holo.) = ***Romulea rosea* (L.) Eckl. var. *rosea***

Romulea setifolia var. *aggregata* M.P.de Vos, J. S. African Bot. Suppl. 9: 175 (1972) = ***Romulea setifolia* N.E.Br.**

Romulea setifolia var. *belviderica* M.P.de Vos, J. S. African Bot. Suppl. 9: 173 (1972) = ***Romulea setifolia* N.E.Br.**

Romulea setifolia var. *ceresiana* M.P.de Vos, J. S. African Bot. Suppl. 9: 175 (1972) = ***Romulea setifolia* N.E.Br.**

Romulea tetragona var. *flavandra* M.P.de Vos, J. S. African Bot. Suppl. 9: 273 (1972) = ***Romulea tetragona* M.P.de Vos**

Romulea tortilis Baker = ***Romulea hirsuta* (Steud. ex Klatt) Baker var. *hirsuta***

Romulea tortilis var. *dissecta* M.P.de Vos, J. S. African Bot. Suppl. 9: 133 (1972) = ***Romulea hirsuta* (Steud. ex Klatt) Baker var. *hirsuta***

Romulea tortuosa subsp. *aurea* (Klatt) M.P.de Vos, J. S. African Bot. Suppl. 9: 157 (1972) = ***Romulea tortuosa* (Licht. ex Roem. & Schult.) Baker**

Romulea tortuosa subsp. *depauperata* M.P.de Vos, J. S. African Bot. Suppl. 9: 159 (1972) = ***Romulea tortuosa* (Licht. ex Roem. & Schult.) Baker**

***Tritonia* Ker Gawl.**

Tritonia cooperi (Baker) Klatt subsp. *cooperi* = ***Tritonia cooperi* (Baker) Klatt**

Tritonia cooperi subsp. *quadrialata* M.P.de Vos, J. S. African Bot. 48(1): 157 (1982) = ***Tritonia cooperi* (Baker) Klatt**

Tritonia disticha (Klatt) Baker subsp. *disticha* = ***Tritonia disticha* (Klatt) Baker**

Tritonia disticha subsp. *rubrolucens* (R.C.Foster) M.P.de Vos = ***Tritonia disticha* (Klatt) Baker**

Tritonia flabellifolia (D.Delaroche) G.J.Lewis var. *flabellifolia* = ***Tritonia flabellifolia* (D.Delaroche) G.J.Lewis**

Tritonia flabellifolia var. *major* (Ker Gawl.) M.P.de Vos, J. S. African Bot. 49(4): 367 (1983) = ***Tritonia flabellifolia* (D.Delaroche) G.J.Lewis**

Tritonia flabellifolia var. *thomasiae* M.P.de Vos, J. S. African Bot. 49(4): 368 (1983) = ***Tritonia flabellifolia* (D.Delaroche) G.J.Lewis**

Tritonia marlothii subsp. *delpierrei* (M.P.de Vos) M.P.de Vos = ***Tritonia delpierrei* M.P.de Vos**

Tritonia pallida Ker Gawl. subsp. *pallida* = ***Tritonia pallida* Ker Gawl.**

Tritonia pallida subsp. *taylorae* (L.Bolus) M.P.de Vos = ***Tritonia pallida* Ker Gawl.**

Tritonia securigera (Aiton) Ker Gawl. subsp. *securigera* = ***Tritonia securigera* (Aiton) Ker Gawl.**

Tritonia securigera subsp. *watermeyeri* (L.Bolus) J.C.Manning & Goldblatt, Bothalia 36(1): 60 (2006) = ***Tritonia watermeyeri* L.Bolus**

***Tritoniopsis* L.Bolus**

Tritoniopsis burchellii (N.E.Br.) Goldblatt = ***Tritoniopsis triticea* (Burm.f.) Goldblatt**

Tritoniopsis caledonensis (R.C.Foster) G.J.Lewis = ***Tritoniopsis unguicularis* (Lam.) G.J.Lewis**

Tritoniopsis lata (L.Bolus) G.J.Lewis var. *lata* = ***Tritoniopsis lata* (L.Bolus) G.J.Lewis**

Tritoniopsis lata var. *longibracteata* (L.Bolus) G.J.Lewis = ***Tritoniopsis lata* (L.Bolus) G.J.Lewis**

Tritoniopsis parviflora (Jacq.) G.J.Lewis var. *parviflora* = ***Tritoniopsis parviflora* (Jacq.) G.J.Lewis**

Tritoniopsis parviflora var. *angusta* (L.Bolus) G.J.Lewis = ***Tritoniopsis parviflora* (Jacq.) G.J.Lewis**

Tritoniopsis pulchella var. *alpina* G.J.Lewis, J. S. African Bot. 25: 333 (1959) = ***Tritoniopsis lata* (L.Bolus) G.J.Lewis**

Tritoniopsis ramosa (Eckl. ex Klatt) G.J.Lewis var. *ramosa* = ***Tritoniopsis ramosa* (Eckl. ex Klatt) G.J.Lewis**

Tritoniopsis ramosa var. *robusta* G.J.Lewis, J. S. African Bot. 25: 330 (1959) = ***Tritoniopsis ramosa* (Eckl. ex Klatt) G.J.Lewis**

Tritoniopsis ramosa var. *unguiculata* (Baker) G.J.Lewis, J. S. African Bot. 25: 329 (1959) = ***Tritoniopsis ramosa* (Eckl. ex Klatt) G.J.Lewis**

LAMIACEAE

***Plectranthus* L'Her.**

Plectranthus aliciae (Codd) Van Jaarsv. & T.J.Edwards, Bothalia 27(1): 5 (1997) = ***Coleus aliciae* (Codd) A.J.Paton**

Plectranthus amboinicus (Lour.) Spreng., Syst. Veg., ed. 15 bis [Roemer & Schultes]: 690 (1817) = ***Coleus amboinicus* Lour.**

Plectranthus barbatus Andrews, Bot. Repos. 9(pts. 121-126): t. 594 (1810) = ***Coleus barbatus* (Andrews) Benth. ex G.Don**

- Plectranthus barbatus* var. *grandis* (L.H.Cramer) Lukhoba & A.J.Paton, Kew Bull. 58(4): 915 (2004) = ***Coleus barbatus* var. *grandis* (L.H.Cramer) A.J.Paton**
- Plectranthus caninus* Roth, Nov. Pl. Sp.: 279 (1821) = ***Coleus caninus* (Roth) Vatke**
- Plectranthus comosus* Sims, misapplied in S Africa to *P. barbatus* var. *grandis*, Bot. Mag. 49: t. 2318 (1822); Type: illustration of plant originally from Nepal (lecto.) = ***Coleus barbatus* (Andrews) Benth. ex G.Don var. *barbatus***
- Plectranthus dinteri* Briq., Bull. Herb. Boissier, sér. 2, 3: 1070 (1903) = ***Coleus dinteri* (Briq.) A.J.Paton**
- Plectranthus dolichopodus* Briq., Bull. Herb. Boissier, sér. 2, 3: 1069 (1903) = ***Coleus dolichopodus* (Briq.) A.J.Paton**
- Plectranthus dolomiticus* Codd, Bothalia 15(1–2): 142 (1984) = ***Equilabium dolomiticum* (Codd) Mwany. & A.J.Paton**
- Plectranthus esculentus* N.E.Br., Bull. Misc. Inform. Kew 1894(85): 12 (1894) = ***Coleus esculentus* (N.E.Br.) G.Taylor**
- Plectranthus grandidentatus* Gurke, Bull. Herb. Boissier 6: 554 (1898) = ***Coleus grandidentatus* (Gurke) A.J.Paton**
- Plectranthus hadiensis* (Forssk.) Schweinf. ex Spreng., Wiener Ill. Gart.-Zeitung 19: 2 (1894) = ***Coleus hadiensis* (Forssk.) A.J.Paton**
- Plectranthus hadiensis* var. *tomentosus* (Benth.) Codd, Fl. S. Afr. 28: 153 (1985) = ***Coleus hadiensis* (Forssk.) A.J.Paton**
- Plectranthus hadiensis* var. *woodii* (Gurke) Codd, Fl. S. Afr. 28: 154 (1985) = ***Coleus hadiensis* (Forssk.) A.J.Paton**
- Plectranthus hereroensis* Engl., Bot. Jahrb. Syst. 10(3): 267 (1888) = ***Coleus hereroensis* (Engl.) A.J.Paton**
- Plectranthus laxiflorus* Benth., Comm. Pl. Afr. Austr. (Meyer) 1(2): 228 (1838) = ***Equilabium laxiflorum* (Benth.) Mwany., A.J.Paton & Culham**
- Plectranthus madagascariensis* (Pers.) Benth., Labiat. Gen. Spec.: 37 (1832) = ***Coleus madagascariensis* (Pers.) A.Chev.**
- Plectranthus montanus* Benth., Pl. Asiat. Rar. (Wallich) 2: 17 (1830); Type: India, Deccan Peninsula, Wight in Wall. Cat. 2747B (K-Herb.Benth., lecto.; K-W, isolecto.). Lectotype designated by Suddee & Paton, Kew Bulletin 59: 315-318 (2004). = ***Coleus cylindraceus* (Hochst. ex Benth.) A.J.Paton**
- Plectranthus mutabilis* Codd, Bothalia 11(4): 404 (1975) = ***Coleus mutabilis* (Codd) A.J.Paton**
- Plectranthus neochilus* Schltr., J. Bot. 34: 394 (1896) = ***Coleus neochilus* (Schltr.) Codd**
- Plectranthus ornatus* Codd, nom.nov. pro *Coleus comosus* Hochst. ex Gurke, Bothalia 11(4): 393 (1975) = ***Coleus comosus* Hochst. ex Gurke**
- Plectranthus pentheri* (Gurke) Van Jaarsv. & T.J.Edwards, Bothalia 27(1): 5 (1997) = ***Coleus pentheri* Gurke**
- Plectranthus petiolaris* Benth., Comm. Pl. Afr. Austr. (Meyer): 228 (1838) = ***Equilabium petiolare* (Benth.) Mwany. & A.J.Paton**
- Plectranthus porcatus* Van Jaarsv. & P.J.D.Winter, Bothalia 35(2): 170 (2005) = ***Coleus porcatus* (Van Jaarsv. & P.J.D.Winter) A.J.Paton**
- Plectranthus psammophilus* Codd, Bothalia 11(4): 405 (1975) = ***Coleus psammophilus* (Codd) A.J.Paton**
- Plectranthus ramosior* (Benth.) Van Jaarsv., Aloe 43(2-3): 46 (2006) = ***Coleus hadiensis* (Forssk.) A.J.Paton**
- Plectranthus rehmannii* Gurke, Bull. Herb. Boissier 6: 553 (1898) = ***Coleus gibbosus* A.J.Paton**
- Plectranthus spicatus* E.Mey. ex Benth., Comm. Pl. Afr. Austr. (Meyer): 230 (1838); Type: South Africa, Cape, Bathurst Division, Glenfilling, 1836, Drège 4731b (K, lecto.; MO, P, S, isolecto.). Lectotype designated by Codd, Bothalia 11(4): (1975). = ***Coleus subspicatus* (Hochst.) Walp.**
- Plectranthus tetensis* (Baker) Agnew, Upland Kenya Wild Fl.: 635 (1974) = ***Coleus lasianthus* Gurke**

Plectranthus tetragonus Gurke, Bot. Jahrb. Syst. 19: 209 (1894) = ***Coleus tetragonus* (Gurke) Robyns & Lebrun**

Plectranthus venterii Van Jaarsv. & Hankey, Aloe 34(1–2): 40 (1997) = ***Coleus venterii* (Van Jaarsv. & Hankey) A.J.Paton**

Plectranthus xerophilus Codd, Bothalia 11(3): 282 (1974) = ***Coleus xerophilus* (Codd) A.J.Paton**

***Pycnostachys* Hook.**

Pycnostachys reticulata (E.Mey.) Benth., Prodr. [A. P. de Candolle] 12: 83 (1848) = ***Coleus kirkii* (Baker) A.J.Paton**

Pycnostachys urticifolia Hook., Bot. Mag. 89: t. 5365 (1863); Type: Malawi, ex Hort. Kew, seeds sent from Mt Zomba by Livingstone (K, holo.) = ***Coleus livingstonei* A.J.Paton**

***Rabdosiella* Codd**

Rabdosiella calycina (Benth.) Codd, Bothalia 15(1–2): 10 (1984) = ***Coleus calycinus* (Benth.) A.J.Paton**

Rabdosiella leemannii N.Hahn, Bothalia 37(1): 37 (2007) = ***Coleus leemannii* (N.Hahn) A.J.Paton**

***Solenostemon* Thonn.**

Solenostemon latifolius (Hochst. ex Benth.) J.K.Morton, J. Linn. Soc., Bot. 58: 271 (1962) = ***Coleus bojeri* Benth.**

Solenostemon rotundifolius (Poir.) J.K.Morton, J. Linn. Soc., Bot. 58: 272 (1962) = ***Coleus rotundifolius* (Poir.) A.Chev. & Perrot**

OLEACEAE

***Chionanthus* L.**

Chionanthus battiscombei (Hutch.) Stearn, Bot. J. Linn. Soc. 80(3): 197 (1980) = ***Noronhia battiscombei* (Hutch.) Hong-Wa & Besnard**

Chionanthus foveolatus (E.Mey.) Stearn, Bot. J. Linn. Soc. 80(3): 198 (1980) = ***Noronhia foveolata* (E.Mey.) Hong-Wa & Besnard**

Chionanthus foveolatus (E.Mey.) Stearn subsp. *foveolatus* = ***Noronhia foveolata* (E.Mey.) Hong-Wa & Besnard subsp. *foveolata***

Chionanthus foveolatus subsp. *major* (I.Verd.) Stearn, Bot. J. Linn. Soc. 80(3): 199 (1980) = ***Noronhia foveolata* subsp. *major* (I.Verd.) Hong-Wa & Besnard**

Chionanthus foveolatus subsp. *tomentellus* (I.Verd.) Stearn, Bot. J. Linn. Soc. 80(3): 199 (1980) = ***Noronhia foveolata* subsp. *tomentella* (I.Verd.) Hong-Wa & Besnard**

Chionanthus peglerae (C.H.Wright) Stearn, Bot. J. Linn. Soc. 80(3): 203 (1980) = ***Noronhia peglerae* (C.H.Wright) Hong-Wa & Besnard**

PLANTAGINACEAE

***Plantago* L.**

Plantago crassifolia var. *hirsuta* (Thunb.) Beg., Bull. Soc. Bot. Ital. 1901: 252 (1901) = ***Plantago carnosa* Lam.**

ROSACEAE

***Rubus* L.**

Rubus intercurrents Gust., Ark. Bot. 26A(7): 61 (1934) = ***Rubus rigidus* Sm.**

Rubus longepedicellatus (Gust.) C.H.Stirt., Bothalia 15(1–2): 106 (1984) = ***Rubus rigidus* Sm.**

Rubus originalis L.H.Bailey = ***Rubus pensilvanicus* Poir.**

SEMATOPHYLLACEAE

***Sematophyllum* Mitt.**

Sematophyllum wageri C.H.Wright ex Wager, Trans. Roy. Soc. South Africa 4: 5, 2c (1914); Type: South Africa, Van Reenen, Wager CH568 (PRE, holo.) = ***Sematophyllum brachycarpum* (Hampe) Broth.**

SOLANACEAE

***Solanum* L.**

Solanum incanum subsp. *schoanum* Bitter = ***Solanum incanum* L.**

Solanum villosum subsp. *miniaturum* (Bernh. ex Willd.) Edmonds, Bot. J. Linn. Soc. 89(2): 166 (1984); Type: Cultivated Berlin Botanic Garden (B-W 4366, sheet 3, lecto.). Lectotype designated by Edmonds, Journal of the Linnean Society, Botany 89: 166 (1984). = ***Solanum villosum* Mill.**

THYMELAEACEAE

***Gnidia* L.**

Gnidia similis C.H.Wright, ms. name (not published) = ***Lasiosiphon similis* C.H.Wright**

Taxonomic status change: synonyms that became accepted names

* = alien taxa naturalised in South Africa
^E = taxa endemic to South Africa

AIZOACEAE

Aizoon L.

Aizoon fruticosum L.f., Suppl. Pl.: 261 (1782)

Aizoon papulosum Eckl. & Zeyh., Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 3: 326 (1837)

^E*Aizoon pubescens* Eckl. & Zeyh., Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 3: 326 (1837)

Aizoon secundum L.f., Suppl. Pl.: 261 (1782)

Aizoon squamulosum Eckl. & Zeyh., Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 3: 326 (1837)

Ruschia Schwantes

^E*Ruschia aristata* L.Bolus, Notes Mesembryanthemum [H.M.L. Bolus] 2: 369 (1932); Type: Harcourt-Wood 235 (BOL 45918, barcode: BOL132173, lecto.). Lectotype designated by Hartmann, Illustrated Handbook of Succulent Plants, Aizoaceae A-G, Vol. 1: 566 (2017).

^E*Ruschia lawsonii* (L.Bolus) L.Bolus, Notes Mesembryanthemum [H.M.L. Bolus] 3: 219 (1950); Type: South Africa, Kalahari Region, Hay division, Papkuil, Aug. 1912, L. Lawson s.n. sub BOL18551 (BOL129312)

APIACEAE

Deverra DC.

Deverra aphylla (Cham. & Schltdl.) DC., Prodr. [A. P. de Candolle] 4: 143 (1830)

ASTERACEAE

Berkheyopsis O.Hoffm.

Berkheyopsis echinus (Less.) O.Hoffm., Nat. Pflanzenfam. [Engler & Prantl] 3(5): 311 (1891)

Senecio L.

^E*Senecio subcanescens* (DC.) Compton, J. Bot. 72: 49 (1934)

EBENACEAE

Diospyros L.

Diospyros loureiroana G.Don, New combination required under *Royena*., Gen. Hist. 4: 39 (1837)

Royena L.

Royena acocksii De Winter, Bothalia 7(1): 18 (1958)

^E*Royena cordata* E.Mey. ex A.DC., A.P.de Candolle, Prodr. 8: 211 (1844)

- Royena dichrophylla* Gand., Bull. Soc. Bot. France 65: 56 (1918)
- Royena galpinii* Hiern, Fl. Cap. (Harvey) 4(1.3): 450 (1906)
- ^E*Royena glabra* L., Sp. Pl. 1: 397 (1753)
- ^E*Royena glandulosa* Harv. ex Hiern, Trans. Cambridge Philos. Soc. 12: 89 (1873)
- Royena hirsuta* L., Sp. Pl. 1: 397 (1753)
- Royena hirsuta* var. *rubriflora* De Winter, Bothalia 7(1): 18 (1958)
- Royena lucida* L., Sp. Pl. 1: 397 (1753)
- Royena lycioides* (Desf.) A.DC., Prodr. [A. P. de Candolle] 8: 214 (1844)
- Royena lycioides* subsp. *guerkei* (Kuntze) De Winter, Bothalia 7(1): 17 (1958)
- ^E*Royena lycioides* subsp. *nitens* (Harv. ex Hiern) De Winter, Bothalia 7(1): 18 (1958)
- Royena lycioides* subsp. *sericea* (Bernh.) De Winter, Bothalia 7(1): 17 (1958)
- ^E*Royena pallens* Thunb., Prodr. Pl. Cap. 1: 80 (1794)
- Royena ramulosa* E.Mey. ex A.DC., Prodr. [A. P. de Candolle] 8: 212 (1844)
- ^E*Royena simii* Kuntze, Revis. Gen. Pl. 3[3]: 196 (1898)
- Royena usambarensis* Gurke ex Engl., Abh. Königl. Akad. Wiss. Berlin 1894: 34 (1894)
- Royena villosa* L., Syst. Nat., ed. 12. 2: 302 (1767)
- ^E*Royena villosa* var. *parvifolia* De Winter, Bothalia 7(1): 18 (1958)

FABACEAE

Lotononis (DC.) Eckl. & Zeyh.

- ^E*Lotononis wilmsii* Dummer, Requires a new combination in Leobordea, Trans. Roy. Soc. South Africa 3: 307 (1913); Type: South Africa, Gauteng, between Middelburg and Crocodile River, Wilms 277 (K, holo.)

Psoralea L.

- ^E*Psoralea acuminata* Lam., Tabl. Encycl. 3: 173 (1823); Type: South Africa, Wit Els Bosch flats, Oct. 1920, Fourcade 937 (BOL, neo.)
- ^E*Psoralea albicans* Eckl. & Zeyh., Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 2: 231 (1836); Type: ‘Inter frutices (Altit. II) laterum montium prope Olifantsrivier (Clanwilliam)’, Zeyher 1556 (S08-14086, lecto.; HAL119405, LE, MEL1542067, MEL1542068, TCD, S08-12043, SAM, isolecto.). Lectotype designated by Bello et al., Botanical Journal of the Linnean Society 200(1): 66 (2022).
- ^E*Psoralea algoensis* Eckl. & Zeyh., Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 2: 229 (1836); Type: South Africa, ‘in dunis arenosis ad litus sinus Algoabay prope fluminis ostium Zwartkopsrivier (Uitenhage)’, Ecklon 1544 (S101419, lecto.; AM, BOL, K, MO1868191, NBG P1220145, P03050242, SP03050242, TCD, isolecto.). Lectotype designated by Bello et al., Botanical Journal of the Linnean Society 200(1): 61 (2022).
- ^E*Psoralea argentea* Thunb., Prodr. Pl. Cap. 2: 136 (1800); Type: South Africa, ‘Cap. Bon. Spei’, Thunberg s.n. (UPS-Thunb. 17559I, holo.)
- ^E*Psoralea bolusii* H.M.L.Forbes, Bothalia 3: 123 (1930); Type: South Africa, Mountains near Piquetberg, Bolus s.n. (NH 16913, holo.; PRE, iso.)
- ^E*Psoralea bowieana* Harv., Fl. Cap. (Harvey) 2: 154 (1862); Type: ‘Cape’, Bowie s.n. (K000392570, lecto.; BM000843162, MO, isolecto.). Lectotype designated by Bello et al., Botanical Journal of the Linnean Society: 200(1): 66 (2022).

- ^E*Psoralea bracteolata* Eckl. & Zeyh., Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 2: 229 (1836); Type: South Africa, 'In lapidosis pratensibus (altit.I) planitie capensis prope Rondebosch et Wynberg, Dec.', Ecklon s.n. (S1-1420, lecto.; M0233310, isolecto.). Lectotype designated by Bello et al., Botanical Journal of the Linnean Society 200(1): 67 (2022).
- ^E*Psoralea caffra* Eckl. & Zeyh., Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 2: 230 (1836); Type: South Africa, 'In collibus graminosis inter flumine Katrivier et Keyrivier', Ecklon & Zeyher 1550 (S101421, lecto.; B1000159101, G00007750, HAL119407, K000392567, L, MEL1541957, MO, PRA, SAM, W, isolecto.)
- ^E*Psoralea candicans* Eckl. & Zeyh., Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 2: 228 (1836); Type: South Africa, 'in lapidosis in Karoo prope flumen Gauritzrivier (Swellendam)', Zeyher 1540 (S-10-1245, lecto.; G, GOET005427, HAL0119408, K000392565, LLE, MO, S-10-1107, SAM, W-0053163, W-Rchb.1889-0359172, isolecto.)
- ^E*Psoralea carnea* E.Mey., Comm. Pl. Afr. Austr. (Meyer): 85 (1836); Type: South Africa, exact locality uncertain, Drège 314 (MO, lecto.; G00022541, HAL11940, fragment K, W, PRC, isolecto.)
- ^E*Psoralea decumbens* Aiton, Hort. Kew. [W. Aiton] 3: 80 (1789); Type: South Africa, without precise locality, no date, Masson s.n. (BM, holo.)
- Psoralea foliosa* Oliv., J. Linn. Soc., Bot. 21: 399 (1885); Type: Kenya, Laikipia [Lykipia], Masai county, Thomson s.n. (BM, holo.; K, iso.)
- ^E*Psoralea fruticans* (L.) Druce, Bot. Exch. Club Brit. Isles Rep. 3(5): 422 (1914); Type: Provenance and collector unknown (BM000646736, Hort. Cliff. 373.5, lecto.)
- ^E*Psoralea hamata* Harv., Fl. Cap. (Harvey) 2: 152 (1862); Type: South Africa, 'Roodeberg', Drège s.n. (K000392554, holo.; G00022537, K000392553, iso.)
- ^E*Psoralea heterosepala* Fourc., Trans. Roy. Soc. South Africa 21: 95 (1932); Type: South Africa, Eastern Cape, Humansdorp, The Heights, Fourcade 4225 (BOL115920, lecto.)
- ^E*Psoralea hirta* L., Pl. Rar. Afr.: 15 (1760); Type: [specimen annotated] 'collect. 1695', Oldenland s.n. (Herb. Burman G. lecto.)
- ^E*Psoralea mundiana* Eckl. & Zeyh., Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 2: 228 (1836); Type: South Africa, 'Prope Gorreehoogde, Swellendam', Mund 84 (K392544, lecto.; S08-392544, S08-14094, SAM 49206, MEL1541979, isolecto.)
- ^E*Psoralea obliqua* E.Mey., Linnaea 7(2): 164 (1832); Type: South Africa, Hottentots Holland, Zeyher 1824 (S-08-12855, lecto.). Lectotype designated by Bello et al., Botanical Journal of the Linnean Society 200(1): 68 (2022).
- ^E*Psoralea polyphylla* Eckl. & Zeyh., Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 2: 227 (1836); Type: South Africa, 'In dunis prope nemora ante sylvas primaevae in Krakakamma (Uitenhage)', Ecklon s.n. (S-10-1430, lecto.; B100159100, JE00000369, G-00022519, K, L, M-0104058, OXF, S-10-1429, SAM 49205, TCD, iso.)
- Psoralea polysticta* Benth. ex Harv., Fl. Cap. (Harvey) 2: 150 (1862); Type: South Africa, Orange Free State, Winburg district, Doornkop, Burke s.n. (K000392531, holo.)
- ^E*Psoralea racemosa* Thunb., Prodr. Pl. Cap. 2: 135 (1800); Type: South Africa, 'e Cap. Bon. Spei', Thunberg s.n. (UPS-Thunb. 17581, holo.)
- ^E*Psoralea rotundifolia* L.f., Suppl. Pl.: 338 (1782); Type: South Africa, 'Habitat in Cap. Bonae Spei', Thunberg s.n. (UPS-Thunb. 17583, lecto.)
- ^E*Psoralea sericea* Poir., Encycl. [J. Lamarck & al.] 5: 687 (1804); Type: Without precise locality, Sonnerat s.n. (P, holo.)
- ^E*Psoralea spicata* L., Mant. Pl. Altera: 264 (1771); Type: South Africa, 'Habitat ad Cap. B. spei campis', Tulbagh 38 (Herb. Linn. No. 928.6, LINN, lecto.)
- ^E*Psoralea stachydis* L.f., Suppl. Pl. 338 (1782); Type: South Africa, 'Habitat in Cap. Bonae Spei', Thunberg s.n. (LINN 928.10, holo.)
- ^E*Psoralea stachyera* Eckl. & Zeyh., Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 2: 230 (1836); Type: South Africa, 'In locidis et pratensibus ad fluminis ripam Zwartkopsrivier', Ecklon & Zeyher 1549 (S-08-14095, lecto.; B100159099, P-03496001, K, S-11-26150, isolecto.)

- ^E*Psoralea striata* **Thunb.**, Prodr. Pl. Cap. 2: 136 (1800); Type: South Africa, ‘Crescit prope Dornrivier in Carro pone Bokkeveld’, Thunberg s.n. (UPS-Thunb. 17586)
- ^E*Psoralea thomii* **Harv.**, Fl. Cap. (Harvey) 2: 155 (1862); Type: South Africa, Western Cape, without precise locality, Thom 697 (K000392516, lecto., top left-hand specimen of the sheet)
- ^E*Psoralea triantha* **E.Mey.**, Comm. Pl. Afr. Austr.: 88 (1836); Type: South Africa, ‘Locos humidis ad Bergrivier’, Drège s.n. (K, lecto.; BM, BOL, G, OXF, P, W, isolecto.)
- ^E*Psoralea uncinata* **Eckl. & Zeyh.**, Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 2: 231 (1836); Type: South Africa, ‘Tulbagh’, Zeyher 1554 (S, lecto.; B100159098, K, L, LE, S, SAM, W, isolecto.)
- ^E*Psoralea venusta* **Eckl. & Zeyh.**, Enum. Pl. Afric. Austral. [Ecklon & Zeyher] 2: 231 (1836); Type: South Africa, ‘Saldanha Bay,’ Ecklon & Zeyher 1553 (S10-1436, lecto.). Lectotype designated by Bello et al., Botanical Journal of the Linnean Society 200(1): 70 (2022).
- Psoralea wilmsii* **Harms**, Bot. Jahrb. Syst. 26(3-4): 286 (1899); Type: South Africa, Near Lydenburg, Wilms 295 (Z, holo.; BM, BMNH, G, K, KFTA, P, PRC, U, W1899-0001507, iso.)
- ^E*Psoralea zeyheri* **Harv.**, Thes. Cap.1: 51, t.80 (1863); Type: South Africa, Twenty-four Rivers, Zeyher 2375 (K00392505, holo.; G, K000392503, PRE, S, SAM, TCD, W, Z, iso.)

IRIDACEAE

Aristea **Aiton**

Aristea majubensis **Baker**, J. Bot. 29: 70 (1891)

Bobartia **L.**

Bobartia anceps **Baker**, Handb. Irid.: 121 (1892)

Lapeirousia **Pourr.**

Lapeirousia caudata **Schinz**, Verh. Bot. Vereins Prov. Brandenburg 31: 213 (1890)

Tritonia **Ker Gawl.**

^E*Tritonia delpierrei* **M.P.de Vos**, J. S. African Bot. 49(4): 403 (1983)

^E*Tritonia watermeyeri* **L.Bolus**, Ann. Bolus Herb. 4: 44 (1926)

LAMIACEAE

Coleus **Lour.**

Coleus amboinicus **Lour.**, Fl. Cochinch. 2: 372 (1790); Type: Rumphius plate in Herb. Amb. 5, t. 102/2. 1750 (illustration, lecto.); Epitype: based on the choice of a representative specimen selected by Launert, Mitteilungen der Botanischen Staatssammlung München 7: (1968): Thailand, Pai District: Mae Hong Son, 25 May 1921, Kerr s.n. (BM, epi.). Lectotype designated by Cramer, Kew Bulletin 33(3): (1978); epitype designated by Suddee et al., Kew Bulletin 59(3): (2004).

Coleus barbatus* (Andrews**) **Benth. ex G.Don**, Hort. Brit. [Loudon]: 483 (1830); Type: Illustration of cultivated material in Bot. Rep. 9, t. 594. 1809. (lecto.). Type: Eritrea, Dekemhare, Colville 47 (K, epi.). Epitype designated by Ryding, Kew Bulletin 54(1): (1999).

Coleus caninus (**Roth**) **Vatke**, Linnaea 37: 318 (1872); Type: India, Heyne s.n. in Wallich Cat. 2729C (B, holo. destroyed; BM, K00820142, K-W (K001116966), P, iso.)

Coleus comosus* **Hochst. ex Gurke, Bot. Jahrb. Syst. 19(2-3): 212 (1894); Type: Ethiopia, Dschenausa, 1 June 1840, Schimper 1328 (B, holo. destroyed; BM, FI, G, P, iso.)

Coleus neochilus (Schltr.) Codd, Bothalia 7: 432 (1961); Type: South Africa, Mpumalanga, Rimero Creek near Baberton, 1890, Galpin 968 (K, holo.; BOL, GRA, NH, iso.)

Coleus pentheri Gurke, Ann. K. K. Naturhist. Hofmus. 20: 48 (1905); Type: South Africa, Mpumalanga, Rimero Creek near Baberton, 1890, Galpin 968 (K, holo.; BOL, GRA, NH, iso.)

Coleus rotundifolius (Poir.) A.Chev. & Perrot, Vég. Utiles Afrique Trop. Franç. 1: 119 (1905); Type: Mauritius (Ile de France), Commerson s.n. (P, holo.; FI, iso.)

ORCHIDACEAE

Satyrium Sw.

^E*Satyrium jacottetiae* Kraenzl., Vierteljahrsschr. Naturf. Ges. Zürich 74: 102 (1992)

PLANTAGINACEAE

Plantago L.

^E*Plantago carnosae* Lam., Tabl. Encycl. 1: 342 (1792); Type: South Africa. E Cap., Bonae Spei, s.d., s.coll. (P P00380818, lecto.). Lectotype designated by Hopke et al., Taxon 68(2): 329 (2019).

RUBIACEAE

Edrastima Raf.

Edrastima cephalotes (Hochst.) Neupane & N.Wikstr., Taxon 64(2): 316 (2015); Lectotype (designated by Bremekamp in Verh. Kon. Ned. Akad. Wetensch., Afd. Natuurk., Sect. 2, 48(2): 194. 1952): South Africa, Port Natal, Krauss 111 (K barcode K.000414277; isoelectotypes: BM bar code BM000902948, TUB barcode TUB-004474).

SAPOTACEAE

Donella Pierre ex Baill.

Donella viridifolia (J.M.Wood & Franks) Aubrev. & Pellegr., Notul. Syst. (Paris) 16: 248 (1961); Type: South Africa, Natal, Berea near Durban, Wood 11636 (NH0012497-0, lecto.; BOL137810, K000430603 & K000430604, PRE0632632-0 & PRE0632633-0, isoelecto.). Lectotype designated by Mackinder et al., Edinburgh Journal of Botany 73(3): 330 (2016).

Publications incorporated (1/2023–12/2023)

This is a list of all references that were incorporated into the checklist during the above-mentioned time period. For some of the older publications there might not have been any taxonomic changes made, but additional information, like type specimen details etc., were obtained from these publications.

- Balkwill, K. 2020. A revision of *Stemodiopsis* Engl. (Linderniaceae) in South Africa. *South African Journal of Botany* 135: 377–383. <https://doi.org/10.1016/j.sajb.2020.09.028>
- Balkwill, K. 2020. *Ochna maguirei* (Ochnaceae), a new species with corky bark from northern South Africa. *South African Journal of Botany* 133: 298–306. <https://doi.org/10.1016/j.sajb.2020.07.014>
- Bello, A., Stirtion, C.H., Chimphango, S.B.M. & Muasya, A.M. 2022. Phylogenetic relationships and biogeography of Psoraleeae (Fabaceae). *Botanical Journal of the Linnean Society* 200(1): 39–74. <https://doi.org/10.1093/botlinnean/boac002>
- Boatwright, J.S., Wink, M. & Van Wyk, B.E. 2011. The generic concept of *Lotonotis* (Crotalarieae, Fabaceae): reinstatement of the genera *Echlorda*, *Leobordea* and *Listia* and the new genus *Ezoloba*. *Taxon* 60(a): 161–177. <https://doi.org/10.1002/tax.601014>
- Boon, R.G.C. & Van Wyk, A.E. 2023. A new species of *Phyllogeiton* (Rhamnaceae: Rhamneae) from Maputaland, South Africa. *Phytotaxa* 585(3): 193–209. <https://doi.org/10.11646/phytotaxa.585.3.2>
- Bruyns, P.V., Klak, C. & Hanacek, P. 2017. A revised, phylogenetically-based concept of *Ceropegia* (Apocynaceae). *South African Journal of Botany* 112: 399–436. <https://doi.org/10.1016/j.sajb.2017.06.021>
- Crouch, N.R. & Smith, G.F. 2021. *Bulbine audreyae* N.R.Crouch & Gideon F.Sm. (Asphodelaceae subfam. Asphodeloideae), a new cremnophytic species with grass tuft-like rosettes from the Outeniqua range in South Africa. *Bradleya* 2021(39): 125–130. <https://doi.org/10.25223/brad.n39.2021.a11>
- Duangjai, S., Wallnofer, B., Samuel, R., Munzinger, J. & Chase, M.W. 2006. Generic delimitation and relationships in Ebenaceae *sensu lato*: evidence from six plastid DNA regions. *American Journal of Botany* 93(12): 1808–1827. <https://doi.org/10.3732/ajb.93.12.1808>
- Duncan, G.D. & Joubert, E. 2022. 1023 *Haemanthus humanii* (Amaryllidaceae). *Curtis' Botanical Magazine* 39: 280–294. <https://doi.org/10.1111/curt.12442>
- Hammer, S.A. 1993. Macro-observations on *Cheiridopsis* N.E.Br. and *Odontophorus* N.E.Br. (Aizoaceae). *Bradleya* 11: 75–85. <https://doi.org/10.25223/brad.n11.1993.a5>
- Hedderson, T.A. & Cano, M.J. 2022. *Hennediella austroafricana* Hedd. & M.J.Cano, a new moss species from the Cape winter-rainfall region. *Journal of Bryology* 44(3): 222–225. <https://doi.org/10.1080/03736687.2022.2141492>
- Hedderson, T.A. & Zander, R.H. 2022. *Algaria overbergensis* Hedd. & R.H.Zander, a new moss species from the Overberg Rûens Shale Renosterveld system of the Southwest Cape, South Africa. *Journal of Bryology* 44(3): 217–221. <https://doi.org/10.1080/03736687.2022.2137582>
- Hong-Wa, C. & Besnard, G. 2013. Intricate patterns of phylogenetic relationships in the olive family as inferred from multi-locus plastid and nuclear DNA sequence analyses: a close-up on *Chionanthus* and *Noronhia* (Oleaceae). *Molecular Phylogenetics and Evolution* 67(2): 367–378. <https://doi.org/10.1016/j.ympev.2013.02.003>
- Höpke, J., Mucina, L. & Albach, D.C. 2019. Phylogenetic and morphometric analysis of *Plantago* section *Coronopus* (Plantaginaceae). *Taxon* 68(2): 315–339. <https://doi.org/10.1002/tax.12035>

- Klak, C., Hanacek, P. & Bruyns, P.V. 2022. Two new species of Aizoaceae (Ruschieae, Ruchoideae) from the Cape, South Africa. *Haseltonia* 29: 16–23. <https://doi.org/10.2985/026.029.0103>
- Klak, C., Hanacek, P. & Bruyns, P.V. 2023. Six new species of Ruschieae (Aizoaceae) and further notes in *Ruschia*. *South African Journal of Botany* 156: 144–161. <https://doi.org/10.1016/j.sajb.2023.02.035>
- Klak, C., Hanacek, P. & Bruyns, P.V. 2017. Disentangling the Aizooideae: New generic concepts and a new subfamily in Aizoaceae. *Taxon* 66(5): 1147–1170. <https://doi.org/10.12705/665.9>
- Klopper, R.R., Grace, O.M., Klopper, A.W., Smith, G.F. & Van Wyk, A.E. 2023. A taxonomic revision of *Aloe* sect. *Purpurascens* (Asphodelaceae subfam. Aloioideae). *Phytotaxa* 628(1): 1–64. <https://doi.org/10.11646/phytotaxa.628.1.1>
- Linder, H.P., Perl, F., Bouchenak-Khelladi, Y. & Barker, N.P. 2014. Phylogeographical pattern in the southern African grass *Tenaxia disticha* (Poaceae). *Systematic Botany* 39(2): 428–440. <https://doi.org/10.1600/036364414X680906>
- Lombard, N. & Le Roux, M.M. 2023. *Thesium hispidifructum* (Santalaceae), a new hispidulous species from Limpopo, South Africa and notes on enigmatic *T. celatum*. *Taxonomy* 3: 95–108. <https://doi.org/10.3390/taxonomy3010009>
- Lowry, P.P., Plunkett, G.M., Gostel, M.R. & Frodin, D.G. 2017. A synopsis of the Afro-Malagasy species previously included in *Schefflera* (Araliaceae): resurrection of the genera *Astropanax* and *Neocussonia*. *Candollea* 72(2): 265–282. <https://doi.org/10.15553/c2017v722a4>
- Mackinder, B., Harris, D.J. & Gautier, L. 2016. A reinstatement, recircumscription and revision of the genus *Donella* (Sapotaceae). *Edinburgh Journal of Botany* 73(3): 297–33. <https://doi.org/10.1017/S0960428616000160>
- Magoswana, S.L., Boatwright, J.S., Magee, A.R. & Manning, J.C. 2022. A taxonomic revision of the *Othonna auriculifolia* Less. group (Asteraceae: Senecioneae: Othonninae). *Bothalia ABC* 52(1), a5. <http://dx.doi.org/10.38201/btha.abc.v52.i1.5>
- Magoswana, S.L., Boatwright, J.S., Magee, A.R. & Manning, J.C. 2022. A taxonomic revision of the *Othonna coronopifolia* L. group (Asteraceae: Senecioneae: Othonninae). *South African Journal of Botany* 149: 604–616. <https://doi.org/10.1016/j.sajb.2022.06.050>
- Manning, J.C. & Govaerts, R.H.A. 2021. Clarification of the confusion surrounding the generic name *Bryomorphe* Harv. (Asteraceae: Gnaphalieae), and the new genus *Muscosomorphe* J.C.Manning. *Bothalia-ABC* 51(2); a8 [3 pp.] <http://dx.doi.org/10.38201/btha.abc.v51.i2.8>
- Manning, J.C. & Klak, C. 2022. New infrageneric taxa in *Leucospermum* (Proteaceae) and *Tetragonia* L. (Aizoaceae) and a new name in *Aizoon* subgenus *Galenia* (Aizoaceae) in southern Africa. *Bothalia* 52(1), a11. <http://dx.doi.org/10.38201/btha.abc.v52.i1.11>
- Manning, J.C. & Paton, A.J. 2023. The new combination *Coleus leemannii* (N.H.Hahn) A.J.Paton for *Rabdosiella leemannii* N.Hahn (Lamiaceae: Nepetoideae: Ocimeae). *Bothalia-ABC* 53(1), a3: 1–2. <http://dx.doi.org/10.38201/btha.abc.v53.i1.3>
- Molteno, S. & Smith, G.F. 2019. The taxonomy and identity of *Astroloba spirella* (Haw.) Molteno & Gideon F.Sm. (Asphodelaceae: Aloioideae), a distinctive species from the western Klein Karoo, Western Cape Province, South Africa. *Bradleya* 37: 97–111. <https://doi.org/10.25223/brad.n37.2019.a32>
- Molteno, S., Van Jaarsveld, E.J. & Smith, G.F. 2017. *Astroloba robusta* P.Reinecke ex Molteno, Van Jaarsv. & Gideon F.Sm. (Asphodelaceae: Aloioideae), a new species from the Great Karoo, South Africa. *Bradleya* 35: 201–211. <https://doi.org/10.25223/brad.n35.2017.a23>

- Molteno, S., Van Jaarsveld, E.J. & Smith, G.F. 2017. *Astroloba tenax* Molteno, Van Jaarsv. & Gideon F.Sm. (Asphodelaceae: Alooideae), a new species from the Groot Swartberg Mountain, South Africa. *Bradleya* 35: 139–149. <https://doi.org/10.25223/brad.n35.2017.a13>
- Neupane, S., Dessein, S., Wikström, N., Lewis, P.O., Long, C., Bremer, B. & Motley, T.J. 2015. The *Hedyotis-Oldenlandia* complex (Rubiaceae: Spermacoceae) in Asia and the Pacific: Phylogeny revisited with new generic delimitations. *Taxon* 64(2): 299–322. <https://www.jstor.org/stable/24639308>
- O'Donnell, S.A., Ringelberg, J.J. & Lewis, G.P. 2022. Re-circumscription of the mimosoid genus *Entada* including new combinations for all species of the phylogenetically nested *Elephantorrhiza* (Leguminosae, Caesalpinioideae, mimosoid clade). *PhytoKeys* 205: 99–145. <https://doi.org/10.3897/phytokeys.205.76790>
- Paton, A.J., Mwanyambo, M.L., Govaerts, R.H.A., Smitha, K., Suddee, S., Phillipson, P.B., Wilson, T.C., Forster, P.I. & Culham, A. 2019. Nomenclatural changes in *Coleus* and *Plectranthus* (Lamiaceae): a tale of more than two genera. *PhytoKeys* 129: 1–158. <https://doi.org/10.3897/phytokeys.129.34988>
- Sadler, R., Parker, T., Verboom, G.A., Ellis, A.G., Jackson, M., Van Zyl, J., Manning, J. & Bergh, N.G. 2022. A molecular phylogeny of Calenduleae (Asteraceae) supports the transfer of *Dimorphotheca polyptera* DC. to *Osteospermum* L. *South African Journal of Botany* 151: 234–245. <https://doi.org/10.1016/j.sajb.2022.09.001>
- Schwartsburd, P.B. & Prado, J. 2014. Subspecies of *Hypolepis rugosula* (Dennstaedtiaceae; Pteridophyta) around the world: morphological and biogeographic perspectives. *Acta Botanica Brasilica* 28(2): 206–226. <https://doi.org/10.1590/S0102-33062014000200008>
- Schwartsburd, P.B., Oliviera, M.H., Joner, D.C., Loyola, R. & Prado, J. 2016. Additions to the taxonomy of the *Hypolepis rugosula* complex (Dennstaedtiaceae) in Africa: corrections, two new subspecies and new distribution maps. *Folia Geobotanica* 51: 373–381. <https://doi.org/10.1007/s12224-016-9263-y>
- Smith, G.F. & Figueiredo, E. 2019. *Aloiampelos ciliaris* nothovar. *gigas* (Asphodelaceae subfam. Alooideae), a new status for *Aloe ciliaris* f. *gigas*. *Haseltonia* 26: 36–38. <https://doi.org/10.2985/026.026.0105>
- Smith, G.F. & Van Jaarsveld, E.J. 2017. *Astroloba tenax* var. *moltenoi* Gideon F.Sm. & Van Jaarsv. (Asphodelaceae: Alooideae), a new variety in *Astroloba tenax* Molteno, Van Jaarsv. & Gideon F.Sm. from the south-central Groot Karoo, South Africa. *Bradleya* 35: 238–243. <https://doi.org/10.25223/brad.n35.2017.a26>
- Smith, G.F., Figueiredo, E. & Molteno, S. 2018. Lectotypification of *Astroloba herrei* Uitewaal (Asphodelaceae: Alooideae). *Bradleya* 36: 224–226. <https://doi.org/10.25223/brad.n36.2018.a19>
- Smith, G.F., Figueiredo, E., Klopper, R.R., Campbell, E.E. & Martin, K. 2022. *Aloiampelos tenuior* var. *ernstii*, a new orange-flowered variety of rambling aloe (Asphodelaceae subfam. Alooideae). *Phytotaxa* 571(1): 91–96. <https://doi.org/10.11646/phytotaxa.571.1.8>
- Sochor, M., Hrone, M. & Manning, J.C. 2022. Guide to the genus *Rubus* L. (Rosaceae) in South Africa — Disentangling a taxonomic Gordian knot with the help of ploidy and reproductive data. *South African Journal of Botany* 147: 511–567. <https://doi.org/10.1016/j.sajb.2022.01.044>
- Soreng, R.J., Sylvester, S.P., Sylvester, M.D.P.V. & Clark, V.R. 2020. New records and key to *Poa* (Pooideae, Poaceae) from the Flora of Southern Africa region and notes on taxa including a diclinous breeding system in *Poa binata*. *PhytoKeys* 165: 27–50. <https://doi.org/10.3897/phytokeys.165.55948>
- Stirton, C.H. & Du Preez, B. 2021. *Otholobium outrampsii* (Psoraleaceae, Fabaceae) – a new species from the Western Cape, South Africa. *Bothalia-ABC* 51: 1–5. <http://dx.doi.org/10.38201/btha.abc.v51.i2.5>

- Van Jaarsveld, E.J. & Visagie, M. 2021. *Aloiampelos tenuior* var. *viridifolia*. Flowering Plants of Africa 67: 32– 40, t. 2363.
- Van Jaarsveld, E.J. 2015. *Astroloba cremnophila* a new cliff dwelling succulent from the Klein Karoo (Western Cape, South Africa). *Bradleya* 33: 171–179.
<https://doi.org/10.25223/brad.n33.2015.a23>
- Velani, N., Boatwright, J.S., Magee, A.R. & Manning, J.C. 2023. Taxonomy of the small southern African endemic genus *Echiostachys* Levyns (Boraginaceae: Boraginoideae). *South African Journal of Botany* 156: 244–256. <https://doi.org/10.1016/j.sajb.2023.03.019>
-