



**INVASIVE ALIEN  
PLANT SPECIES**  
of Gaborone

---

Marumo Kedumetse Marumo



# Invasive alien plant species of Gaborone

by

**Marumo Kedumetse Marumo**

National Herbarium (GAB), Department of National Museum and  
Monuments, Private Bag 00114, Gaborone, Botswana



Pretoria  
2018

Editor: Alicia Grobler (SANBI)  
Proofreader: Yolande Steenkamp (SANBI)  
Design & layout: Elizma Fouché (SANBI)

Suggested citation:

MARUMO, M.K. 2018. *Invasive alien plant species of Gaborone*. South African National Biodiversity Institute, Pretoria.

**ISBN 978-1-928224-24-2**

Obtainable from: SANBI Bookshop, Private Bag X101, Pretoria, 0184 South Africa  
Tel.: +27 12 843 5000  
E-mail: [bookshop@sanbi.org.za](mailto:bookshop@sanbi.org.za)  
Website: [www.sanbi.org](http://www.sanbi.org)  
Printed by: SANBI Graphics & Editing

Copyright © 2018 by South African National Biodiversity Institute (SANBI)


All rights reserved. No part of this book may be reproduced in any form without written permission of the copyright owners. The views and opinions expressed do not necessarily reflect those of SANBI. The author and publisher have made their best efforts to prepare this book, and make no representation or warranties of any kind with regard to the completeness or accuracy of the contents herein. All images in this book have been reproduced with the knowledge and prior consent of the artists concerned and no responsibility is accepted by the publisher or printer for any infringement of copyright or otherwise arising from the contents of this publication. Every effort has been made to ensure that the credits accurately comply with the information supplied by the author.

# Contents

Acknowledgements .....	iv
Introduction .....	1
Invasive alien plant species .....	2
Agavaceae	
<i>Agave angustifolia</i> Haw. ....	3
Asteraceae	
<i>Flaveria bidentis</i> (L.) Kuntze. ....	4
<i>Verbesina encelioides</i> (Cav.) Benth. & Hook. ex A.Gray .....	5
Bignoniaceae	
<i>Tecoma stans</i> (L.) Juss. ex Kunth. ....	6
Cactaceae	
<i>Cylindropuntia imbricata</i> (Haw.) F.M.Knuth .....	7
Convolvulaceae	
<i>Ipomoea carnea</i> Jacq. subsp. <i>fistulosa</i> (Mart. ex Choisy) D.F.Austin ....	8
Euphorbiaceae	
<i>Ricinus communis</i> L. ....	9
Fabaceae	
<i>Parkinsonia aculeata</i> L. ....	10
<i>Senna occidentalis</i> (L.) Link. ....	11
Malvaceae	
<i>Malva parviflora</i> L. ....	12
Meliaceae	
<i>Melia azedarach</i> L. ....	13
Myrtaceae	
<i>Eucalyptus camaldulensis</i> Dehnh. ....	14
Papaveraceae	
<i>Argemone ochroleuca</i> Sweet subsp. <i>ochroleuca</i> .....	15
Rubiaceae	
<i>Richardia brasiliensis</i> Gomes .....	16
Solanaceae	
<i>Nicotiana glauca</i> Graham .....	17
Verbenaceae	
<i>Lantana camara</i> L. ....	18
Bibliography .....	19
Index .....	20

# Acknowledgements

Thanks to Mr Legwaila and Ms Komi who helped in collecting data for this booklet. I am also grateful to Ms Moahi and Ms Ngoma who photographed the plants.



BOTSWANA  
national  
museum



# Introduction

Invasive alien plants are a real problem in Botswana. They impose negative impacts such as the choking of rivers, lowering crop yields, spoiling the natural beauty of landscapes and they use a lot of underground water, thus reducing the available amount of water for other plants and humans. A lot of funds are needed to control and eradicate them, so early detection and control of these species are imperative. These plants are usually introduced intentionally as ornamentals and crops, or unintentionally through dispersal of seeds by wind, water, humans and animals.

This book is an outcome of observation or monitoring of invasive alien plants in Gaborone, the capital city of Botswana. Several invasive alien plants have been observed in Gaborone. They have been recorded from riverbeds, beside roads, in disturbed areas, in open spaces, around residential areas, around business areas and other places in the city.

The purpose of this booklet is to help members of the community, law enforcers and researchers interested in management of invasive alien plants with these species' identification. This book documents 16 invasive alien plants observed in Gaborone from 2013 to 2017. Continuous monitoring is necessary to gather more data on these and other invasive alien species.

# Invasive alien plant species



## AGAVACEAE

---

*Agave angustifolia* Haw.

Common name: *Kleingaringboom*

Description: Succulent shrub with thick, sword-shaped leaves in a rosette up to 1.2 m tall. Leaves ascending to horizontal in a mid-rosette, linear to narrowly lanceolate, light green to glaucous grey, margins armed with small teeth, apical spine conical to subulate. Inflorescence paniculate, 3–5 m tall, branched. Flowers erect, 50–65 mm long, green to yellow. Fruit a capsule, ovoid, 30–50 mm long.

Invades: Abandoned homes, watercourses, along yard fences

Origin: Central America (Mexico)

**ASTERACEAE** 

---

*Flaveria bidentis* (L.) Kuntze

Common name: Smelter's bush

Description: Erect herb up to 1.8 m high. Leaves opposite, lanceolate, margins dentate. Flowers in heads bearing few flowers, clustered in terminal and axillary groups on short stalks, yellow, subtended by leafy bracts.

Invades: Disturbed places, roadsides, streams, wastelands

Origin: South America





## ASTERACEAE

---

*Verbesina encelioides* (Cav.) Benth. & Hook. ex A.Gray

Common name: Wild sunflower

Description: Erect herb, branching from near the base. Leaves ovate, serrate, with prominent midrib, lower surface pale green to whitish. Flowers in heads, ray florets yellow, disc florets yellowish orange. Fruits triangular, winged along the margins.

Invades: Disturbed areas, roadsides

Origin: United States and Mexico

**BIGNONIACEAE** 

---

*Tecoma stans* (L.) Juss. ex Kunth

Common name: Yellow bells

Description: Evergreen shrub or tree up to 6 m high. Leaves bright green, paler below, pinnate; leaflets 5–13, margins sharply toothed. Flowers bright yellow, trumpet shaped, in terminal sprays. Fruits shiny brown capsules, splitting open to release many papery-winged seeds.

Invades: Roadsides, urban open spaces, watercourses

Origin: Mexico and United States





## CACTACEAE

---

*Cylindropuntia imbricata* (Haw.) F.M.Knuth

Common name: Imbricate prickly pear

Description: Succulent shrub, 1–3 m tall. Branches dull grey green, whorled or sub-whorled to sub-clustered, old branches hanging downwards, spines up to 30 mm long. Leaves subulate, 10–20 mm long, caducous. Flowers purple red, flowering from November to January. Fruit yellow, fleshy.

Invades: River banks

Origin: North and Central America

**CONVOLVULACEAE** 

---

*Ipomoea carnea* Jacq. subsp. *fistulosa* (Mart. ex Choisy) D.F.Austin

Common name: Morning glory bush, potato bush

Description: Erect to scrambling shrub up to 3 m high. Leaves dull green, lanceolate to ovate. Flowers deep pink to purple, in clusters at branch tips. Fruits brown, dehiscent capsules.

Invades: Roadsides, riverbanks

Origin: Tropical America





## EUPHORBIACEAE

---

*Ricinus communis* L.

Common name: Castor oil plant

Description: Erect shrub growing up to 4 m high. Leaves shiny, dark green or reddish, paler below, palmately 5–9-lobed, margins serrated. Flowers reddish (upper) to cream (below), on stalks up to 150 mm long. Fruits green, brown or reddish, three lobed capsules, covered with soft spines.

Invades: Roadsides, riverbeds, riverbanks, wastelands

Origin: Tropical Africa

**FABACEAE** 

---

*Parkinsonia aculeata* L.

Common name: Jerusalem thorn

Description: Evergreen tree, 6–9 m high. Leaves light green 1–2(–3) pairs of very long, slender, pendulous, flattened pinnae; leaflets many, widely spaced, oval or oblong. Flowers yellow, in slender pendulous sprays. Fruits brown, slightly flattened pods, greatly constricted between the seeds.

Invades: Watercourses, floodplains, roadsides

Origin: United States to Argentina





---

**FABACEAE**

*Senna occidentalis* (L.) Link

Common name: Stinking weed, wild coffee

Description: Erect herb or slightly woody shrub 0.5–2.0 m high, at times emits an unpleasant smell. Leaves with 4–5(–6) pairs of ovate to lanceolate-elliptic leaflets, tips pointed. Flowers pale yellow, 2–4 in axillary racemes. Fruits flattened pods with one row of seeds.

Invades: Riverbanks, roadsides, wastelands, old lands, grasslands

Origin: Tropical America

**MALVACEAE** 

---

*Malva parviflora* L.

Common name: Small mallow

Description: Bushy herb up to 1 m high. Leaves on long stalks, margins toothed. Flowers in clusters, petals white, barely longer than calyx.

Invades: Disturbed areas, along streams

Origin: Northern Africa, Europe and Asia





## MELIACEAE

---

*Melia azedarach* L.

Common name: Syringa, Persian lilac

Description: Deciduous tree of up to 23 m high. Leaves bipinnately compound, leaflets odd-pinnate with deeply toothed margins, unpleasantly scented when crushed. Flowers borne in large showy axillary panicles, petals pale lilac, stamen tube purple. Fruits globose drupes, green turning yellow.

Invades: Roadside, urban open spaces, wastelands, riverbanks.

Origin: Asia to Australia

**MYRTACEAE** 

---

*Eucalyptus camaldulensis* Dehnh.

Common name: Red river gum

Description: Evergreen tree growing up to 40 m high. Mature leaves grey-green, alternate, narrow, pendulous. Inflorescences umbels with up to 10 cream-white flowers in leaf axils. Fruits brown to reddish-brown capsules.

Invades: Riverbanks

Origin: Australia





## PAPAVERACEAE

---

*Argemone ochroleuca* Sweet subsp. *ochroleuca*

Common name: Mexican poppy

Description: Erect, annual herb growing up to 500 mm high. Leaves stalkless, alternate, deeply pinnately lobed, bluish green. Flowers terminal, pale cream to almost white. Fruit a spiny capsule, splitting open at the top.

Habitat: Riverbanks, roadsides, railway tracks, disturbed areas

Origin: Mexico

**RUBIACEAE** 

---

*Richardia brasiliensis* Gomes

Common name: Tropical richardia

Description: A short-leaved herb, covered with hairs throughout. Leaves oval shaped. Inflorescence with stalkless white flowers clustered at ends of branches, surrounded by bracts.

Invades: Disturbed places, ploughed fields, water furrows

Origin: South America





## SOLANACEAE

---

*Nicotiana glauca* Graham

Common name: Wild tobacco

Description: Evergreen shrub or small tree up to 6 m high. Leaves ovate, blue green. Flowers yellow, tubular, in terminal clusters. Fruits brown, four halved capsules.

Invades: Roadsides, wastelands, riverbanks, riverbeds

Origin: South America

**VERBENACEAE** 

---

*Lantana camara* L.

Common name: Lantana

Description: A multi-stemmed shrub, up to 2 m high, stems often 4-angled. Leaves dark green, pale underneath with rough hairs. Flowers with several colours (pink, red, yellow, orange, white) in one flat-topped inflorescence. Fruits blackish, shiny, fleshy drupes.

Habitat: Degraded land, roadsides.

Origin: South and Central America




# Bibliography

- ABDULLAHI, A.E. 2006. *Field guide to weeds of Botswana*. Printing and Publishing Company Botswana, Gaborone.
- GERMISHUIZEN, G. & FABIAN, A. 1997. *Wild flowers of northern South Africa*. Fernwood Press, Cape Town.
- HEATH, A. & HEATH, R. 2009. *Field guide to the plants of northern Botswana including the Okavango Delta*. Royal Botanic Gardens, Kew.
- HENDERSON, L. 2001. *Alien weeds and invasive plants*. Plant Protection Research Institute Handbook No. 12. Agricultural Research Council, Pretoria.
- VAN WYK, B. & MALAN, S. 1997. *Field guide to the wild flowers of the Highveld*. Struik, Cape Town.

# Index

Agavaceae .....	3
<i>Agave angustifolia</i> .....	3
<i>Argemone ochroleuca</i> subsp. <i>ochroleuca</i> .....	15
Asteraceae .....	4, 5
Bignoniaceae .....	6
Cactaceae .....	7
castor oil plant .....	9
Convolvulaceae .....	8
<i>Eucalyptus camaldulensis</i> .....	14
Euphorbiaceae .....	9
Fabaceae .....	10, 11
<i>Flaveria bidentis</i> .....	4
imbricate prickly pear .....	7
<i>Ipomoea carnea</i> subsp. <i>fistulosa</i> .....	8
Jerusalem thorn .....	10
kleingaringboom .....	3
lantana .....	18
<i>Lantana camara</i> .....	18
<i>Malva parviflora</i> .....	12
Malvaceae .....	12
<i>Melia azedarach</i> .....	13
Meliaceae .....	13
Mexican poppy .....	15
morning glory bush .....	8
Myrtaceae .....	14
<i>Nicotiana glauca</i> .....	17
<i>Cylindropuntia imbricata</i> .....	7
Papaveraceae .....	15
<i>Parkinsonia aculeata</i> .....	10
Persian lilac .....	13
potato bush .....	8
red river gum .....	14
<i>Richardia brasiliensis</i> .....	16
<i>Ricinus communis</i> .....	9
Rubiaceae .....	16
<i>Senna occidentalis</i> .....	11
Syringa .....	13
small mallow .....	12
smelter's bush .....	4
Solanaceae .....	17
stinking weed .....	11
<i>Tecoma stans</i> .....	6
tropical richardia .....	16
Verbenaceae .....	18
<i>Verbesina encelioides</i> .....	5
wild coffee .....	11
wild sunflower .....	5
wild tobacco .....	17
yellow bells .....	6





**SANBI**   
Biodiversity for Life  
South African National Biodiversity Institute

  
BOTSWANA  
**national**  
**museum**

ISBN 978-1-928224-24-2  
  
9 781928 224242