

# 2016 Kirstenbosch Seed Catalogue

## Conditions of Sale: applicable to Kirstenbosch seed orders i.e. paying customers only

- 1) Prices quoted are net and not subject to trade discounts.
- 2) Prices are inclusive of VAT
- 3) Prices quoted do not include postage. NB parcels are dispatched ordinary post (local) and airmail (international) unless otherwise specified by the client – instructions to be given with the seed order on the Kirstenbosch order form.
- 4) We reserve the right to amend prices without notice.
- 5) A 5 % handling/packing fee is levied on all seed orders.
- 6) Quotations issued are valid for 30 days from date of issue. If not claimed within this period, the quotation may be cancelled and the seed offered elsewhere.
- 7) For approved credit clients, settling of accounts is strictly 30 days.
- 8) All seed orders are executed in sequence of their receipt. We aim to respond to orders within 5 working days, but please allow a maximum of 15 working days during our busiest times (usually Jan-May).

## Conditions of Sale and Supply: applicable to both Kirstenbosch seed orders & Botanical Society free seed orders

- 9) Seed is dispatched F.O.B. Cape Town and entirely at purchasers risk.
- 10) All international parcels are dispatched with contents and value declared for customs purposes. International clients are obliged to inform us of any other relevant import requirements or restrictions for their country.
- 11) An additional R650 is payable by customers requiring a phytosanitary certificate.
- 12) Seeds are collected from plants true to name, according to the latest botanical information, but all are the result of open pollination, so the absence of hybridisation cannot be guaranteed.
- 13) Viability of seed is not guaranteed.
- 14) Stocks are limited. Seed out of stock at time of order compilation will not automatically be supplied when that seed is again in stock. i.e. we do not operate a back order system
- 15) As a contracting party to the Convention on Biological Diversity, seed is sold and supplied subject to the following condition :  
The buyer / recipient may not use the seed, or its progeny for selection or breeding without prior written agreement from SANBI

## Conditions of Supply: applicable to Botanical Society seed orders only

- 16) Distribution of free seed is restricted to the period 1 January to 30 September 2016
- 17) Photocopies and fax copies of the Botanical Society free seed order forms are NOT accepted. If your form is lost or damaged, please contact the BotSoc Office Tel (021) 7972090 / Fax (021) 7972376 / email:info@botanicalsociety.org.za
- 18) Only packets of seed are available to members as part of their free allocation  
AND items marked with a P or B reference number are for sale only and will not be supplied free of charge to members.
- 19) A maximum of two seed packets of any one reference number is permitted
- 20) No handling fee is charged for free seed orders, but any additional seed ordered by members on the Kirstenbosch seed order form will be charged at standard rate (point 5).
- 21) Please ensure that your name, address & membership number is clearly entered on the front (your address label) as well as on the back (for recording & retrieval) of the BotSoc free seed order form
- 22) All seed orders are executed in sequence of their receipt. Distribution of free seed will commence in February-March

## Procedure to order from this catalogue: applicable to both Kirstenbosch seed orders & Botanical Society free seed orders

- 1) Please use the given order forms :
  - \* Paying customers, please use the Kirstenbosch seed order form, or photocopies thereof.
  - \* BotSoc Members to receive your free seed, fill in your Botanical Society free seed order form and return it to us before 30 September 2016. If you are unsure how to fill it in, please read the back of the BotSoc order form.
- 2) PLEASE NOTE for paying customers there are 3 price categories. Please indicate the category of the quantity required clearly on the Kirstenbosch seed order form e.g. 5 pkts, 500 seeds or 5000 seeds and not merely 5.
- 3) Orders should be addressed to: The Seedroom, Kirstenbosch National Botanical Garden, Private Bag X7, Claremont 7735, South Africa. Tel 021 799 8899; Fax 021 762 8239, email:seedroom@sanbi.org.za. Kirstenbosch seed orders may be posted, faxed or emailed to us, but NB only the original Botanical Society free seed order form will be accepted for free seed orders.
- 4) Please do not send payment with your order. If payment is required, a quotation will be issued. Seed will be dispatched upon receipt of payment for said quotation. Alternatively, you are welcome to supply your credit card details with your order. Your order will then be charged and the seed dispatched as soon as your order has been compiled and no quotation will be issued.
- 5) Payment upon receipt of a quotation can be made by: A) Cheque, money order etc. made payable to SANBI; B) Visa or MasterCard credit cards: please supply card number, expiry date & the last 3 digits on the back; C) Direct deposit or credit transfer - please enquire for banking details; D) cash or cheque on collection of goods by appointment. IMPORTANT please attach a copy of the quotation to your payment to enable identification of the payment.
- 6) This catalogue will remain valid until 31 December 2016 or until the next edition is in circulation. Free seed orders will be accepted until 30 September 2016

# Contents:

| <b>Section / Plant Category</b>           | <b>Page no</b>     |
|-------------------------------------------|--------------------|
| Conditions of Sale & Procedure to Order   | inside front cover |
| Verkoopsvoorwaardes ens.                  | inside back cover  |
| Introduction & Import Advice              | i. & ii.           |
| Notes on Growing Plants From Seed         | iii. & iv.         |
| Wenke vir die Kweek van Plante Vanaf Saad | v. & vi.           |
| Instant Smoke Plus Seed Primer – Prices   | 1                  |
| Annuals:                                  | 2                  |
| Aquatic Plants:                           | 2                  |
| Bulbous Plants:                           | 3 – 8              |
| Climbers:                                 | 8 – 9              |
| Ericaceae (Ericas):                       | 9 – 10             |
| Herbaceous Perennials:                    | 11 – 15            |
| Pelargoniums & Geraniums:                 | 16                 |
| Proteaceae (Protea Family):               | 17 – 20            |
| Restionaceae (Restios):                   | 21                 |
| Shrubs:                                   | 22 – 28            |
| Succulents & Xerophytic Plants:           | 29 – 31            |
| Trees:                                    | 32 – 36            |
| Food Plants:                              | 36                 |

## Abbreviations:

|        |                                   |         |             |
|--------|-----------------------------------|---------|-------------|
| pkt    | packet                            | cv      | cultivar    |
| sds    | seeds                             | var.    | variety     |
| g      | gram                              | ssp.    | sub species |
| occ.   | occasionally                      | (= ...) | synonym     |
| BotSoc | Botanical Society of South Africa |         |             |

# Introduction:

Welcome to the 2016 edition of the Kirstenbosch Seed Catalogue. This catalogue advertises the seed that is offered for sale to the trade and the general public, and members of the Botanical Society of South Africa select their allocation of free seed from this list. Our seed is sold and supplied subject to certain conditions, so please remember to read our conditions of sale and supply on the inside front cover before ordering. Botanical Society Members, please read the back of the free seed order form as well and if you have any membership queries please contact the Society directly: telephone 021 797 2090 or email [info@botanicalsociety.org.za](mailto:info@botanicalsociety.org.za). Go to the Botanical Society website [www.botanicalsociety.org.za](http://www.botanicalsociety.org.za) to find out more about the society and how to join.

**WHAT WE SELL / SUPPLY:** All the species listed in the Kirstenbosch Seed Catalogue are indigenous to southern Africa. The majority of the seed on offer was harvested from Kirstenbosch National Botanical Garden, which is situated at the foot of the eastern slopes of Table Mountain in Cape Town, and although we do not give out this information with the seed, most of the plants in the Garden are of known wild origin. Furthermore, all our seed, with the exception of *Strelitzia reginae* ‘Mandela’s Gold’ and *Strelitzia juncea* and various species from specialist collections e.g. *Lithops* spp., are open pollinated so that with all but these, we cannot guarantee the absence of hybridisation.

**SEED TESTING:** We do not have seed testing facilities. Consequently, we cannot guarantee the viability of our seed. Nevertheless, to the best of our knowledge, every effort is made during collection, processing and storage of the seed to ensure that good quality, fresh seed is supplied.

**AVAILABILITY & FRESHNESS:** Our stocks are variable and limited. The catalogue is compiled based on what we expect to harvest in the coming year. It happens that the plants are removed or pruned before we can harvest the seed, or that for whatever reason seed set is poor, or that we are just sold out due to high demand. We regret that there will be times when items will be out of stock. All our seed is kept refrigerated. We do not hold stock back and start supplying from January. As soon as the new harvest is in, it is put on the shelf so that we have a constant turnover with only the freshest seed being supplied at any time.

**BACK ORDER:** We unfortunately do not have the wherewithal to operate an efficient back order system and cannot offer this service for all items listed. We have limited our back order items primarily to strelitzias and the very perishable species like *Clivia* and *Ochna*. For the rest, we do our best to harvest as much as we can but if you miss out, please try again next year.

**NUMBERING / CATALOGUE REF. NUMBERS:** The seed in this catalogue is numbered in three categories based on the perishable nature of the seed i.e. certain species have been singled out because they perish too fast out of the refrigerator, and as the pigeon holes that we use to distribute the free seed are not refrigerated, we cannot offer this seed for free as we have no wish to supply dead seed; therefore:

- most of the species listed are given a number with no prefix and these are offered both for sale and for free to members, although availability is not guaranteed.
- a few have a B in front for BACK ORDER: these are either extremely perishable or in great demand. They are for sale only, and if out of stock at the time of ordering, your order **will** be placed on back order.
- others have a P in front, for PERISHABLE, these are for sale only, and if out of stock at the time of ordering, will **not** be put on back order. This seed should be kept refrigerated (not frozen) until it is sown.

**PRICING:** Our seed is offered in sample packets (pkts), per 100 seeds and/or per 1000 seeds and not per gram. If any price category for a species is blank, then we regret that seed is not offered in that category, but can be ordered in multiples of any available category. e.g. if an item is offered in packets and per 1000 seeds, but you require less than 1000 seeds, a packet or two will have to be ordered. Also, please do not order e.g. 1 *Arctotis acaulis*. We do not know if you want 1 packet or 1x1000 seeds - please state your order in full, i.e. 1 pkt or 1000 seeds.

**DESCRIPTIONS:** The descriptions and any information given on suitability for any particular purpose or region are provided for general guidance, and pertain more to gardeners in southern Africa and countries with a similar climate. We welcome feedback from customers/members in other climatic zones that have had success or failure in growing anything we offer. Tell us about it.

**CITES species** - we have only *Aloe* spp. seed, which is artificially propagated and Appendix II, on offer. According to the CITES legislation, CITES permits are not required for artificially propagated seed of Appendix II species. You will find Aloes in the Succulents & Xerophytes chapter.

**HOW WE OPERATE - paying customers -** Bot. Soc. Members please read the back of the free seed order form if you are unsure how to place your free seed order:

- We are first and foremost a mail-order supplier, although we can make provision for clients who wish to pick up their order from our office.
- We accept orders by mail, fax or email, all year round (it is only free seed orders that have a restricted acceptance period and which are only accepted on the original order form).
- We ask that buyers do not send money with their order - this is because we add on a handling fee and the cost of postage (which depends on the mass of the parcel) and there may be items out of stock, with the result that the amount of money sent is rarely the correct amount and either money has to be returned or more has to be sent.
- Upon receipt of an order it is queued in our in-box, in sequence of receipt, and processed in turn.
- We respond to all orders within 15 working days, although for most orders we manage to respond within 5 working days and it is only during our busiest times that we take longer than 5 days.
- During processing of an order, the seed ordered is reserved for the buyer for 30 days and a Quotation listing the seed that we can supply and giving the total cost payable, i.e. including handling and delivery and excluding out of stock items, is faxed or posted back to the buyer.
- Seed as listed in the Quotation is dispatched immediately upon receipt of payment.
- We accept Visa and MasterCard credit cards, cheques / bank drafts made payable to the National Botanical Institute, or deposit / credit transfers into the SANBI bank accounts - full details are given with every Quotation. It is IMPORTANT that clients return a copy of the Quotation with their payment or fax us a copy of the deposit slip to enable the SANBI Cashier to identify for which Dept. of SANBI the payment is for.
- If the Quotation is not paid for or otherwise claimed within thirty days of the date it was issued, we reserve the right to cancel the Quotation and offer the seed to the next in line.

**HOW THE SEED IS DISPATCHED:** All orders are dispatched F.O.B. Cape Town and entirely at purchaser's risk. We cannot take responsibility for losses incurred by the postal services, unless the loss is caused by our negligence. Domestic parcels are sent by ordinary mail and international parcels are sent airmail, unless the buyer instructs us otherwise. On the seed order form we give the buyer the opportunity to choose e.g. registration / courier delivery etc. All seed orders are dispatched in sturdy cartons, or in padded postal bags.

## IMPORT ADVICE FOR INTERNATIONAL BUYERS

PLEASE NOTE that as an importer you have to abide by your country's import regulations. We do not know the import regulations for every country, but do abide by the South African export regulations i.e. all international commercial orders are supplied with a Tax Invoice, all the seed packets are labelled with the botanical name of the seed contents, and we affix the requisite customs declaration to the parcel with contents and value declared. We expect international buyers to know the import regulations for their country and to abide by them. If your seed is impounded by the authorities of the importing country, that is your risk and your loss - unless it is caused by our negligence. **Should you be unaware of your import regulations, we strongly recommend that you find out what they are.** There are two different types of regulations that you should be aware of:

**PLANT HEALTH & CLEANLINESS / PHYTOSANITARY REGULATIONS:** Most countries attach the department that deals with such matters to their Dept./Ministry of Agriculture or Agricultural Affairs in a sub-division with a name like Plant Health and Quality Control / Phytosanitary Services / Quarantine & Inspection Services etc etc. They should be able to tell you exactly what, if any, permits you need to import plant material, what species you may or may not import and whether or not you need a phytosanitary certificate or any kind of treatments applied to the seed. Should you require a treatment like e.g. dusting with a fungicide/insecticide, let us know and we will comply if we can. Likewise, if you need a phytosanitary certificate, let us know, and one will be supplied at the going rate (R650 for 2016).

**ENVIRONMENTAL REGULATIONS:** In South Africa environmental and conservation issues are dealt with at provincial level usually by the ministry of Environmental Affairs, who also deal with CITES issues. While the phytosanitary regulations are mainly aimed at not importing infected or diseased material into the country, the departments concerned with conservation issues are becoming more and more concerned with what effect imported alien plants will have on your natural vegetation. Many plants have become invasive weeds in far flung areas of the world, and while we cannot necessarily predict which plants will become invasive in which regions, most countries have lists of declared invasive weeds which people are requested not to grow, or can be prosecuted if they do grow them. Please consult your conservation authority, find out which plants you should not import and grow and take care that you do not unwittingly import any known or potential invasive aliens into your area.

# Notes on Growing Plants From Seed

For information on the cultivation of southern African plants, we recommend that you visit our website devoted to this subject: [PlantZAfrica.com](http://PlantZAfrica.com). Every week one plant is highlighted as 'Plant of the Week' with a page devoted entirely to it, giving colour photographs and detailed information on the plant. Go to <http://pza.sanbi.org> and click on Plants of the Week, search by botanical name, or use the advanced search feature.

For books on the subject, including the Kirstenbosch Gardening Series 'Grow South African Plants', 'Grow Agapanthus', 'Grow Bulbs', 'Grow Clivias', 'Grow Cycads', 'Grow Proteas', 'Grow Restios' and 'Grow Succulents', contact the Botanical Society Book Shop or the SANBI Bookshop as follows:

## **Botanical Society Book Shop**

PO Box 53445, KENILWORTH 7745

Tel (021) 762 1621 & Fax (021) 762 0923

email: [bookshop@botsoc-kirstenbosch.org.za](mailto:bookshop@botsoc-kirstenbosch.org.za)

website: [www.botsoc-kirstenbosch.org.za](http://www.botsoc-kirstenbosch.org.za)

[kirstenbosch.org.za/onlinebookshop](http://kirstenbosch.org.za/onlinebookshop)

## **SANBI Bookshop**

Private Bag X101,

PRETORIA 0001

Tel (012) 843 5000 & Fax (012) 804 3211

email: [bookshop@sanbi.org.za](mailto:bookshop@sanbi.org.za)

website: [www.sanbi.org/shops-venues-services/bookshop-0](http://www.sanbi.org/shops-venues-services/bookshop-0)

## **General Sowing Instructions**

Seed can be sown in trays or open beds for later transplanting, or in the open ground where the plant is intended to remain (in situ). Sowing seed into trays or other suitable containers will give the best results as the grower is better able to manipulate the conditions required for optimal germination.

A suitable container is one that is durable, no shallower than 5 - 10 cm, and with adequate drainage holes. Annual seed can be sown into a 5 cm tray as they will be pricked out soon after germination. For seedlings that are going to stay in the tray for 1 to 3 years use at least a 10 cm deep tray. A good general soil mix is 2 parts clean sand : 1 part loam : 1 part well rotted compost. This need not be sieved, but all large clods, stones, bark nuggets etc must be removed. It is essential that the soil be free draining. Extra sand can be added if necessary.

Fill the containers three quarters full and settle the soil by tapping the bottom of the container against a firm base, then level the surface by gently pressing with a flat piece of wood or rigid plastic. Test the drainage by drenching the soil before sowing. The water should drain freely leaving the soil evenly wet.

The seed can be sown in drills or broadcast evenly over the soil surface. It is imperative not to sow the seed too thickly as crowded seedlings are more prone to disease. The seed must be covered no more than 1 to 1,5 times its diameter, by clean fine sand, milled bark or sieved sowing medium. Very fine seed need only be strewn over the surface and not covered, or can be mixed in with dry sand of which a thin layer can be spread evenly over the soil surface. One of the main causes of seedling death is fungal infection either as pre- or post-emergence damping off. This can be combated by treating the seed with a fungicide. We have had excellent results using Apron 35 SD (active ingredient metalaxyl).

The sown trays must be placed on a level surface, where excess water can drain away. It is advisable to protect the seeds from the elements by covering the trays with a sheet of glass, fibre-glass, plastic or placing them in a glass house. If the trays are in the sun, they must be kept shaded or partially shaded until germination has occurred. This can be achieved by using shade cloth, newspaper, or sacking on the glass 'roof'. Water the seed using a fine, gentle spray. The seed can be displaced and the seedlings killed by heavy drops or strong blasts of water. The soil must never be allowed to dry out, but must not be water-logged. After the seedlings have emerged, the trays can be watered less frequently and the soil allowed to dry out before re-watering.

Seedlings can be transplanted as soon as the first pair of true leaves have emerged and they are big and strong enough to handle. They must be gently removed from the soil by removing or cutting out a section, including soil, and gently teasing the roots free. Root disturbance must be kept to a minimum, and the seedlings must never be pulled, as this damages the delicate developing root systems. The seedlings can be transplanted into plant containers or into the open ground, and kept partially shaded until established. The ground into which they are planted must be well prepared with bone meal or super phosphate, and with plenty of well-rotted compost added. The seedlings must be kept well watered, especially during their first year. A layer of mulch (coarse vegetable matter) spread over the soil, is very beneficial as it keeps the soil moist and the roots cool.

## **Annual Plants**

In areas like the Western Cape, with winter rainfall, mild winters and hot summers, the winter-rainfall annuals should be sown in autumn. They can be broadcast over the area where they are intended to grow, or they can be sown in trays and the seedlings pricked out directly into the garden as soon as they are large enough to handle. In the event of poor rainfall, keep the seedlings well watered during the winter and early spring.

Summer rainfall annuals are best sown in spring in the Western Cape. A few of the winter rainfall annuals have flowers that can withstand the fierce heat of the Cape summer. These include the *Oncosiphon* species and *Arcotis venusta*, which can be sown in autumn or spring.

In regions with very cold winters and mild summers, the winter rainfall annual seed should be sown in spring with the other summer flowering annuals.

Most annuals will germinate very soon after sowing, some on their third day, most within the first week.

## **Bulbous Plants**

Winter-growing species should be sown in autumn and allowed a dormant period in summer, when watering must be withheld. Summer-growing species should be sown in spring and allowed a dormant period in winter, when watering must be withheld. Evergreen species are sown in spring or autumn depending on their specific requirements, and need water throughout the year.

Seed should be sown in containers such as pots and trays (at least 10 cm in depth) or in raised beds, preferably under cover, in a well-drained medium i.e. equal parts sand and well-decomposed compost. Liberal watering with a fine rose is required throughout the growing period. Seedbeds and containers are best placed in semi-shade to prevent rapid drying out of soil. Seedlings are best left in the seedbed for two seasons before planting out. However, only hardy bulbous such as *Agapanthus*, *Eucomis*, *Babiana*, *Watsonia*, etc. can be planted out into the garden. Tender bulbous plants such as *Gladiolus*, *Homoglossum*, *Geissorhiza*, *Lachenalia* etc. are best grown in pots in a sunny sheltered area.

## **Perennials, Shrubs, Climbers and Trees**

Seed of most indigenous trees and shrubs (with the exception of Proteaceae) are best sown in spring or summer. Even winter rainfall species can be sown in early spring, provided they are then not expected to survive the Cape summer unwatered. Sow the seed as indicated in the general sowing instructions and place the trays in a warm, sheltered area with light shade. Seedlings should be potted into half-litre containers and kept in light shade. The quicker growing species can be potted up into larger containers, or planted out into the garden after a few months. Before you do plant out, make sure that the plant is healthy with a strong root system.

## **Proteaceae, Restionaceae and Ericaceae**

Most plants in these families come from the winter rainfall regions of southern Africa. Sow the seed on sandy well-drained soil, cover all but the very finest smallest type of seed with a thin layer of milled pine bark. Place the trays in a well ventilated area. Optimum sowing time is late summer to early autumn. Temperature is crucial, they need night temperatures of 4-10°C with warm days (15-25°C) in order to trigger germination. Germination should take 3 - 6 weeks, possibly a little longer if temperatures are lower. Seedlings can be pricked out after 6 weeks to 3 months. Seedlings should be kept in a well-ventilated area and watered regularly. Under hot conditions, the young plants do better in light shade.

Germination is considerably enhanced by smoke-treatment. This can be in the form of actual smoke pumped into an airtight tent containing the seedtrays and allowed to settle then watered in, or in the form of smoke extract in water using the 'Instant Smoke Plus Seed Primer' paper disks. To purchase smoke papers see page 1 or 41 in this catalogue, packets can be ordered directly from the Seed Room.

## **Succulents & Xerophytic Plants**

Seed of succulents from the summer rainfall regions should be sown in spring or summer. Seed of the winter rainfall species during autumn or winter. A warm sheltered area with light shade will suffice. Good drainage and aeration are very important requirements. The seed must be sown preferably in containers or clay pots with are at least 10 cm deep. As drainage is very important, pieces of clay pot or stones should be placed at the bottom of the seed container to ensure sufficient drainage.

A well-drained mixture (2 parts sand : 1 part loam : 1 part compost/humus) is ideal. Water the soil with a fine spray. Broadcast the seed lightly and not too thickly on top of the soil, and cover it with a thin layer of dry sand. Very fine seed can be mixed with the sand and then broadcast over the soil. It is advisable to water very fine seed from below. The seed should germinate in a few days or a couple of months, depending on the species. The seedlings must be watered regularly and a fungicide can be added to the water to prevent any fungal disease. Slow-growing dwarf species like *Lithops*, *Argyrodema* etc., can be planted out after a year. It is advisable to shade the young plants.

# Wenke vir die Kweek van Plante Vanaf Saad

## Aanwysings vir saai

Saad kan in bakke of beddings gesaai word en later uitgeplant word, of direk waar die plant benodig word (in situ). Dit is beter om saad in bakke of ander geskikte houers te saai omdat die kweker dan kan sorg vir die beste toestande vir optimum ontkieming.

'n Geskikte houer in sterk, nie vlakker as 100mm nie, met genoeg dreineringsgate. 'n Mengsel van 2 dele skoon sand : 1 deel leemgrond : 1 deel goed verrotte kompos is geskik. Dit hoef nie gesif te word nie, maar groot kluite, klippe, stukke bas, ens. moet verwyder word. Die grondbmengsel moet maklik dreineer. Indien nodig kan ekstra sand bygevoeg word.

Maak die houer driekwart vol en stamp die houerbodem 'n paar keer liggies teen 'n ferm oppervlak om die grond te laat insak. Maak liggies gelyk met 'n plankie of stewige stuk plastiek. Toets die dreinerings deur die grond deurnat te maak. Die water behoort vinnig te dreineer om die grond oral ewe klam te laat.

Die saad kan in vlak rytjies gesaai word of eweredig oor die hele oppervlakte gestrooi word. Moenie te dig saai nie want saailinge wat verdruk word kry makliker siektes. Bedek die saad met 'n lagie fyn sand, fyn bas of gesifte grondbmengsel, nie meer as 1 tot 1,5 keer die deursnee van die sade nie.

Plaas die saadbakke op 'n gelyk oppervlak waar oortollige water kan wegdreineer. Dis raadsaam om die saad te beskerm deur 'n glasplaat of glasveselplaat bo-oor te plaas, of om die saadbakke in 'n glashuis te hou. As die bakke in die son is moet skadu voorsien word totdat ontkieming voltooi is. Skadu-doeke, koerante of sakmateriaal kan bo-oor die glasdeksel geplaas word. Besproei die saadbakke met 'n fyn sagte sproeiop. Groot druppels of sterk waterdruk sal die sade uitwas en die saailinge dood. Die grondbmengsel moet nooit uitdroog nie, maar te veel water is ook nadelig. Sodra die saailinge verskyn kan die saadbakke minder besproei word en die grond kan toegelaat word om droog te word voor die volgende besproeiing.

Sodra die eerste paar regte blare verskyn het en die saailinge groot en sterk genoeg is om te hanteer, kan hulle uitgeplant word. Verwyder hulle versigtig deur 'n klein gedeelte met grond en al uit te lig of los te sny, en maak die worteltjies saggies los. Wortelbeskadiging moet vermy word, en saailinge moet nooit uitgetrek word nie omdat dit die jong wortels beskadig.

Die plantjies kan in houers of in die grond uitgeplant word en moet beskut word totdat hulle goed gevestig is. Die grond waarin hulle uitgeplant gaan word moet vooraf goed bemes word met beenmeel of superfosfaat, sowel as genoeg kompos. Hou die plantjies klam, veral gedurende die eerste jaar. 'n Deklaag van growwe plantmateriaal kan oor die grond gesprei word om die grondvog te behou en die wortels koel te hou.

## Eenjarige Plante

In areas soos die Wes Kaap, met sy winterreënval, matige winters en warm somers, moet die winterreënval eenjarige plante in die herfs gesaai word. Saad kan in bakke gesaai word en die saailinge kan later in die tuin uitgeplant word, of dit kan direk in die tuin beddings gesaai word. Indien daar nie genoeg reënval is nie, moet die saailinge gedurende die winter en vroeë lente goed benat word. In die Wes Kaap is dit beter om die somerreënval eenjarige plante in die lente te saai. Van die winterreënval eenjarige plante kan *Oncosiphon* spesies en *Arctotis venusta* se blomme die kwaai warmte van die Kaapse somer son weerstaan. Hull kan of in die herfs, of in die lente gesaai word.

Waar die winters baie koud en die somers matig is, kan die winterreënval eenjarige plante, met die ander somerblommend eenjarige plante, in die lente gesaai word.

Die meeste van die eenjarige plante sal baie gou na saai ontkiem, sommige van hulle op die derde dag, die meeste van hulle binne die eerste week.

## Bolplante

Saad van die winter groeiende spesies moet in die herfs gesaai word, met 'n rusperiode in die somer, sonder besproeiing. Somergroeiende spesies word in die lente gesaai en rus gedurende die winter. Bladhoudende spesies moet die hele jaar water kry.

Saai die saad in houers soos potte of kassies of in verhewe beddings, verkieslik onder bedekking, in 'n goedgedreineerde plant medium soos 'n mengsel van gelyke dele sand en deeglik verrotte kompos.

Deeglike benatting met 'n fyn sproeikop is gedurende die hele groeitydperk nodig en die houters moet liewer in half-koelte geplaas word sodat die grond nie so vinnig uitdroog nie. Hou saailing vir twee seisoene in die saadbeddings. Dit is in elk geval slegs geharde bolplante soos *Agapanthus*, *Eucomis*, *Babiana*, *Watsonia* ens. wat in die tuin uitgeplant kan word. Tingerige bolplante soos *Gladiolus*, *Homoglossum*, *Geissorhiza*, *Lachenalia* ens. aard die beste in houters in 'n sonnige, beskutte omgewing.

## Meerjarige Plante, Struik, Klimplante en Bome

Saad van die meeste inheemse bome en struik (uitgesonder Proteaceae) moet verkieslik in die lente of somer gesaai word. Saai die saad soos aangedui in die aanwysings vir saai en plaas die houters in 'n warm beskutte area met ligte skaduwee. Sodra die saailing groot genoeg is kan hulle in individuele half-liter houters of blikkies uitgeplant word. Verkieslik moet die jong plantjies nog in 'n ligte skadu gehou word. As dit vinniggroeiende bome of struik is, kan hulle na 'n paar maande in grote sakke verplant word of direk op hulle verkose groeiplek in die tuin. Voordat 'n plant uitgeplant word is dit belangrik om seker te maak dat die plant gesond is en sy wortelsisteem goed ontwikkel het.

## Proteaceae, Restionaceae en Ericaceae

Die meeste van die plante in hierdie families is van die winterreënval gebiede van suiderlike Afrika. Saad moet op goedgedreineerde sanderige kweekmedium gesaai word. Alle saad behalwe die kleinste moet met 'n dun laagie van gemeulde bas bedek word. Plaas die saadbakke in 'n plek met goeie ventilasie. Die beste tyd om te saai is laat somer tot vroeë herfs wanneer die nag temperatuur van 4 tot 10 °C en die dag nog warm is (15 - 25 °C). Hierdie nag end dag temperature is baie belangrik omdat hulle aanleiding gee tot ontkieming. Ontkieming kan 3 - 6 maande neem, miskien 'n bietjie langer as die temperature laer is. Saailinge kan na 6 weke tot 3 maande in houters uitgeplant word. Die jong plantjies moet in 'n plek met goeie ventilasie gehou word en gereeld benat word. Gedurende warm toestande is dit beter om die plantjies in ligte skaduwee te hou.

Ontkieming word aansienlik verhoog deur rookbehandeling. Dit kan wees in die vorm van rook wat in 'n lugdigte tent gepomp word waar die saadbakke is, gee die rook kans om op te klaar, benat dan die saadbakke, of in die vorm van rook ekstrakt in water, deur gebruik te maak van die "Instant Smoke Plus Seed Primer" papiere. Vir die aankoop van die rook papiere, sien bladsy 1 of 41 in hierdie katalogus.

## Vetplante

Saad van vetplante van die somerreëvalstreke moet verkieslik in die lente of somer gesaai word en saad van die winterreënval soorte gedurende die herfs of winter. 'n Warm en beskutte area wat lig beskadu is, is voldoende. Goeie dreinerings en ventilasie is baie belangrike vereistes. Die saad moet verkieslik in plastiek saadhouters wat ten minste 10 cm diep is, of kleipotte gesaai word. Dreinerings is baie belangrik en kleipotskerwe of klippietjies moet op die ebodem van die saadhouer geplaas word om voldoende dreinerings te verskaf. 'n Goedgedreineerde mengsel soos 2 dele sand : 1 deel leem : 1 deel kompos is ideaal. Voor saai moet die grond met 'n fyn sproei benat word. Strooi die saad liggies en die te dig bo-op die kweekmengsel en bedek dit daarmee met 'n dun laag droë sand. Baie fyn saad kan met droë sand gemeng en oor die kweekmedium gestrooi word. Die saad behoort binne 'n paar dae tot 'n paar maande te ontkiem afhangende van die soort. Die saailinge moet gereeld benat word en 'n swamdoder kan by die water gevoeg word teen saailingswamsiektes. Stadiggroeiende dwergspesies soos *Lithops*, *Argyrodema* ens. kan na 'n jaar uitgeplant word. Dit is raadsaam om jong plantjies liggies te beskadu.

'n Hoog aangeskrewe boek oor al die aspekte van die aankweeking van vetplante is 'Grow Succulents' deur Ian Oliver, en is beskikbaar per posbestelling deur die Botaniese Vereniging Boekwinkel, Posbus 53445, KENILWORTH 7745, Tel (021) 762 1621, Fax (021) 762 0923, e-pos: [bookshop@botsoc-kirstenbosch.org.za](mailto:bookshop@botsoc-kirstenbosch.org.za), website: [www.botsoc-kirstenbosch.org.za/onlinebookshop](http://www.botsoc-kirstenbosch.org.za/onlinebookshop) en die SANBI Boekwinkel, Tel (012) 8435001 / Fax (012) 8043211 / e-pos: [bookshop@sanbi.org.za](mailto:bookshop@sanbi.org.za)

Die ander boeke in hierdie reeks is 'Grow South African Plants', 'Grow Agapanthus', 'Grow Bulbs', 'Grow Clivias', 'Grow Cycads', 'Grow Proteas' and 'Grow Restios' ook van die bogenoemde boekwinkels per posbestelling beskikbaar.

## KIRSTENBOSCH



### INSTANT SMOKE PLUS *Seed Primer*

## Kirstenbosch Instant Smoke Plus Seed Primer for better results when germinating seed

Seeds of many wildflowers are dormant and require very specific conditions for germination. The primer solution contains a combination of natural substances that have been found to overcome dormancy and stimulate seed germination. The degree of response varies with the species, but on average, treated seed samples give at least double the number of seedlings when compared to untreated samples.

Particularly recommended for treating seeds of proteas, leucospermums (pincushions), leucadendrons, ericas, Syncarpha, Helipterum & Phaenocoma, restios, mesembs (vygies), Lobelia, grasses, sedges.

Kirstenbosch Instant Smoke Plus Seed Primer is available in filter papers and liquid concentrate. Packets can be purchased by mail order, either added to your seed order, or as a separate order. Liquid is not available by mail order but can be added to your Kirstenbosch seed order. Liquid is collected from the Seedroom, by appointment, or delivery by courier/post arranged per order.

**Packet Prices:** Each standard packet contains five papers. 50ml water is added to each paper. Each packet thus makes up 250ml solution, enough to treat approximately 500 large seeds. The active ingredients in the papers keep for 2 years in a sealed plastic packet in a refrigerator.

| <b>SOUTH AFRICAN ORDERS</b>               | <b>ADDED TO YOUR<br/>SEED ORDER</b> | <b>SMOKE PLUS ONLY<br/>i.e. INCLUDING POSTAGE</b> |
|-------------------------------------------|-------------------------------------|---------------------------------------------------|
| 1 - 24 packets (5 papers per packet)      | R38.50/pkt                          | R47/pkt                                           |
| 25 - 99 packets (5 papers per packet)     | R34.65/pkt                          | R36.30/pkt                                        |
| 100 or more packets (5 papers per packet) | R28.80/pkt                          | R29.70/pkt                                        |
| <b>INTERNATIONAL ORDERS:</b>              | <b>ADDED TO YOUR<br/>SEED ORDER</b> | <b>SMOKE PLUS ONLY<br/>i.e. INCLUDING POSTAGE</b> |
| 1 - 24 packets (5 papers per packet)      | R92.30/pkt                          | R110/pkt                                          |
| 25 - 99 packets (5 papers per packet)     | R83.00/pkt                          | R86.25/pkt                                        |
| 100 or more packets (5 papers per packet) | R69.20/pkt                          | R71.50/pkt                                        |

We also offer bulk purchases (i.e. 50+) of the papers only for commercial growers. Please enquire for prices.

**Liquid Prices:** Concentrate is diluted at 1 part concentrate to 9 parts water i.e. 5 ml concentrate will make up 50 ml smoke plus. The active ingredients in the concentrate will keep for 2 years at 4°C

| <b>SOUTH AFRICAN</b> |        | <b>INTERNATIONAL</b> | <b>SOUTH AFRICAN</b> |         | <b>INTERNATIONAL</b> |
|----------------------|--------|----------------------|----------------------|---------|----------------------|
| 5 ml                 | R4.50  | R11.50               | 100 ml               | R90.00  | R225.00              |
| 10 ml                | R9.00  | R22.50               | 250 ml               | R225.00 | R562.50              |
| 20 ml                | R18.00 | R45.00               | 500 ml               | R450.00 | R1125.00             |
| 50 ml                | R45.00 | R112.50              | 1 litre              | R900.00 | R2 250.00            |

## Procedure to order:

- 1) SMOKE PACKETS ONLY:** the 'including postage' price applies. Please fill in the Smoke Plus Mail Order Form inserted in the centre of this catalogue, attach it to your payment. Your order will be dispatched immediately.
- 2) SMOKE PACKETS ADDED TO FREE (BOT SOC) SEED ORDER:** the 'added to your seed order' price applies. Please fill in the Smoke Plus Mail Order Form inserted in the centre of this catalogue, attach it and your payment to your free (Botanical Society) seed order. Your smoke will be dispatched with your free seed.
- 3) SMOKE PACKETS AND BUYING SEED:** the 'added to your seed order' price applies, but **NB do not send payment with your order**, add your smoke order to your Kirstenbosch seed order or attach the smoke plus mail order form to your seed order form. We will send you a quotation for the whole cost, i.e. seed + smoke + postage.
- 4) SMOKE LIQUID:** NB the liquid must be collected from the Seedroom, by appointment, or postage/courier arranged per order. Send us your order for smoke liquid on the Kirstenbosch seed order form or add it to your Kirstenbosch seed order. We will contact you when it is ready for collection or send a quote for postage/courier.

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|----------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
|-----------|----------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|

## Annuals:

|           |                                                                                                                                                                                                                                                                                                                                                                                         |                           |                 |  |                  |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------|--|------------------|
| <b>1</b>  | <b>Spring Annuals Mix</b> A mix of spring flowering annuals, incl. orange, yellow, cream, white, blue and lilac flowers, sow autumn or early spring.                                                                                                                                                                                                                                    | 500 sds/pkt<br>450 sds/g  | R 22.00<br>/pkt |  | R 33.00<br>/1000 |
| <b>2</b>  | <b>Arctotis acaulis</b> ASTERACEAE MARIGOLD, BOTTERBLOM, GOUSBLOM, 500 mm Perennial, best treated as an annual, grey foliage, large daisy flowers in shades of yellow to red or mauve with dark centres, grey-green leaves, sunny position, long flowering period in spring, sow autumn.                                                                                                | 50 sds/pkt<br>105 sds/g   | R 11.00<br>/pkt |  | R 33.00<br>/1000 |
| <b>3</b>  | <b>Arctotis fastuosa</b> ASTERACEAE (= Venidium fastuosum) NAMAQUA MARIGOLD, NAMAQUAGOUSBLOM, VENIDIUM 600 mm Large orange daisy flowers, sow in autumn for spring display or spring for summer display, sunny position.                                                                                                                                                                | 200 sds/pkt<br>1220 sds/g | R 11.00<br>/pkt |  | R 33.00<br>/1000 |
| <b>4</b>  | <b>Arctotis venusta</b> ASTERACEAE WHITE NAMAQUA MARIGOLD, WITGOUSBLOM 500 mm White daisies tinted with mauve, summer flowering, sow spring.                                                                                                                                                                                                                                            | 100 sds/pkt<br>396 sds/g  | R 11.00<br>/pkt |  | R 33.00<br>/1000 |
| <b>5</b>  | <b>Ceratotheca triloba (mauve &amp; white mixed)</b> PEDALIACEAE WILD FOXGLOVE, VINGERHOEDBLOM 1 - 2 m Fast growing upright annual, pendulous white or mauve foxglove-like flowers on tall spikes during summer, sow early spring in a warm position, grow in full sun.                                                                                                                 | 200 sds/pkt<br>530 sds/g  | R 11.00<br>/pkt |  | R 33.00<br>/1000 |
| <b>6</b>  | <b>Dimorphotheca pluvialis</b> ASTERACEAE RAIN DAISY, WHITE NAMAQUALAND DAISY, WITMARGRIET, WITBOTTERBLOM, CAPE DAISY 300 mm A flat growing annual, brilliant, glossy white daisies with dark centres, spring flowering, sow autumn.                                                                                                                                                    | 75 sds/pkt<br>360 sds/g   | R 11.00<br>/pkt |  | R 33.00<br>/1000 |
| <b>7</b>  | <b>Felicia heterophylla</b> ASTERACEAE (= Charieis heterophylla) TRUE BLUE DAISY, BLOUBLOMMETJIE 200 - 300 mm Bushy annual, bright blue daisies with dark blue to purple centres, in spring, sow autumn.                                                                                                                                                                                | 75 sds/pkt<br>550 sds/g   | R 11.00<br>/pkt |  | R 33.00<br>/1000 |
| <b>8</b>  | <b>Heliophila coronopifolia</b> BRASSICACEAE (= H. caledonica, H. dissecta, H. filifolia, H. fistuolosa, H. longifolia, H. sonchifolia) BLUE FLAX 600 mm Fine herbaceous annual, flowers sky-blue, spring, sow autumn, very showy on its own or mixed with other annuals.                                                                                                               | 150 sds/pkt<br>1510 sds/g | R 11.00<br>/pkt |  | R 35.20<br>/1000 |
| <b>9</b>  | <b>Oncosiphon grandiflorum</b> ASTERACEAE (= Pentzia grandiflora, Matricaria grandiflora, Tanacetum grandiflorum) MATRICARIA, STINKKRUID 400 mm Bright yellow button-like flowerheads, lacy aromatic foliage, sow autumn for spring display or spring for summer display.                                                                                                               | 550 sds/pkt<br>7580 sds/g | R 11.00<br>/pkt |  |                  |
| <b>10</b> | <b>Oncosiphon suffruticosum</b> ASTERACEAE (= Pentzia suffruticosa, Cotula tanacetifolia, Pentzia tanacetifolia, Tanacetum suffruticosum) STINKKRUIDBOSSIE, WURMBOSSIE, WURMKRUID 300 mm Small bright yellow button daisies, in spring, lacy aromatic foliage, sow autumn for spring display or spring for summer display, similar to P. grandiflora with more but smaller flowerheads. | 550 sds/pkt<br>8680 sds/g | R 11.00<br>/pkt |  | R 18.70<br>/1000 |
| <b>11</b> | <b>Senecio elegans (mauve)</b> ASTERACEAE WILD CINERARIA, strandblommietjie 0,3 - 1 m Lilac daisies with yellow centres, in spring, sow in autumn, grows in full sun to semi-shade, wind-tolerant, suitable for coastal gardens, very decorative.                                                                                                                                       | 200 sds/pkt<br>2560 sds/g | R 11.00<br>/pkt |  | R 33.00<br>/1000 |
| <b>12</b> | <b>Ursinia anthemoides</b> ASTERACEAE MARIGOLD, BERGMAGRIET, PARACHUTE DAISY, RINGMAGRIET 300 mm Handsome annual daisy, ray florets yellow with black or dark yellow blotches at base, delicate lacy foliage, spring flowering, sow autumn.                                                                                                                                             | 150 sds/pkt<br>370 sds/g  | R 11.00<br>/pkt |  | R 33.00<br>/1000 |
| <b>13</b> | <b>Ursinia speciosa</b> ASTERACEAE PARACHUTE DAISY, BERGMAGRIET, NAMAKWA URSINIA 100 - 400 mm Large daisies, orange or yellow sometimes white, attractive finely divided foliage, spring flowering, sow in autumn                                                                                                                                                                       | 150 sds/pkt<br>430 sds/g  | R 11.00<br>/pkt |  | R 33.00<br>/1000 |

## Aquatic Plants:

### FOR SALE ONLY, KEEP SEED REFRIGERATED

|           |                                                                                                                                                                                                                                                                                                                                                                                                               |                         |                 |                 |                   |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------------|-----------------|-------------------|
| <b>P1</b> | <b>Nymphaea nouchali var. caerulea</b> NYMPHAEACEAE (= N. capensis, N. caerulea, N. calliantha, N. mildbraedi, N. nelsonii, N. spectabilis, N. stellata) BLUE WATER LILY, BLOUWATERLELIE, KAAIMANBLOM, PADDAPREEKSTOEL, FROG'S PULPIT 400 mm Perennial, rounded floating leaves, showy blue flowers, mid to late summer, sow under about 2,5 cm water, grow in humus rich soil in full sun in up to 1m water. | 50 sds/pkt<br>940 sds/g | R 15.10<br>/pkt | R 23.10<br>/100 | R 184.80<br>/1000 |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------------|-----------------|-------------------|

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|----------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
|-----------|----------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|

## Bulbous Plants:

**All agapanthus** seed has limited viability & is best sown immediately when ripe i.e. late summer or autumn, or in the case of the deciduous species (or in cold climates) kept refrigerated, but NB not frozen, and sown the following spring or summer. All our seed is kept in a refrigerator and we advise that you keep this seed refrigerated until it is sown.

**PLEASE NOTE** that although we have listed most of the species and cultivars in the Garden, we sometimes experience poor harvests, and regret that we cannot guarantee that we will be able to supply all orders.

**ALL AGAPANTHUS seed is FOR SALE ONLY : KEEP SEED REFRIGERATED**

|            |                                                                                                                                                                                                                                                                                                                           |                         |                 |                 |                   |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------------|-----------------|-------------------|
| <b>P2</b>  | <b>Agapanthus campanulatus ssp. campanulatus</b> AGAPANTHACEAE<br>BELL AGAPANTHUS, BLOULELIE, UGEBELEWENI 0,4 - 1 m Deciduous, pale or deep blue flowers, spreading perianth segments, leaves on distinct stem, prefers semi-shade, sow immediately in autumn, or keep refrigerated & sow following spring-summer.        | 15 sds/pkt<br>150 sds/g | R 11.00<br>/pkt | R 13.20<br>/100 |                   |
| <b>P3</b>  | <b>Agapanthus campanulatus ssp. patens</b> AGAPANTHACEAE<br>BELL AGAPANTHUS 0,4 - 1 m Deciduous, summer growing, frilly blue flowers, in summer, sow immediately in autumn, or keep refrigerated & sow following spring-summer                                                                                            | 15 sds/pkt<br>110 sds/g | R 11.00<br>/pkt | R 13.20<br>/100 | R 105.60<br>/1000 |
| <b>P4</b>  | <b>Agapanthus caulescens ssp. angustifolius</b> AGAPANTHACEAE<br>GREY-LEAF STEM AGAPANTHUS 6 - 1,3 m Deciduous, summer growing, very dark blue flowers in late summer, very desirable, sow immediately in autumn, or keep refrigerated & sow following spring-summer                                                      | 15 sds/pkt<br>115 sds/g | R 11.00<br>/pkt | R 13.20<br>/100 | R 105.60<br>/1000 |
| <b>P5</b>  | <b>Agapanthus caulescens ssp. caulescens</b> AGAPANTHACEAE<br>BROAD-LEAF STEM AGAPANTHUS 0,6 - 1,3 m Deciduous, summer growing, dormant in winter, bright blue flowers in summer, sow immediately in autumn, or keep refrigerated & sow following spring-summer.                                                          | 15 sds/pkt<br>120 sds/g | R 11.00<br>/pkt | R 13.20<br>/100 |                   |
| <b>P6</b>  | <b>Agapanthus coddii</b> AGAPANTHACEAE WATERBERG AGAPANTHUS, CODD'S AGAPANTHUS 0,8 - 1m Deciduous, bright blue flowers in midsummer, very attractive upright foliage, dormant in winter, sow immediately in autumn, or keep refrigerated & sow following spring-summer, grow in rich, fertile soil in sun or light shade. | 15 sds/pkt<br>150 sds/g | R 11.00<br>/pkt | R 13.20<br>/100 | R 105.60<br>/1000 |
| <b>P7</b>  | <b>Agapanthus inapertus ssp. hollandii</b> AGAPANTHACEAE<br>DROOPING AGAPANTHUS 0,8 - 1,2 m Deciduous, summer growing, pendulous blue flowers in summer, sow immediately in autumn, or keep refrigerated & sow following spring-summer, grow in rich well drained soil in full sun.                                       | 10 sds/pkt<br>105 sds/g | R 11.00<br>/pkt | R 18.15<br>/100 | R 159.50<br>/1000 |
| <b>P8</b>  | <b>Agapanthus inapertus ssp. inapertus</b> AGAPANTHACEAE<br>DROOPING AGAPANTHUS 1 - 2 m Deciduous, summer growing, pendulous blue or white flowers in summer, sow immediately in autumn, or keep refrigerated & sow following spring-summer, grow in rich well drained soil in full sun.                                  | 10 sds/pkt<br>150 sds/g | R 11.00<br>/pkt | R 18.15<br>/100 |                   |
| <b>P9</b>  | <b>Agapanthus inapertus ssp. intermedius</b> AGAPANTHACEAE<br>1 - 1,5 m Deciduous, summer growing, dormant in winter, flowers bright blue in small heads on long stalks, sow immediately in autumn, or keep refrigerated & sow following spring-summer.                                                                   | 10 sds/pkt<br>150 sds/g | R 11.00<br>/pkt | R 16.00<br>/100 |                   |
| <b>P10</b> | <b>Agapanthus inapertus ssp. pendulus</b> AGAPANTHACEAE<br>DROOPING AGAPANTHUS 0,8 - 1 m Deciduous, summer growing, dark blue pendulous flowers in summer, sow immediately in autumn, or keep refrigerated & sow following spring-summer.                                                                                 | 10 sds/pkt<br>117 sds/g | R 11.00<br>/pkt | R 34.10<br>/100 |                   |
| <b>P11</b> | <b>Agapanthus praecox 'Dwarf White'</b> AGAPANTHACEAE<br>150 - 500 mm Evergreen, tussock height approx 165 mm, white flowers in early summer, flower stalks to 500 mm, very floriferous, multiplies well, ideal for rockeries, sow immediately in autumn, or keep refrigerated & sow following spring-summer.             | 10 sds/pkt<br>150 sds/g | R 11.00<br>/pkt | R 34.10<br>/100 |                   |
| <b>P12</b> | <b>Agapanthus praecox 'Medium White'</b> AGAPANTHACEAE<br>300 - 800 mm. Evergreen, tussock height approx 330 mm, compact white flower heads in summer, flower stalks to 800mm, sow immediately in autumn, or keep refrigerated & sow following spring-summer.                                                             | 10 sds/pkt<br>110 sds/g | R 11.00<br>/pkt | R 34.10<br>/100 |                   |
| <b>P13</b> | <b>Agapanthus praecox ssp. minimus</b> AGAPANTHACEAE<br>400 - 800 mm Evergreen, dwarf species, pale or deep blue flowers in summer, very floriferous, ideally suited to the small garden, good pot plant, grow in full sun or semi-shade.                                                                                 | 10 sds/pkt<br>126 sds/g | R 11.00<br>/pkt | R 13.20<br>/100 | R 105.60<br>/1000 |

| Ref. no.:  | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                                                                                   | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| <b>P14</b> | <b>ALL AGAPANTHUS FOR SALE ONLY : KEEP REFRIGERATED</b><br><b>Agapanthus praecox ssp. minimus ‘Adelaide’</b> AGAPANTHACEAE<br>500 - 800 mm. Evergreen, dwarf, tussock approx 500 mm, bright blue flowers in summer, very floriferous all summer, flower stalks to 800 mm tall, full sun or partial shade, good groundcover, sow immediately in autumn, or keep refrigerated & sow following spring-summer. | 15 sds/pkt<br>120 sds/g    | R 11.00<br>/pkt   | R 13.20<br>/100    | R 105.60<br>/1000   |
| <b>P15</b> | <b>Agapanthus praecox ssp. minimus ‘Storms River’</b><br>600 - 800 mm Evergreen, unusual very pale blue to greyish-white large flowerheads in summer, full sun or light shade, excellent garden subject.                                                                                                                                                                                                   | 15 sds/pkt<br>135 sds/g    | R 11.00<br>/pkt   | R 13.20<br>/100    | R 105.60<br>/1000   |
| <b>P16</b> | <b>Agapanthus praecox ssp. orientalis ‘Mt Thomas’</b><br>AGAPANTHACEAE 0,8 - 1,2 m. Evergreen, bright blue compact flowerheads in summer, grey foliage, sow immediately in autumn, or keep refrigerated & sow following spring-summer.                                                                                                                                                                     | 15 sds/pkt<br>150 sds/g    | R 11.00<br>/pkt   | R 16.00<br>/100    |                     |
| <b>P17</b> | <b>Agapanthus praecox ssp. orientalis ‘Weaver’</b> AGAPANTHACEAE<br>0,8 - 1 m Evergreen, large blue flowerheads in summer, floriferous, semi-shade or sun.                                                                                                                                                                                                                                                 | 15 sds/pkt<br>110 sds/g    | R 11.00<br>/pkt   | R 13.20<br>/100    | R 105.60<br>/1000   |
| <b>P18</b> | <b>Agapanthus praecox ssp. orientalis (blue)</b> AGAPANTHACEAE<br>COMMON BLUE AGAPANTHUS 0,8 - 1 m Large blue flowerheads in summer, evergreen, grow in partial shade or full sun, sow immediately in autumn, or keep refrigerated & sow following spring-summer.                                                                                                                                          | 15 sds/pkt<br>135 sds/g    | R 11.00<br>/pkt   | R 13.20<br>/100    | R 105.60<br>/1000   |
| <b>P19</b> | <b>Agapanthus praecox ssp. orientalis (white)</b> AGAPANTHACEAE<br>COMMON WHITE AGAPANTHUS 0,8 - 1 m Evergreen, large white flowerheads in summer, popular for bouquets, full sun or partial shade, sow in autumn, or keep refrigerated & sow following spring-summer.                                                                                                                                     | 15 sds/pkt<br>115 sds/g    | R 11.00<br>/pkt   | R 13.20<br>/100    | R 105.60<br>/1000   |
| <b>P20</b> | <b>Agapanthus praecox ssp. praecox</b> AGAPANTHACEAE<br>AGAPANTHUS, BLOULELIE, ISICAKATHI (X), UBANI (Z)<br>0,8 - 1 m Evergreen, broad leathery leaves, large blue flowerheads in summer, does well in sun or shade, sow immediately in autumn, or keep refrigerated & sow following spring-summer.                                                                                                        | 15 sds/pkt<br>127 sds/g    | R 11.00<br>/pkt   | R 16.00<br>/100    |                     |

Looking for pictures or information on southern African plants and how to grow them?  
You'll find it at <http://pza.sanbi.org/>  
click on Plants of the Week or search the site.

 **PlantZAfrica.com**

|           |                                                                                                                                                                                                                                                                   |                         |                 |                 |                  |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------------|-----------------|------------------|
| <b>14</b> | <b>Aristea capitata</b> IRIDACEAE (= A. major, A. thyrsoflora)<br>ARISTEA, BLUE SCEPTRE, BLOUSURKANOL, BLOUVURPYL 1 - 1,5 m<br>Evergreen, fibrous-rooted plant, blue flowers in dense inflorescence on tall spikes in summer, sow autumn, grow in full sun.       | 15 sds/pkt<br>225 sds/g | R 11.00<br>/pkt | R 11.50<br>/100 | R 98.00<br>/1000 |
| <b>15</b> | <b>Aristea capitata (pink)</b> (= A. major, A. thyrsoflora) IRIDACEAE<br>PINK ARISTEA 1-1,5 m Evergreen, fibrous-rooted plant, pink flowers in dense inflorescence on tall spikes in summer, sow autumn, full sun.                                                | 15 sds/pkt<br>223 sds/g | R 11.00<br>/pkt | R 11.50<br>/100 | R 98.00<br>/1000 |
| <b>16</b> | <b>Babiana angustifolia</b> (=B. pulchra) IRIDACEAE<br>NARROW-LEAVED BABIANA, BOBBEJAANTJIE 300 mm. Deciduous, winter growing - summer dormant, flowers blue with wine-red markings, spring-flowering, very attractive, grow in deep pots or rockery, sow autumn. | 15 sds/pkt<br>175 sds/g | R 11.00<br>/pkt |                 |                  |
| <b>17</b> | <b>Babiana fragrans</b> (=B. disticha, B. plicata) IRIDACEAE<br>BLUE BABIANA, BOBBEJAANTJIE 70 - 250 mm Deciduous, winter growing, summer dormant, heavily sweet-scented, dark blue flowers in spring, fan-shaped leaves, sow autumn.                             | 15 sds/pkt              | R 11.00<br>/pkt |                 |                  |
| <b>18</b> | <b>Babiana rubrocyanea</b> IRIDACEAE<br>WINE-CUP BABIANA, BLUE-&-RED BABIANA, ROOIBLOUBOBBEJAANTJIE 50-150 mm Deciduous, winter growing, summer dormant, striking large blue flowers with red centre, spring flowering, sow autumn.                               | 15 sds/pkt<br>185 sds/g | R 11.00<br>/pkt |                 |                  |
| <b>19</b> | <b>Chasmanthe aethiopica</b> IRIDACEAE (= Antholyza aethiopica, Pentamenes aethiopica) SMALL CHASMANTHE, SUURKANOLPYPIE<br>300 - 600 mm Deciduous, winter growing, summer dormant, spikes of tubular orange flowers in early winter, sun or shade, sow in autumn. | 10 sds/pkt<br>15 sds/g  | R 11.00<br>/pkt | R 11.50<br>/100 |                  |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                                                                                                                                                                                                                             | seeds/packet<br>seeds/gram                     | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-------------------|--------------------|---------------------|
| 20        | <b>Chasmanthe bicolor</b> IRIDACEAE TWO-COLOUR CHASMANTHE, RED-&-GREEN CHASMANTHE 700 - 900 mm Cormous geophyte, deciduous, winter growing, summer dormant, red flowers with green markings, winter, very attractive, good garden plant for sun or semi-shade, sow autumn, good companion for deciduous agapanthus.                                                                                                                                                                                                                                  | 10 sds/pkt<br>30 sds/g                         | R 11.00<br>/pkt   | R 18.15<br>/100    |                     |
| 21        | <b>Chasmanthe floribunda (mixed)</b> IRIDACEAE CHASMANTHE, COBRA LILY, KAPELPYPIE, SUURKANOLPYPIE 1 m Deciduous, winter growing, summer dormant, showy spikes of tubular orange or yellow flowers in winter, grows in sun or shade, sow autumn, excellent companion for deciduous agapanthus. <b>NB Stocks limited</b>                                                                                                                                                                                                                               | 10 sds/pkt<br>12 sds/g                         | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| B1        | <b>Clivia miniata</b> AMARYLLIDACEAE CLIVIA, BUSH LILY, BOSLELIE, UMayime (X,Z) 0,5 - 1 m Evergreen, strap-shaped glossy green leaves, large umbel of showy orange flowers in spring, bright red berries in winter, shade-loving, seed is very perishable, sow immediately, refrigeration will extend seed life but not beyond 3-5 months.<br><b>Seed is available July-Sept and is supplied strictly in sequence of receipt of orders - place your order early to get a place in the queue.</b><br><b>FOR SALE ONLY: BACK ORDERS TAKEN</b>          | <b>NB seed is sold PER SEED not per packet</b> | R 1.40<br>/SEED   | R116.60<br>/100    |                     |
| B2        | <b>Clivia miniata var. citrina</b> AMARYLLIDACEAE YELLOW CLIVIA, YELLOW BUSH LILY 500 - 800 mm Evergreen, showy yellow flowers in spring, yellow berries in winter, shade-loving, seed is perishable, sow immediately, refrigeration will extend seed life but not beyond 3-5 months. We estimate 40-50% of the seedlings will be yellow.<br><b>Seed MAY BE available July-Sept &amp; is supplied strictly in sequence of receipt of orders - so place your order early to get a place in the queue. STOCKS LIMITED, AVAILABILITY NOT GUARANTEED</b> | <b>NB seed is sold PER SEED not per packet</b> | R 7.70<br>/SEED   | R654.50<br>/100    |                     |
| 22        | <b>Crocasmia aurea</b> IRIDACEAE FALLING STARS, MONTBRETIA, VALENTYNSBLOM, UMLUNGE 0,5 - 1.3 m Cormous geophyte, evergreen in mild climates, dormant in winter in colder climates, bright orange-yellow, nodding, star-shaped flowers in showy spikes in summer, partial shade, rich soil, multiplies well, sow spring.                                                                                                                                                                                                                              | 10 sds/pkt<br>12 sds/g                         | R 11.00<br>/pkt   |                    |                     |
| 23        | <b>Dierama pendulum</b> IRIDACEAE HAREBELL, FAIRY-BELL, GRASKLOKKIE, GRASBLOM, FLOWERING GRASS 1 m Cormous perennial, evergreen, pendulous pink flowers on long stalks in early summer, water-loving, sow in spring.                                                                                                                                                                                                                                                                                                                                 | 15 sds/pkt<br>65 sds/g                         | R 11.00<br>/pkt   |                    |                     |
| 24        | <b>Diets bicolor</b> IRIDACEAE YELLOW WILD IRIS 1 m Evergreen rhizomatous perennial, clumps of strap shaped leaves, flowers large yellow with black/brown markings, in spring-summer, sunny damp conditions, sow in spring                                                                                                                                                                                                                                                                                                                           | 10 sds/pkt<br>50 sds/g                         | R 11.00<br>/pkt   |                    |                     |
| 25        | <b>Diets butcheriana</b> IRIDACEAE FOREST WILD IRIS 750 mm Evergreen, beautiful fan of broad green leaves, large white flowers with pale orange markings in spring & summer, must have shade, sow in spring.                                                                                                                                                                                                                                                                                                                                         | 10 sds/pkt<br>20 sds/g                         | R 11.00<br>/pkt   | R 18.15<br>/100    |                     |
| 26        | <b>Diets grandiflora</b> IRIDACEAE LARGE WILD IRIS 1 m Evergreen rhizomatous perennial, clumps of strap-shaped leaves, flowers large, white & mauve with yellow markings, in spring-summer, must have sun to flower, but good groundcover under trees, sow in spring.                                                                                                                                                                                                                                                                                | 10 sds/pkt<br>40 sds/g                         | R 11.00<br>/pkt   | R 20.90<br>/100    | R 183.70<br>/1000   |
| 27        | <b>Diets iridioides</b> IRIDACEAE (= Diets vegeta, Moraea iridioides) WILD IRIS 300 - 600 mm Evergreen rhizomatous perennial, flowers white and mauve with yellow markings, during spring-summer, will grow in shade, sow in spring.                                                                                                                                                                                                                                                                                                                 | 10 sds/pkt<br>28 sds/g                         | R 11.00<br>/pkt   | R 18.15<br>/100    |                     |
| 28        | <b>Eucomis autumnalis</b> HYACINTHACEAE (= E. undulata) PINEAPPLE FLOWER, WILDEPYNNAPPEL, UBUHLUNGU BECANTI (X), UMATHUNGA (Z) 300 - 500 mm Bulbous geophyte, deciduous, summer growing, decorative foliage, unusual inflorescence resembles a green pineapple, long-lasting, summer-flowering, good cut flower, sow spring, sun or semi-shade, rich soil, leave undisturbed provided drainage is good.                                                                                                                                              | 15 sds/pkt<br>60 sds/g                         | R 11.00<br>/pkt   | R 18.15<br>/100    | R 138.60<br>/1000   |
| 29        | <b>Freesia alba</b> IRIDACEAE FREESIA, RUIKPYPIE, 120 - 400 mm Deciduous, winter growing, cormous geophyte, flowers white with mauve and yellow markings, strongly sweetly scented, in spring, sow autumn.                                                                                                                                                                                                                                                                                                                                           | 10 sds/pkt<br>95 sds/g                         | R 11.00<br>/pkt   | R 18.15<br>/100    |                     |
| 30        | <b>Geissorhiza eury stigma</b> IRIDACEAE (= G. mathewsii var. eury stigma, G.monantha, G.rochenis var. spithamaea) WINE CUP, KELKIEWYN 80 - 200 mm Cormous geophyte, deciduous, winter-growing, leaves ribbed, flowers dark blue with a red centre, in spring, sow autumn.                                                                                                                                                                                                                                                                           | 10 sds/pkt<br>2040 sds/g                       | R 11.00<br>/pkt   |                    |                     |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                         | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 31        | <b>Geissorhiza inflexa</b> IRIDACEAE SATIN FLOWER, WITSYBLOM<br>120 - 350 mm Cormous geophyte, deciduous, dormant in summer, flowers in shades of pink, spring-flowering, pot culture, sow in autumn.                                                                                                                            | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 32        | <b>Geissorhiza tulbaghensis</b> IRIDACEAE TULBAGH SATIN FLOWER, SYSIE<br>220 mm Cormous geophyte, deciduous, summer dormant, large white flowers with dark markings in centre, in spring, pot culture, sow autumn.                                                                                                               | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 33        | <b>Gladiolus carinatus</b> IRIDACEAE BLUE GLADIOLUS, BLOU-AFRIKANER<br>300-600 mm Cormous geophyte, deciduous, dormant in summer, linear leaves, flowers in shades of blue with yellow markings, in winter to spring, fragrant, plant in pots, sow autumn.                                                                       | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 34        | <b>Gladiolus carneus</b> IRIDACEAE PAINTED LADY, BERGPYPIE<br>250-600 mm Cormous geophyte, deciduous, winter growing, flowers funnel shaped, pale pink with red markings, spring to early summer, needs moist conditions, suitable for pot culture, sow autumn.                                                                  | 10 sds/pkt<br>460 sds/g    | R 11.00<br>/pkt   | R 18.15<br>/100    |                     |
| 35        | <b>Gladiolus huttonii</b> IRIDACEAE (= Homoglossum huttonii)<br>EASTERN CAPE FLAME 300-400 mm Cormous geophyte, deciduous, dormant in summer, bright orange long-tubed flowers in spring, good cut flower, sow in autumn.                                                                                                        | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 36        | <b>Gladiolus liliaceus</b> IRIDACEAE (= G. grandis)<br>LARGE BROWN AFRIKANER, KANEELAANDBLOM, AANDPYPIE 300-800 mm Cormous geophyte, deciduous, winter-growing, flowers large funnel shaped, strongly fragrant at night, yellowish flecked with brown to pinkish brown, with purplish streaks, in spring, sow autumn.            | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 37        | <b>Gladiolus tristis</b> IRIDACEAE MARSH AFRIKANER, VLEI-AANDBLOM, TROMPETTER 0.4-1.5 m Cormous geophyte, deciduous, winter-growing, flowers long tubed bell-shaped, pale cream to yellow densely stippled with dark green, fragrant at night, in spring, fairly hardy, sow autumn.                                              | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 38        | <b>Gloriosa superba</b> COLCHICACEAE FLAME LILY, CLIMBING LILY, VLAMLELIE, BOSLELIE, IHLAMVU to 1.5 m Deciduous, summer growing, tuberous climber, flowers yellow, orange, scarlet, purple or bi-coloured, in summer, sow spring, sun or semi-shade.                                                                             | 10 sds/pkt<br>35 sds/g     | R 11.00<br>/pkt   | R 18.15<br>/100    |                     |
| 39        | <b>Hypoxis hemerocallidea</b> HYPOXIDACEAE (= H. rooperi)<br>STAR FLOWER, GEELSTERRETIJIE, GIFBOL, INONGWE (X), INKOMFE (Z) 500 mm Fibrous rhizome, starry yellow flowers in spring & summer, hardy but protect in very cold climates, winter dormant, sow spring, full sun, rich well-drained soil, good in sunny rockeries.    | 10 sds/pkt<br>350 sds/g    | R 11.00<br>/pkt   | R 33.00<br>/100    |                     |
| 40        | <b>Ixia viridiflora</b> IRIDACEAE GREEN IXIA, GROENKALOSSIE<br>500 - 950 mm Cormous geophyte, deciduous, winter growing, summer dormant, spectacular turquoise-green flowers with deep purple centres, in long spikes, in spring-early summer, sow in autumn.                                                                    | 15 sds/pkt<br>430 sds/g    | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| P21       | <b>Kniphofia linearifolia</b> ASPHODELACEAE RED-HOT POKER, VUURPYL 0.85 - 1.5 m Evergreen summer-growing rhizomatous perennial, linear leaves in a rosette, flower buds pinkish-red to green tinged with red, opening yellow to yellow-green, in summer, sow spring, full sun in good well-composted soil, water well in summer. | 15 sds/pkt<br>650 sds/g    | R 11.00<br>/pkt   | R 27.50<br>/100    | R 220.00<br>/1000   |
| 41        | <b>Lachenalia angelica</b> HYACINTHACEAE<br>60 - 90 mm Deciduous winter growing dwarf geophyte, single prostrate heart-shaped leaf, white bell-shaped flowers on a maroon stem, in late spring, free flowering, shallow pots or bowls, well-drained sandy soil, keep dry in summer, sow autumn.                                  | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 42        | <b>Lachenalia contaminata</b> HYACINTHACEAE<br>60 - 250 mm Deciduous, winter growing, numerous grass-like leaves, dense inflorescence of campanulate white flowers with brownish markings, in spring, sow autumn, easily cultivated, multiplies rapidly, best effect when massed, good pot subject.                              | 15 sds/pkt<br>1600 sds/g   | R 11.00<br>/pkt   |                    |                     |
| 43        | <b>Lachenalia liliflora</b> HYACINTHACEAE<br>200 mm Deciduous, winter growing, summer dormant, white flowers with mauve tips, in spring, grow in pots, sow in autumn.                                                                                                                                                            | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 44        | <b>Lachenalia mixed species &amp; hybrids</b> HYACINTHACEAE<br>CAPE HYACINTH, VIOLTJIE Mixed species & hybrids (open-pollinated), winter- and spring-flowering, sow in autumn.                                                                                                                                                   | 15 sds/pkt<br>1060 sds/g   | R 11.00<br>/pkt   | R 18.15<br>/100    |                     |
| 45        | <b>Lachenalia namibiensis</b> HYACINTHACEAE NAMIB LACHENALIA<br>50 - 100 mm Deciduous, winter growing, summer dormant, dwarf, white flowers in spring, ideal for pots, sow in autumn.                                                                                                                                            | 10 sds/pkt<br>505 sds/g    | R 11.00<br>/pkt   |                    |                     |

| Ref. no.:                                      | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                                                                                                     | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 46                                             | <b>Lachenalia nervosa</b> HYACINTHACEAE (= <i>L. bowieana</i> , <i>L. latifolia</i> ) 15 - 30 cm Deciduous, summer dormant, bulbous geophyte, two ovate prostrate leaves, flowers white with reddish pink markings, bell-shaped, short stalks, spring to early summer, sow autumn.                                                                                                                                           | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 47                                             | <b>Lachenalia patula</b> HYACINTHACEAE (= <i>L. succulenta</i> ) 50 mm Deciduous, winter growing, summer dormant, dwarf species, large white flowers in spring, sow in autumn.                                                                                                                                                                                                                                               | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 48                                             | <b>Lachenalia purpureo-caerulea</b> HYACINTHACEAE DARLING LACHENALIA 250 mm Deciduous, winter growing, summer dormant, flowers blue tipped with purple, sow in autumn.                                                                                                                                                                                                                                                       | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 49                                             | <b>Lachenalia thomasiae</b> HYACINTHACEAE 200 mm Deciduous, winter-growing, white, cream or pink flowers in spring, sow autumn.                                                                                                                                                                                                                                                                                              | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| <b>FOR SALE ONLY, KEEP SEED REFRIGERATED</b>   |                                                                                                                                                                                                                                                                                                                                                                                                                              |                            |                   |                    |                     |
| P22                                            | <b>Merwillia plumbea</b> (= <i>Scilla natalensis</i> ) HYACINTHACEAE WILD SQUILL, LARGE BLUE SCILLA, BLUE HYACINTH, BLOMBERGLIELIE, BLOUSLANGKOP, INGUDUZA 0,2 - 1 m Deciduous, summer growing, large bulb, leaves in a rosette, borne after the flowers, inflorescence a long slender many flowered raceme of bright blue flowers, in spring, ideal for the rockery, sow spring, keep seed refrigerated, sun or semi-shade. | 10 sds/pkt<br>250 sds/g    | R 11.00<br>/pkt   | R 16.50<br>/100    | R 132.00<br>/1000   |
| 50                                             | <b>Moraea elegans</b> IRIDACEAE (= <i>Homeria elegans</i> , <i>H. metelerkampiae</i> ) PEACOCK TULP, POUTULP 150 - 300 mm Cormous geophyte, deciduous, winter growing, flowers brilliant yellow, or outer tepals orange with green blotches, in spring, sow autumn, threatened by agriculture.                                                                                                                               | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 51                                             | <b>Moraea gigandra</b> IRIDACEAE LARGE PEACOCK FLOWER, GROOTFLAPPIE 200 - 300 mm Cormous geophyte, deciduous, winter growing, summer dormant, very large violet blue flowers with sea-blue markings, in spring, sow in autumn, a striking species, multiplies rapidly.                                                                                                                                                       | 15 sds/pkt<br>5000 sds/g   | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| 52                                             | <b>Moraea loubseri</b> IRIDACEAE SPIDER MORAEA, SPINNEKOPFLAPPIE 150-200 mm Cormous geophyte, deciduous, winter growing, summer dormant, deep blue flowers with dark centre, in spring, pot culture, critically endangered, sow in autumn.                                                                                                                                                                                   | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 53                                             | <b>Moraea macrocarpa</b> IRIDACEAE 80 - 120 mm Cormous geophyte, deciduous, winter growing, summer dormant, small mauve flowers with yellow markings, in spring, sow autumn.                                                                                                                                                                                                                                                 | 10 sds/pkt<br>850 sds/g    | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| 54                                             | <b>Moraea mixed species</b> IRIDACEAE Deciduous, winter-growing, mixed colours.                                                                                                                                                                                                                                                                                                                                              | 10 sds/pkt                 | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| 55                                             | <b>Moraea tulbaghensis</b> IRIDACEAE TULBAGH MORAEA, ROOIFLAPPIE 250 - 300 mm Cormous geophyte, one single narrow leaf, orange to reddish flowers with greenish markings, in spring, sow autumn. /                                                                                                                                                                                                                           | 10 sds/pkt                 | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| 56                                             | <b>Onixotis stricta</b> COLCHICACEAE (= <i>Onixotis triquetra</i> , <i>Dipidax triquetra</i> ) VLEIBLOMMETJIE, RYSBLOMMETJIE 200 - 500 mm Cormous geophyte, deciduous, winter growing, pink & white star-shaped flowers in long spikes, during spring, for marshy areas and pools, grow in pots & place in shallow ponds, sow in autumn.                                                                                     | 10 sds/pkt<br>230 sds/g    | R 11.00<br>/pkt   | R 18.15<br>/100    |                     |
| 57                                             | <b>Ornithogalum conicum</b> HYACINTHACEAE CHINCHERINCHEE, TIJENKERINTJIE, VIOOLTJIE 400 - 600 mm Deciduous, winter growing, white flowers, in early summer, good cutflower, sow autumn.                                                                                                                                                                                                                                      | 15 sds/pkt<br>1800 sds/g   | R 11.00<br>/pkt   | R 16.50<br>/100    | R 132.00<br>/1000   |
| 58                                             | <b>Ornithogalum thyrsoides</b> HYACINTHACEAE CHINCHERINCHEE, TIJENKERINTJIE, VIOOLTJIE, WITVIOOLTJIE 200 - 800 mm Bulbous geophyte, deciduous, winter-growing, summer dormant, flowers with large bracts, shiny white often with dark centre, in early summer, very attractive, an excellent cut flower, sow in autumn.                                                                                                      | 15 sds/pkt<br>2450 sds/g   | R 11.00<br>/pkt   |                    |                     |
| <b>Scilla natalensis see Merwillia plumbea</b> |                                                                                                                                                                                                                                                                                                                                                                                                                              |                            |                   |                    |                     |
| 59                                             | <b>Sparaxis auriculata</b> IRIDACEAE GIFFBERG SPARAXIS, FLUWEELTJIE 150 - 300 mm Cormous geophyte, mauve and yellow flowers, lightly scented, in spring, sow autumn.                                                                                                                                                                                                                                                         | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 60                                             | <b>Sparaxis grandiflora ssp. acutiloba</b> IRIDACEAE CAPE BUTTERCUP, BOTTERBLOM, 80 - 100 mm Deciduous winter-growing, large bright yellow flowers in spring, sow in autumn, good in a rockery.                                                                                                                                                                                                                              | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 61                                             | <b>Veltheimia bracteata</b> HYACINTHACEAE (= <i>V. undulata</i> , <i>V. viridifolia</i> ) FOREST LILY, SANDUI, WINTER RED HOT POKER 250 - 600 mm Deciduous, winter-growing bulb, dense raceme of pink flowers, in spring, glossy                                                                                                                                                                                             | 10 sds/pkt<br>33 sds/g     | R 11.00<br>/pkt   | R 83.60<br>/100    |                     |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                              | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
|           | bright green leaves, sow autumn, shade-loving, suitable for indoor culture.                                                                                                                                                                                                                                                                           |                            |                   |                    |                     |
| 62        | <b>Veltheimia bracteata 'Lemon Flame'</b> HYACINTHACEAE<br>YELLOW FOREST LILY, GEELSANDUI, 250 - 600 mm Deciduous, winter-growing bulb, dense raceme of striking greenish yellow flowers, in spring, glossy bright green leaves, sow autumn, needs bright light or full morning sun for flower colour to fully manifest, suitable for indoor culture. | 10 sds/pkt<br>33 sds/g     | R 11.00<br>/pkt   | R 88.00<br>/100    |                     |
| 63        | <b>Veltheimia bracteata (mixed)</b> HYACINTHACEAE<br>FOREST LILY, SANDUI, WINTER RED HOT POKER 250 - 600 mm Deciduous, winter-growing bulb, dense raceme of pink or yellow flowers, in spring, glossy bright green leaves, sow autumn, shade-loving, suitable for indoors.                                                                            | 10 sds/pkt<br>33 sds/g     | R 11.00<br>/pkt   | R 83.60<br>/100    |                     |
| 64        | <b>Wachendorfia thyrsiflora</b> HAEMODORACEAE<br>MARSH BUTTERFLY LILY, BLOODROOT, REDROOT, ROOIKANOL 0,6-1m Evergreen, deciduous if given dry period in summer, sword-shaped pleated leaves, golden yellow flowers in tall showy spikes in early summer, swampy conditions, sun or semi-shade, sow autumn.                                            | 15 sds/pkt<br>70 sds/g     | R 11.00<br>/pkt   | R 19.80<br>/100    | R 158.40<br>/1000   |
| 65        | <b>Watsonia borbonica (pink)</b> IRIDACEAE (= W. pyramidata)<br>PINK WATSONIA, SUURKANOL, KANOLPYPIE 1 - 2 m Deciduous, dormant in summer, showy pink spikes in spring to early summer, multiplies rapidly, sow in autumn, excellent garden subject.                                                                                                  | 15 sds/pkt<br>60 sds/g     | R 11.00<br>/pkt   | R 16.50<br>/100    | R 132.00<br>/1000   |
| 66        | <b>Watsonia coccinea</b> IRIDACEAE RED WATSONIA, ROOIKANOLPYPIE, ROOIPYPIE 100 - 300 Deciduous, dormant in summer, bright orange, red or pink flowers in spring, sow in autumn.                                                                                                                                                                       | 10 sds/pkt<br>145 sds/g    | R 11.00<br>/pkt   |                    |                     |
| 67        | <b>Watsonia humilis (cream)</b> IRIDACEAE WAXY WATSONIA, WASPYPIE 150-450 mm Deciduous, summer dormant, dwarf, cream flowers in late spring, very attractive, grow in deep pots or in a rockery, sow autumn..                                                                                                                                         | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 68        | <b>Watsonia humilis (mauve)</b> IRIDACEAE WAXY WATSONIA, WASPYPIE 150-450 mm Deciduous, summer dormant, dwarf, mauve flowers in late spring, very attractive, grow in deep pots or rockery, sow autumn.                                                                                                                                               | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 69        | <b>Watsonia marginata</b> IRIDACEAE WATSONIA, KANOL, KANOLPYPIE 1 - 2 m Deciduous, summer dormant, cup shaped mauve or white flowers in dense spikes, in late spring, sow autumn, effective when mass planted.                                                                                                                                        | 15 sds/pkt<br>80 sds/g     | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| 70        | <b>Watsonia meriana</b> IRIDACEAE WATSONIA, LAKPYPIE, KNOLPYPIE, KANOLPYPIE, SUURKANOL 1 m Deciduous, summer dormant, pink flowers in spring, recommended, sow in autumn.                                                                                                                                                                             | 15 sds/pkt<br>55 sds/g     | R 11.00<br>/pkt   | R 16.50<br>/100    | R 132.00<br>/1000   |
| 71        | <b>Watsonia mixed species and hybrids</b> IRIDACEAE<br>WATSONIA, KANOL 1-1,5m Mainly deciduous species, flowers pink, red, orange or white, sow autumn.                                                                                                                                                                                               | 15 sds/pkt<br>58 sds/g     | R 11.00<br>/pkt   | R 18.15<br>/100    |                     |
| 72        | <b>Watsonia tabularis</b> IRIDACEAE TABLE MOUNTAIN WATSONIA, SUURKANOL, KANOLPYPIE 1 - 1,5 m Evergreen, flowers in shades of orange or pink, in summer, recommended, sow in autumn.                                                                                                                                                                   | 15 sds/pkt<br>75 sds/g     | R 11.00<br>/pkt   | R 16.50<br>/100    |                     |
| 73        | <b>Zantedeschia aethiopica</b> ARACEAE 0,5-1 m ARUM LILY, ARONSKELK, PIG LILY, VARKBLOM, VARKLELIE, CALLA LILY, LILY-OF-THE-NILE Evergreen if kept perennially damp, deciduous if given summer/winter drought, creamy white spathes in winter-spring, moisture loving, shade or sun, good cut flower, sow autumn or spring.                           | 15 sds/pkt<br>50 sds/g     | R 11.00<br>/pkt   | R 18.15<br>/100    |                     |
| 74        | <b>Zantedeschia odorata</b> ARACEAE 500-750 mm SCENTED ARUM LILY, SOETVARKBLOM Deciduous, winter-growing, sweetly scented white flowers in spring, similar to <i>Zantedeschia aethiopica</i> but with smaller spathes and fruits bend over, moisture loving, needs dry summer period, full sun, good cut flower, sow autumn, Rare.                    | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |

## Climbers:

|    |                                                                                                                                                                                                                                                  |                         |                 |                 |  |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------------|-----------------|--|
| 75 | <b>Clematis x Clematopsis</b> RANUNCULACEAE WILD CLEMATIS & BUSH CLEMATIS HYBRID A small evergreen creeper with attractive fragrant mauve flowers and feathery seedheads, prune back in late winter, can be used as groundcover, sunny position. | 15 sds/pkt              | R 11.00<br>/pkt |                 |  |
| 76 | <b>Dalbergia obovata.</b> FABACEAE CLIMBING FLAT-BEAN, RANKPLAT-BOONTJIE 2 - 6 m Woody climber or small tree, grey bark, compound leaves pale below, small white fragrant flowers, early summer, sow spring                                      | 15 sds/pkt<br>42 sds/g  | R 11.00<br>/pkt | R 18.15<br>/100 |  |
| 77 | <b>Podranea ricasoliana</b> BIGNONIACEAE PORT ST JOHNS CREEPER, PORT ST JOHNS TECOMA, PORT ST JOHNS-KLIMOP to 6 m Vigorous evergreen climber, glossy deep green leaves, showy pink trumpet-shaped flowers in bunches during summer, sow spring.  | 10 sds/pkt<br>235 sds/g | R 11.00<br>/pkt |                 |  |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                            | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 78        | <b>Rhoicissus digitata</b> VITACEAE BABOON GRAPE, BOBBEJAANDRUIF, WILDEPATAT to 15 m Woody scrambling evergreen climber, 3-5 foliate leaves, smooth dark green above, red-brown hairs beneath & on branches, shiny purple-black grape-like fruits in winter-spring, attractive, for trellis, pots, hanging baskets or as a groundcover, sow spring. | 10 sds/pkt<br>25 sds/g     | R 11.00<br>/pkt   | R 18.15<br>/100    |                     |

## Ericaceae (Ericas/Heaths):

|    |                                                                                                                                                                                                                                                                                                                                            |                            |                 |  |                  |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------|--|------------------|
| 79 | <b>Erica baccans</b> BERRY HEATH, 2 - 2,5 m Robust erect well branched shrub, dry urn shaped bright pink flowers, winter & spring, sow autumn, well-drained areas, strong grower, decorative, good cut flower, full sun.                                                                                                                   | 150 sds/pkt<br>13280 sds/g | R 11.00<br>/pkt |  | R 13.20<br>/1000 |
| 80 | <b>Erica baueri</b> (= <b>E. bauera</b> ) ALBERTINIA HEATH, BRIDAL HEATH, WHITE HEATH, WITHEIDE 1 - 1,5 m Large shrub, grey-green leaves, masses of white or pink tubular flowers on long thin stems, in summer, sow in autumn, plant in groups for best effect, good cutflower.                                                           | 30 sds/pkt<br>14750 sds/g  | R 11.00<br>/pkt |  | R 16.50<br>/1000 |
| 81 | <b>Erica caffra</b> WATER HEATH, WATERHEIDE, SWEET-SCENTED HEATH 2 - 4 m Large shrub or small tree, tubular white or yellowish strongly fragrant flowers, mid winter to mid summer, strong grower, marshy areas.                                                                                                                           | 150 sds/pkt<br>72000 sds/g | R 11.00<br>/pkt |  | R 13.20<br>/1000 |
| 82 | <b>Erica cerinthoides</b> FIRE HEATH, FIRE ERICA, RED HAIRY HEATH, ROOIHAARTJIE, KLIPHEIDE 0,2 - 1,2 m Small shrublet with willowy branches, persistent rootstock, showy tubular hairy crimson red flowers in clusters at branches tips almost all year, sow in autumn or spring, has a wide distribution throughout eastern South Africa. | 75 sds/pkt<br>10000 sds/g  | R 11.00<br>/pkt |  | R 16.50<br>/1000 |
| 83 | <b>Erica clavispala</b> CLUB HEATH, CAPE POINT MARSH HEATH 300 mm Upright compact shrublet, small urn-shaped and dull red flowers in terminal heads, in late summer-autumn, prefers marshes or seeps at low altitude, rare Peninsula endemic, sow autumn.                                                                                  | 75 sds/pkt                 | R 11.00<br>/pkt |  | R 22.00<br>/1000 |
| 84 | <b>Erica cruenta</b> CRIMSON HEATH, ROOIHEIDE 0.8-1 m Upright laxly branched shrub, showy long-tubed blood-red flowers in clusters at the tips of branches from autumn to spring, rare, sow in autumn.                                                                                                                                     | 75 sds/pkt                 | R 11.00<br>/pkt |  | R 22.00<br>/1000 |
| 85 | <b>Erica diaphana</b> DIAPHANOUS HEATH 1-1.5 m Upright shrub, hanging tubular purplish pink flowers with a greenish tip, summer, stony, well-drained areas, sow autumn, strong grower, good pot plant, full sun.                                                                                                                           | 75 sds/pkt<br>6710 sds/g   | R 11.00<br>/pkt |  | R 13.20<br>/1000 |
| 86 | <b>Erica discolor</b> TWO-COLOUR HEATH 1 – 1,8 m Dense woody shrub, flowers tubular white, red-yellow or pink, sow in autumn.                                                                                                                                                                                                              | 150 sds/pkt<br>7297 sds/g  | R 11.00<br>/pkt |  | R 13.20<br>/1000 |
| 87 | <b>Erica formosa</b> WHITE HEATH, WITHEIDE 0.6 m Small bushy shrub, waxy white globosely urn-shaped flowers, in profusion from mid winter to summer, sow autumn, good cut flower, very showy, for garden or pots..                                                                                                                         | 75 sds/pkt                 | R 11.00<br>/pkt |  | R 13.20<br>/1000 |
| 88 | <b>Erica glandulosa</b> GLANDULAR HEATH 0.5 - 1 m Erect rounded shrub, large curved tubular pinkish orange flowers in autumn - spring, sow autumn, strong grower.                                                                                                                                                                          | 75 sds/pkt<br>24440 sds/g  | R 11.00<br>/pkt |  | R 16.50<br>/1000 |
| 89 | <b>Erica glandulosa subsp. fourcadei</b> (=E.fourcadei) GARDEN ROUTE HEATH 200-300 mm Sturdy shrublet, tubular red or yellow flowers in winter to early summer, sow autumn.                                                                                                                                                                | 75 sds/pkt                 | R 11.00<br>/pkt |  | R 16.50<br>/1000 |
| 90 | <b>Erica haematocodon</b> BLOODBELL HEATH to 200 mm Compact to spreading shrublet, small, dark red, hairy flowers in spring-summer, rock crevices at middle altitudes, rare Peninsula endemic, sow autumn.                                                                                                                                 | 75 sds/pkt                 | R 11.00<br>/pkt |  | R 22.00<br>/1000 |
| 91 | <b>Erica mammosa</b> NINE-PIN HEATH, ROOIKLOSSIEHEIDE 1-1,8 m Large well-branched shrub, dark red, orange-red, pink, green, cream or white tubular flowers closely packed at branch tips, mid summer to autumn, sow autumn, strong grower, very showy, full sun, well-drained soil.                                                        | 150 sds/pkt<br>8136 sds/g  | R 11.00<br>/pkt |  | R 16.50<br>/1000 |
| 92 | <b>Erica mammosa (white)</b> (=E. gilva) GREEN HEATH, GROENHEIDE 1 m Erect shrub, creamy to white or greenish yellow tubular flowers, in summer; sow in autumn.                                                                                                                                                                            | 150 sds/pkt<br>7625 sds/g  | R 11.00<br>/pkt |  | R 13.20<br>/1000 |
| 93 | <b>Erica mixed species</b> CAPE HEATH, HEIDE Mixed species, sow in autumn                                                                                                                                                                                                                                                                  | 150 sds/pkt<br>25670 sds/g | R 11.00<br>/pkt |  | R 16.50<br>/1000 |
| 94 | <b>Erica quadrangularis</b> BABY HEATH 450-600 mm Upright rounded shrub, masses of small cup-shaped white to almost red flowers from mid winter to mid summer, very floriferous, easily cultivated, sow autumn, good cutflower.                                                                                                            | 150 sds/pkt<br>51730 sds/g | R 11.00<br>/pkt |  | R 13.20<br>/1000 |
| 95 | <b>Erica scabriuscula</b> 1,5 - 3 m TALL GARDEN ROUTE HEATH Robust fairly lax upright shrub, masses of small cup to urn-shaped white flowers in dense clusters giving a plume effect, autumn to summer mainly winter-spring, sow autumn, prefers moist site, decorative shrub, good cutflower.                                             | 150 sds/pkt<br>62833 sds/g | R 11.00<br>/pkt |  | R 16.50<br>/1000 |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                               | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 96        | <b>Erica sparrmanii</b> SPARRMAN'S HEATH 300-450 mm Shrub, flowers hairy, tubular greenish yellow, from late summer thru' winter until early summer, long-lasting cutflower, sow autumn.                                                                                               | 75 sds/pkt<br>44500 sds/g  | R 11.00<br>/pkt   |                    | R 16.50<br>/1000    |
| 97        | <b>Erica sparsa</b> (= <b>Erica floribunda</b> ) PINK SMOKE HEATH, KER-KER 0,9 m Erect shrub, masses of small pale rosy pink to white cup-shaped flowers from autumn to early summer, very floriferous, sow in autumn.                                                                 | 75 sds/pkt<br>44500 sds/g  | R 11.00<br>/pkt   |                    | R 16.50<br>/1000    |
| 98        | <b>Erica taxifolia</b> YEW-LEAF HEATH 600 mm Upright shrub, clusters of showy rose pink flowers at the tips of the branches, from mid summer to autumn, sow in autumn, long-lasting cut flower, decorative garden shrub.                                                               | 150 sds/pkt<br>17110 sds/g | R 11.00<br>/pkt   |                    | R 16.50<br>/1000    |
| 99        | <b>Erica unicolor subsp. mutica</b> (= <i>E. unicolor</i> ) MOSSEL BAY HEATH 0,9 - 1,2 m Erect well branched shrub, clusters of sticky yellow-green tubular flowers, from mid winter to early summer, sow in autumn.                                                                   | 100 sds/pkt<br>8310 sds/g  | R 11.00<br>/pkt   |                    | R 13.20<br>/1000    |
| 100       | <b>Erica versicolor</b> RED-AND-GREEN HEATH 1-3m. Robust shrub, sticky tubular flowers, red base & greenish-white tip, autumn to mid summer, sow autumn, good cutflower, strong grower, suitable for difficult gardens                                                                 | 150 sds/pkt<br>10610 sds/g | R 11.00<br>/pkt   |                    | R 13.20<br>/1000    |
| 101       | <b>Erica verticillata</b> WHORLED HEATH 1 - 1,5 m Extinct in the wild, was endemic to the Cape Peninsula. Tall upright robust shrub, mauve-pink tubular flowers in clusters at the tips of branches, from mid summer to autumn, sow in autumn, decorative, good garden or pot subject. | 150 sds/pkt<br>85488 sds/g | R 11.00<br>/pkt   |                    | R 16.50<br>/1000    |

## KIRSTENBOSCH



### INSTANT SMOKE PLUS Seed Primer

FOR BETTER RESULTS WHEN  
GERMINATING SEEDS

Germination of Erica seed  
is much improved when  
treated with  
Kirstenbosch  
Instant Smoke Plus  
Seed Primer

see page 1 for prices  
& how to order

Looking for pictures, or more information on  
southern African plants and how to grow them?

You'll find it on our website:

PlantZAfrica.com go to <http://pza.sanbi.org/>  
click on Plants of the Week or search the site.

**PlantZAfrica.com**

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|----------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
|-----------|----------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|

## Herbaceous Perennials:

|            |                                                                                                                                                                                                                                                                                                                                                     |                          |                 |                 |  |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-----------------|-----------------|--|
| <b>102</b> | <b>Anchusa capensis</b> BORAGINACEAE CAPE FORGET-ME-NOT,<br>VERGEETMYNIETJIE, YSTERGRAS, KORINGBLOM, OSSETONGBLAAR<br>300 - 600 mm Bright blue flowers in spring - summer, sow late summer<br>for spring display, or spring for summer display, sunny position, well-<br>composted soil, cut back after flowering.                                  | 15 sds/pkt<br>225 sds/g  | R 11.00<br>/pkt | R 13.20<br>/100 |  |
| <b>103</b> | <b>Arctotis auriculata</b> ASTERACEAE<br>TRAILING ARCTOTIS, GOUSBLOM 300 - 400 mm Drought-resistant trailing<br>perennial groundcover, silvery leaves, yellow or orange daisy flowers in<br>spring, winter rainfall area, sow autumn.                                                                                                               | 15 sds/pkt<br>165 sds/g  | R 11.00<br>/pkt | R 13.20<br>/100 |  |
| <b>104</b> | <b>Arctotis stoechadifolia</b> ASTERACEAE TRAILING ARCTOTIS,<br>BITTERGOUSBLOM 150 - 350 mm Spreading perennial groundcover,<br>attractive grey foliage, daisy flowers of mixed colours: pink/cream/orange,<br>spring to mid-summer, sow autumn, drought tolerant, perfect for dry<br>sunny banks or cascading over terraces, quick growing, showy. | 25 sds/pkt<br>185 sds/g  | R 11.00<br>/pkt | R 13.20<br>/100 |  |
| <b>105</b> | <b>Artemisia afra</b> ASTERACEAE AFRICAN WORMWOOD, WILDE-ALS,<br>UMHLONYANE (X, Z) 1,5 m Evergreen, rounded plant, silver-grey finely<br>divided aromatic foliage, yellow flowers, summer, full sun, sow spring.                                                                                                                                    | 25 sds/pkt<br>7500 sds/g | R 11.00<br>/pkt | R 13.20<br>/100 |  |

Looking for pictures, or more information on southern African plants and how to grow them?  
You'll find it on our website: [PlantZAfrica.com](http://PlantZAfrica.com) go to <http://pza.sanbi.org/>  
click on Plants of the Week or search the site.



|            |                                                                                                                                                                                                                                                                                                                                                                 |                          |                 |                 |                   |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-----------------|-----------------|-------------------|
| <b>106</b> | <b>Asparagus densiflorus 'Cwebe'</b> ASPARAGACEAE<br>CWEBE ASPARAGUS FERN 300 - 600 mm Evergreen, dark green leaves on<br>elegant arching branches, new growth vivid copper, small fragrant white<br>flowers in summer, bright red berries in winter, light to deep shade, sow<br>spring, for indoors, patios, under trees, floristry, attractive, recommended. | 10 sds/pkt<br>14 sds/g   | R 11.00<br>/pkt | R 66.00<br>/100 |                   |
| <b>107</b> | <b>Asparagus densiflorus 'Meyersii'</b> ASPARAGACEAE<br>CAT'S TAIL ASPARAGUS, FOXTAIL FERN, MEYERS' ASPARAGUS FERN<br>300 - 600 mm Compact upright narrow branches shaped like a cat's tail,<br>attractive foliage plant or pot plant, sow spring, semi-shade or sun.                                                                                           | 5 sds/pkt<br>15 sds/g    | R 11.00<br>/pkt |                 |                   |
| <b>108</b> | <b>Asparagus densiflorus 'Sprengeri'</b> ASPARAGACEAE<br>ASPARAGUS FERN, EMERALD FERN, BASKET ASPARAGUS 300 - 600 mm<br>Compact feathery foliage on decumbent arching stems, small white<br>flowers, red berries, good groundcover for full to half shade, or for pots<br>and hanging baskets, sow spring                                                       | 10 sds/pkt<br>21 sds/g   | R 11.00<br>/pkt | R 39.60<br>/100 |                   |
| <b>109</b> | <b>Asparagus falcatus</b> ASPARAGACEAE SICKLE THORN, THORNY CREEPER,<br>DORINGTOU Much branched twining shrub or tall climber, slender woody<br>branches, glossy dark green leaves, large sharp spines, small white very<br>sweet smelling flowers, red berries, in winter, sun to light shade, sow<br>spring or summer, suitable for indoors.                  | 10 sds/pkt<br>12 sds/g   | R 11.00<br>/pkt | R 66.00<br>/100 |                   |
| <b>110</b> | <b>Asparagus scandens</b> ASPARAGACEAE (= Myrsiphyllum scandens)<br>CLIMBING ASPARAGUS, KRULKRANSIE 0,5 - 2 m Scrambling or climbing<br>perennial, soft green leaves, white flowers in summer, red berries, shady<br>position, sow autumn, climbs by winding itself around stems & branches<br>of other plants, interesting addition to the shade garden.       | 10 sds/pkt<br>31 sds/g   | R 11.00<br>/pkt | R 42.00<br>/100 |                   |
| <b>111</b> | <b>Asparagus virgatus</b> ASPARAGACEAE SLENDER ASPARAGUS,<br>MAKKATDORING 1 m Tall upright perennial, slender smooth stems, fine<br>soft leaves, orange-red berries, shade-loving, good florist material or filler<br>plant for shady areas, sow spring, summer or autumn.                                                                                      | 15 sds/pkt<br>50 sds/g   | R 11.00<br>/pkt | R 39.60<br>/100 |                   |
| <b>112</b> | <b>Ballota africana</b> LAMIACEAE CAT HERB, KATTEKRUIE 700 mm Soft<br>aromatic herb, square stems, greyish hairy foliage, purplish flowers in<br>round clusters above each leaf pair, fast growing, sow autumn or spring.                                                                                                                                       | 15 sds/pkt<br>1282 sds/g | R 11.00<br>/pkt | R 12.10<br>/100 |                   |
| <b>113</b> | <b>Barleria elegans</b> ACANTHACEAE ELEGANT BARLERIA 400 mm Very<br>decorative herbaceous shrub, white flowers in autumn, prickly seed pods,<br>sow spring, prune back after flowering.                                                                                                                                                                         | 15 sds/pkt<br>122 sds/g  | R 11.00<br>/pkt | R 16.50<br>/100 | R 132.00<br>/1000 |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                                       | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 114       | <b>Barleria obtusa</b> ACANTHACEAE BUSH VIOLET, BOSVIOOLTJIE, BARLERIA 0,8 - 1 m Rambling fast growing herbaceous shrublet, flowers blue or pink, masses in autumn, suitable for slopes or mixed borders & prefers dry conditions, full sun or part shade, sow spring.                                                                                         | 10 sds/pkt<br>68 sds/g     | R 11.00<br>/pkt   | R 12.10<br>/100    | R 88.00<br>/1000    |
| 115       | <b>Berkheya purpurea</b> ASTERACEAE (= Stobaea purpurea) PURPLE BERKHEYA, BLOUDDISELDORING, DISSEL 400 - 900 mm Stout perennial, basal rosette of prickly thistle-like leaves, large pale to deep mauve daisy flowers with purple centre in summer, sow spring, attractive.                                                                                    | 15 sds/pkt<br>302 sds/g    | R 11.00<br>/pkt   | R 16.50<br>/100    |                     |
| 116       | <b>Chironia baccifera</b> GENTIANACEAE CHRISTMAS BERRY, BITTERBOSSIE, AAMBEIBOSSIE, BARSBESSIE, KALWERBESSIE 500 mm Compact rounded fast-growing shrubby perennial, many small shiny pink star-like flowers in summer, followed by red berries, suitable for sandy coastal gardens, sow autumn or spring.                                                      | 25 sds/pkt<br>2430 sds/g   | R 11.00<br>/pkt   | R 12.10<br>/100    |                     |
| 117       | <b>Chrysocoma coma-aurea</b> ASTERACEAE GOLDEN HEADS, BEESBOSSIE 500 mm Bushy perennial shrublet, densely leafy, covered in golden yellow disc-like flowerheads, spring to early summer, sow autumn, suitable for the mixed border, fynbos gardens, coastal gardens.                                                                                           | 25 sds/pkt<br>2240 sds/g   | R 11.00<br>/pkt   |                    | R 15.10<br>/1000    |
| 118       | <b>Cineraria saxifraga</b> ASTERACEAE WILD CINERARIA, GEELBLOM 200X400 mm Rounded bushy habit, covered with small yellow daisies all summer, fast-growing, good edging or bedding plant, also containters & hanging baskets, sun or semi-shade, sow spring.                                                                                                    | 10 sds/pkt<br>1818 sds/g   | R 11.00<br>/pkt   | R 13.20<br>/100    |                     |
| 119       | <b>Dissotis princeps (mixed purple &amp; white)</b> MELASTOMATACEAE WILD TIBOUCHINA, KALWERBESSIE, IMFE-YESELE (Z) 1,5 - 2 m Soft velvety herbaceous shrub, large purple or white flowers in showy terminal spikes during summer, moisture-loving, good next to a pond or water generously during summer, frost tender, prune back hard in winter, sow spring. | 150 sds/pkt                | R 11.00<br>/pkt   |                    | R 15.10<br>/1000    |
| 120       | <b>Felicia aethiopica</b> ASTERACEAE (= Aster aethiopicus) FELICIA, WILD ASTER, WILDE-ASTER, BLOULOBLOSSIE 500 mm Spreading, shrubby growth habit, yellow centred sky blue daisies all year round, mainly spring & summer, sow autumn, spring or summer, suitable for mixed border, edging, filler, groundcover.                                               | 15 sds/pkt<br>1193 sds/g   | R 11.00<br>/pkt   | R 12.10<br>/100    | R 88.00<br>/1000    |
| 121       | <b>Felicia aethiopica ssp. aethiopica</b> ASTERACEAE DWARF FELICIA, WILD ASTER, WILDE-ASTER, BLOULOBLOSSIE 300 mm Neat compact growth habit, yellow centred blue daisies in spring, sow spring, summer or autumn, mixed border, edging, filler, groundcover, containers.                                                                                       | 20 sds/pkt<br>1540 sds/g   | R 11.00<br>/pkt   | R 13.20<br>/100    |                     |
| 122       | <b>Felicia echinata (blue)</b> ASTERACEAE DUNE DAISY, PRICKLY FELICIA, BLOUBLOMMETJIE 600 mm Small shrubby perennial, large blue daisies, autumn-spring, sow autumn.                                                                                                                                                                                           | 20 sds/pkt<br>1575 sds/g   | R 11.00<br>/pkt   | R 13.20<br>/100    |                     |
| 123       | <b>Felicia echinata (white)</b> ASTERACEAE DUNE DAISY, PRICKLY FELICIA, WITBLOUBLOMMETJIE 600 mm Small shrubby perennial, large white daisies, in autumn - spring, sow autumn.                                                                                                                                                                                 | 15 sds/pkt<br>4340 sds/g   | R 11.00<br>/pkt   | R 13.20<br>/100    | R 105.60<br>/1000   |
| 124       | <b>Felicia filifolia</b> ASTERACEAE (= Aster filifolius, Diplopappus filifolius, Diplostephium filifolium) WILD ASTER, DRAAIBOSSIE 600 mm Hardy, woody evergreen perennial, covered with showy yellow centred mauve daisy flowers for a long period in spring to summer, full sun, sow spring, summer or autumn, recommended.                                  | 20 sds/pkt<br>1650 sds/g   | R 11.00<br>/pkt   | R 13.20<br>/100    |                     |
| 125       | <b>Geranium incanum</b> GERANIACEAE CARPET GERANIUM, BERGTEE, TLAKO, HORLOSIES, VROUEBOSSIE 100 - 300 mm Evergreen, fast-growing, spreading groundcover, attractive lacy foliage, showy mauve flowers all year, peak spring - summer, sun or semi-shade, sow autumn or spring, good edging plant & filler, also pots & hanging baskets.                        | 10 sds/pkt<br>182 sds/g    | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| 126       | <b>Geranium multisectum</b> LILAC CARPET GERANIUM 300mm Soft perennial, finely divided greyish foliage, masses of delicate pale mauve flowers with darker veins, during summer, sow spring, easy to grow.                                                                                                                                                      | 10 sds/pkt                 | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| 127       | <b>Hebenstretia dura</b> SCROPHULARIACEAE CAT'S TAIL, KATSTERT, SLUGWORT, SLAKBLOM 100 - 400 mm Small much-branched perennial shrublet, narrow leaves, terminal upright spikes of orange throated white flowers in early summer, sow spring, use as bedding plant or filler for the mixed border.                                                              | 20 sds/pkt<br>574 sds/g    | R 11.00<br>/pkt   |                    |                     |
| 128       | <b>Helichrysum dasyanthum</b> ASTERACEAE (= Gnaphalium dasyanthum, H.maritimum) 500 mm Evergreen, upright spreading perennial shrublet, silver-grey foliage, small yellow flowers in flat heads in spring - summer, sow autumn, use as bedding plant or in the mixed border, also suitable for coastal gardens.                                                | 30 sds/pkt<br>12360 sds/g  | R 11.00<br>/pkt   | R 11.00<br>/100    |                     |

| Ref. no.:                         | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                                                         | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 129                               | <b>Hermannia saccifera</b> MALVACEAE CUMIN HERMANNIA, KOMYNBOSSIE<br>250 mm Sprawling mat-forming herb, masses of beautiful yellow bell-shaped flowers during spring, sunny position, sow spring or autumn, good on slopes, hanging over a wall, hanging baskets etc or as a groundcover.                                                                                        | 20 sds/pkt<br>1040 sds/g   | R 11.00<br>/pkt   | R 16.50<br>/100    |                     |
| 130                               | <b>Justicia campylostemon</b> ACANTHACEAE (= Leptostachya campylostemon) HONEY JUSTICIA, ISIPHEKA 1 m Shrubby perennial, glossy green leaves, small cream hooded flowers in summer, grow in semi-shade, attractive, sow spring.                                                                                                                                                  | 10 sds/pkt<br>145 sds/g    | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| P23                               | <b>FOR SALE ONLY - KEEP SEED REFRIGERATED</b><br><b>Knowltonia vesicatoria</b> RANUNCULACEAE (= K. capensis)<br>BRANDBLAAR 300 mm Attractive foliage that is reminiscent of Hellebore, flowers greenish-cream flushed purple during spring, shade-loving, sow autumn, interesting waterwise plant for the shade garden.                                                          | 10 sds/pkt<br>113 sds/g    | R 11.00<br>/pkt   | R 24.20<br>/100    |                     |
| 131                               | <b>Lasiospermum bipinnatum</b> ASTERACEAE (= Lidbeckia bipinnata)<br>WOOLLY CHAMOMILE, GIFKNOPPIES, GANSKWEK, ISIFIKANE 300 - 600 mm<br>Finely divided fern-like leaves, white daisy flowers, in summer, reminiscent of chamomile, forms dense stands and seeds itself freely, sow autumn or spring.                                                                             | 25 sds/pkt<br>820 sds/g    | R 11.00<br>/pkt   | R 11.00<br>/100    | R 88.00<br>/1000    |
| 132                               | <b>Leonotis leonurus</b> LAMIACEAE LEONOTIS, LION'S-EAR, WILD DAGGA, WILDEDAGGA, DUIWELSTABAK, UMFINCAFINCANE 2 m Fast growing herbaceous shrub, velvety bright orange or white flowers in distinctive 'pom-poms' along the upright stems during late summer - autumn, sow spring or summer, easy to grow from seed..                                                            | 15 sds/pkt<br>275 sds/g    | R 11.00<br>/pkt   | R 11.00<br>/100    |                     |
| 133                               | <b>Leonotis leonurus (white)</b> LAMIACEAE WHITE LION'S-EAR, WHITE WILD DAGGA, WITWILDEDAGGA, WITDUIWELSTABAK 2 m Fast growing herbaceous shrub, velvety white flowers in distinctive 'pom-poms' along the upright stems during late summer - autumn, sow spring or summer.                                                                                                      | 15 sds/pkt<br>300 sds/g    | R 11.00<br>/pkt   | R 11.00<br>/100    |                     |
| 134                               | <b>Leonotis ocymifolia var. ocymifolia</b> LAMIACEAE MINARET FLOWER, WILD DAGGA, DUIWELSTABAK 1 - 2.5 m Fast growing short-lived herbaceous shrub, orange or white flowers in prickly pom-poms along the stems, during late-summer to autumn, sow spring or summer.                                                                                                              | 20 sds/pkt<br>470 sds/g    | R 11.00<br>/pkt   | R 11.00<br>/100    |                     |
| 135                               | <b>Lobelia valida</b> LOBELIACEAE PERENNIAL LOBELIA, GALJOENBLOM 600 mm Clump-forming perennial, strong fleshy stems, large heads of deep blue flowers with white centre, summer, sow autumn, very showy, good bedding/edging plant, mixed borders, containers, window boxes etc.                                                                                                | 50 sds/pkt<br>12150 sds/g  | R 11.00<br>/pkt   | R 11.00<br>/100    | R 88.00<br>/1000    |
| 136                               | <b>Melianthus comosus</b> MELIANTHACEAE TOUCH-ME-NOT HERB, KRUIDJIE-ROER-MY NIE 1,5 - 2 m Attractive feathery dark green foliage, orange flowers in spring, inflated seed pods, sow autumn or spring.                                                                                                                                                                            | 10 sds/pkt<br>46 sds/g     | R 11.00<br>/pkt   | R 24.20<br>/100    |                     |
| 137                               | <b>Melianthus major</b> MELIANTHACEAE TOUCH-ME-NOT HERB, KRUIDJIE-ROER-MY-NIE, IBONYA, HEUNINGBLOM, HONEY FLOWER 2 - 2,5 m Fast growing vigorous perennial, decorative large blue-green leaves, striking flower spikes with dark maroon bracts carried above the foliage, in spring, prefers damp situation, good accent plant, sow autumn or spring, leaves are toxic to stock. | 10 sds/pkt<br>28 sds/g     | R 11.00<br>/pkt   | R 36.30<br>/100    |                     |
| 138                               | <b>Mentha longifolia ssp. capensis</b> LAMIACEAE WILD MINT, KRUISEMENT, WILDEMENT, INIXINA (X) UFUTHANE LOMHLANGA (Z) 1 m Aromatic culinary herb, rhizomatous perennial 1, mauve flowers crowded at nodes, in summer, prefers damp habitat, sow autumn or spring.                                                                                                                | 50 sds/pkt<br>10900 sds/g  | R 11.00<br>/pkt   |                    | R 49.50<br>/1000    |
| 139                               | <b>Orphium frutescens</b> GENTIANACEAE SEA ROSE, STICKY FLOWER, TERINGBOS 500 - 800 mm Perennial, shiny rose-pink flowers, spring to autumn, suitable for sandy, coastal gardens, sow spring or autumn.                                                                                                                                                                          | 50 sds/pkt<br>7040 sds/g   | R 11.00<br>/pkt   |                    | R 13.20<br>/1000    |
| 140                               | <b>Osteospermum ecklonis</b> ASTERACEAE VANSTADENS RIVER DAISY, JAKKALSOS 750 mm Bushy perennial, large white daisies with purple centres, spring & summer, very showy, sow autumn or spring, drought tolerant, sunny position, for mixed border, edging, groundcover, rockeries.                                                                                                | 10 sds/pkt<br>67 sds/g     | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| 141                               | <b>Osteospermum jucundum 'White Moon'</b> ASTERACEAE BERGBIETOU 50 mm Perennial groundcover, neat clumps of linear leaves, large white daisy flowers on long stems during summer, sow spring, easy to grow, full sun, fertile soil, water all year particularly in summer.                                                                                                       | 10 sds/pkt<br>93 sds/g     | R 11.00<br>/pkt   |                    |                     |
| <b>Pelargoniums - see page 16</b> |                                                                                                                                                                                                                                                                                                                                                                                  |                            |                   |                    |                     |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                               | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 142       | <b>Plectranthus ecklonii</b> LAMIACEAE TALL PLECTRANTHUS, GROOT SPOORSALIE 1,5 m Fast growing soft-wooded shrubby perennial, blue, pink or white flowers in showy spikes during autumn, semi-shade or light shade, sow in spring or early summer.                                                                                                      | 25 sds/pkt<br>1170 sds/g   | R 11.00<br>/pkt   | R 11.00<br>/100    | R 88.00<br>/1000    |
| 143       | <b>Plectranthus ecklonii 'Erma' (pink)</b> LAMIACEAE TALL PINK PLECTRANTHUS, GROOT SPOORSALIE 1,5 m Fast growing soft-wooded shrubby perennial,, spikes of pink flowers in autumn, semi-shade or light shade, sow spring or early summer.                                                                                                              | 15 sds/pkt<br>510 sds/g    | R 11.00<br>/pkt   | R 11.00<br>/100    | R 88.00<br>/1000    |
| 144       | <b>Plectranthus ecklonii 'Medleywood' (blue)</b> LAMIACEAE TALL BLUE PLECTRANTHUS, GROOT SPOORSALIE 1,5 m Fast growing soft-wooded shrubby perennial, large leaves, spikes of dark blue to purple flowers in autumn, sow spring or early summer, semi-shade or shade.                                                                                  | 25 sds/pkt<br>1300 sds/g   | R 11.00<br>/pkt   |                    |                     |
| 145       | <b>Plectranthus fruticosus 'James'</b> LAMIACEAE PINK SPUR FLOWER, MUIHONDBLAAR (SKUNK BUSH), VLIEEBOS (FLY-REPELLANT BUSH) 1 - 1,5 m Upright growth, very attractive crenulate leaves with purple reverse, spikes of pink to mauve flowers in autumn, semi-shade or shade, sow spring or early summer.                                                | 25 sds/pkt<br>2450 sds/g   | R 11.00<br>/pkt   | R 11.00<br>/100    | R 88.00<br>/1000    |
| 146       | <b>Plectranthus hadiensis var. tomentosus 'Carnegie'</b> LAMIACEAE 500 mm Semi-succulent herbaceous perennial, hairy leaves, sprays of white flowers in autumn, frost tender, suitable for sub-tropical & coastal gardens, light shade, sow spring or early summer.                                                                                    | 25 sds/pkt<br>4100 sds/g   | R 11.00<br>/pkt   | R 11.00<br>/100    | R 88.00<br>/1000    |
| 147       | <b>Pycnostachys reticulata</b> LAMIACEAE (=Echinostachys reticulata, P.holophylla, P.purpurascens, P.schlechteri) SLENDER PYCNOSTACHYS, STEKELSALIE, UMVUTHUZA (Z) 1,5 - 2 m Erect aromatic sparsely branched herbaceous shrub, mauve-blue flowers in spiny terminal spikes, autumn, sow spring or summer, easy, full sun, prune hard after flowering. | 25 sds/pkt<br>1430 sds/g   | R 11.00<br>/pkt   | R 11.00<br>/100    |                     |
| 148       | <b>Pycnostachys urticifolia</b> LAMIACEAE (=P.pubescens) NETTLE-LEAVED BLUE SAGE BUSH, YSTERVARKSALIE, AMADATA (Z) 2,5 m Tall upright herbaceous shrub, conical spikes of blue flowers in autumn, sow spring or summer, full sun, water well in summer, prune hard after flowering.                                                                    | 25 sds/pkt<br>650 sds/g    | R 11.00<br>/pkt   | R 11.00<br>/100    |                     |

Looking for pictures, or more information on southern African plants and how to grow them?  
 You'll find it on our website: [PlantZAfrica.com](http://PlantZAfrica.com), go to <http://pza.sanbi.org/>  
 click on Plants of the Week or search the site.



|     |                                                                                                                                                                                                                                                                                                                                                                                                  |                         |                 |                 |                  |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------------|-----------------|------------------|
| 149 | <b>Scabiosa africana</b> DIPSACACEAE WILD SCABIOUS, CAPE SCABIOSA, PINCUSHION, KORINGBLOM 400 - 900 mm Clump forming perennial, soft hairy foliage, showy mauve flowers in spring and summer, sun or semi-shade, grows on sheltered slopes of the Cape Peninsula, suitable for the mixed border & for fynbos gardens, sow autumn, easy to grow.                                                  | 15 sds/pkt<br>140 sds/g | R 11.00<br>/pkt | R 11.00<br>/100 | R 88.00<br>/1000 |
| 150 | <b>Scabiosa incisa (white)</b> DIPSACACEAE WILD SCABIOUS, KORINGBLOM-METJIE 300 - 800 mm Clump-forming perennial, finely divided foliage, large white flowers in summer, full sun, fast growing, excellent ground cover for sunny areas, or in the mixed border, sow autumn or spring.                                                                                                           | 15 sds/pkt<br>240 sds/g | R 11.00<br>/pkt | R 15.10<br>/100 |                  |
| 151 | <b>Streptocarpus formosus</b> GESNERIACEAE PONDO STREPTOCARPUS A striking plant with large leaves, very floriferous, large light mauve flowers, a good potplant or bedding plant in a shady spot, sow spring.                                                                                                                                                                                    | 50 sds/pkt              | R 11.00<br>/pkt | R 33.00<br>/100 |                  |
| 152 | <b>Streptocarpus johannis</b> GESNERIACEAE PORT ST JOHNS STREPTOCARPUS Stemless herb with masses of white to pale violet flowers in spring and summer, good potplant or bedding plant, shade-loving or indoors, sow spring.                                                                                                                                                                      | 50 sds/pkt              | R 11.00<br>/pkt | R 33.00<br>/100 |                  |
| 153 | <b>Streptocarpus mixed species and hybrids</b> GESNERIACEAE STREPTOCARPUS, CAPE PRIMROSE, WILD GLOXINIA A mix of available species and hybrids, stemless perennial herbs, white, blue or mauve trumpet flowers in spring and summer. Sow in spring on surface of soil, under glass, keep out of direct sun and do not overwater, grow in light shade or indoors, good potplant or bedding plant. | 50 sds/pkt              | R 11.00<br>/pkt | R 27.50<br>/100 |                  |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                      | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 154       | <b>Streptocarpus modestus</b> GESNERIACEAE MODEST STREPTOCARPUS<br>Shade-loving stemless perennial, pale mauve flowers during summer, fast-growing, good potplant or bedding plant in light shade, suitable for indoors, sow spring.                                                                                          | 50 sds/pkt                 | R 11.00<br>/pkt   | R 33.00<br>/100    |                     |
| 155       | <b>Streptocarpus polyanthus</b> GESNERIACEAE<br>MANY-FLOWERED STREPTOCARPUS Interesting perennial herb with thick scalloped leaves, pale blue flowers on branching stems in spring and summer, shade-loving, do not overwater, sow spring.                                                                                    | 50 sds/pkt                 | R 11.00<br>/pkt   | R 33.00<br>/100    |                     |
| 156       | <b>Streptocarpus primulifolius</b> GESNERIACEAE PRIMULA-LEAF STREPTOCARPUS A stemless perennial with large leaves, very floriferous, deep mauve flowers with purple streaks in summer, a good potplant or bedding plant in a shady spot or indoors, sow spring.                                                               | 50 sds/pkt                 | R 11.00<br>/pkt   | R 33.00<br>/100    |                     |
| 157       | <b>Streptocarpus rexii</b> GESNERIACEAE WILD GLOXINIA, TWIN SISTERS Vigorous, flowers jacaranda-blue with maroon streaks, in summer, shade-loving, good potplant or garden plant, requires shade, sow spring.                                                                                                                 | 50 sds/pkt                 | R 11.00<br>/pkt   | R 33.00<br>/100    |                     |
| 158       | <b>Streptocarpus roseo-albus</b> GESNERIACEAE ROSE-WHITE STREPTOCARPUS Stemless perennial herb, flowers rose pink with a white throat, in spring and summer, sow spring.                                                                                                                                                      | 50 sds/pkt                 | R 11.00<br>/pkt   | R 33.00<br>/100    |                     |
| 159       | <b>Syncarpha argyropsis</b> ASTERACEAE (= Helipterum argyropsis) WHITE EVERLASTING, WITSEWEJAARTJIE 300 - 600 mm Small rounded shrublet with silver foliage, covered with pink-tinged white 'everlasting' flowers in spring, full sun and well-drained soil, sow autumn or spring.                                            | 30 sds/pkt<br>3975 sds/g   | R 11.00<br>/pkt   |                    |                     |
| 160       | <b>Vernonia glabra</b> Asteraceae BITTER LEAF, BITTERBLAAR 1 m Bushy herbaceous shrub, mauve flowers, useful attractive filler plant for shrubberies or borders, sow spring.                                                                                                                                                  | 25 sds/pkt<br>1190 sds/g   | R 11.00<br>/pkt   | R 11.00<br>/100    | R 88.00<br>/1000    |
| 161       | <b>Vernonia myriantha</b> Asteraceae (= V. stipulacea, V. ampla) POISON TREE VERNONIA, BOSBLOUTEE 2 m Lax showy multistemmed shrubby perennial, large 30-60cm diam inflorescence of many small flowerheads, lavender-blue to mauve aging to white, during spring, warm sunny position, prune hard after flowering, sow spring | 25 sds/pkt<br>1063 sds/g   | R 11.00<br>/pkt   | R 11.00<br>/100    |                     |
| 162       | <b>Vernonia natalensis</b> ASTERACEAE SILVER VERNONIA 1,5 m Beautiful silver leaves reminiscent of lamb's ear, mauve flowers in summer, dormant in winter, sow spring or summer, mixed borders, containers.                                                                                                                   | 25 sds/pkt<br>2500 sds/g   | R 11.00<br>/pkt   | R 11.00<br>/100    |                     |
| 163       | <b>Wahlenbergia undulata</b> CAMPANULACEAE WAVY-LEAVED AFRICAN BLUEBELL 200 - 400 mm Upright herbaceous perennial, undulate leaves, masses of sky blue bell-shaped flowers held above the mound of foliage, during summer, sow in spring or summer, attractive subject for bedding, mixed borders or containers.              | 50 sds/pkt<br>25000 sds/g  | R 11.00<br>/pkt   | R 13.20<br>/100    |                     |

Germination of seed of fynbos plants, such as Brunia, Syncarpha, & Helipterum, is much improved when treated with Kirstenbosch Instant Smoke Plus Seed Primer

see page 1 for prices & how to order

KIRSTENBOSCH



INSTANT SMOKE PLUS  
*Seed Primer*  
FOR BETTER RESULTS WHEN  
GERMINATING SEEDS

| Ref. no.:                            | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                             | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| <b>Pelargoniums &amp; Geraniums:</b> |                                                                                                                                                                                                                                                                                      |                            |                   |                    |                     |
| 125                                  | <b>Geranium incanum</b> CARPET GERANIUM, BERGTEE, TLAKO,<br>100-300mm Fast-growing, spreading groundcover, attractive lacy foliage, showy mauve flowers all year, peak spring-summer, sun/semi-shade, sow autumn or spring, good edging plant & filler, also pots & hanging baskets. | 10 sds/pkt<br>182 sds/g    | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| 126                                  | <b>Geranium multisectum</b> LILAC CARPET GERANIUM<br>300mm Soft perennial, finely divided greyish foliage, masses of pale mauve flowers with darker veins, in summer, sow spring, easy to grow.                                                                                      | 10 sds/pkt                 | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| 164                                  | <b>Pelargonium betulinum</b> KANFERBLAAR, CAMPHOR-SCENTED PELARGONIUM, MAAGPYNBOSSIE, SUURBOS, BIRCH-LEAVED PELARGONIUM<br>500 mm Rounded bushy perennial, with large showy pink to purple or white flowers in spring, sow autumn or spring, good bedding plant.                     | 10 sds/pkt<br>190 sds/g    | R 11.00<br>/pkt   | R 58.00<br>/100    |                     |
| 165                                  | <b>Pelargonium capitatum</b> ROSE-SCENTED PELARGONIUM<br>0,25 - 1 m Sprawling low-growing plant, rose-scented foliage, pink flowers in compact spherical heads, almost all year, sow autumn or spring, good ground cover in sun or semi-shade, hanging baskets, terraced walls.      | 10 sds/pkt<br>166 sds/g    | R 11.00<br>/pkt   | R 23.10<br>/100    | R 192.50<br>/1000   |
| 166                                  | <b>Pelargonium cordifolium</b> HEART-LEAVED PELARGONIUM<br>1 m Spreading aromatic shrub, beautiful heart-shaped velvety foliage, flowers pink or purple with darker purple veins, spring, moist & semi-shade conditions, sow autumn or spring.                                       | 10 sds/pkt<br>297 sds/g    | R 11.00<br>/pkt   | R 58.00<br>/100    |                     |
| 167                                  | <b>Pelargonium cucullatum</b> HOODED PELARGONIUM, WILDEMALVA,<br>1 - 2 m Upright, much branched vigorous fast-growing shrub, large hairy leaves with jagged edge & red margin, flowers large pink to purple, in spring to summer, sow autumn or spring.                              | 10 sds/pkt<br>186 sds/g    | R 11.00<br>/pkt   | R 49.50<br>/100    |                     |
| 168                                  | <b>Pelargonium fruticosum</b> SHRUBBY PELARGONIUM, BOSSIEMALVA<br>500 mm. Bushy shrublet, slightly fleshy much divided leathery leaves, pink flowers all year and profusely during spring to early summer, sow autumn or spring, well-drained soil in sunny position.                | 10 sds/pkt                 | R 11.00<br>/pkt   | R 49.50<br>/100    |                     |
| 169                                  | <b>Pelargonium peltatum</b> IVY-LEAVED PELARGONIUM, KOLSURING<br>300 mm Trailing herbaceous perennial, ivy-like leaves, flowers shades of pink & lilac, borne all year but abundantly in spring, good for containers, hanging baskets or terraced walls, sow spring or autumn.       | 10 sds/pkt<br>80 sds/g     | R 11.00<br>/pkt   | R 58.00<br>/100    |                     |
| 170                                  | <b>Pelargonium suburbanum</b> ROCK PELARGONIUM, ROTSMALVA<br>300 mm Sprawling groundcover, showy magenta flowers for most of the year, ideal for banks, rockeries & hanging baskets, sow autumn or spring.                                                                           | 10 sds/pkt<br>110 sds/g    | R 11.00<br>/pkt   | R 58.00<br>/100    |                     |
| 171                                  | <b>Pelargonium tomentosum</b> PEPPERMINT PELARGONIUM 400 mm.<br>Sprawling shrub, large velvety peppermint-scented leaves, small white flowers in spring-summer, sun or semi-shade, sow autumn or spring.                                                                             | 10 sds/pkt                 | R 11.00<br>/pkt   | R 58.00<br>/100    |                     |
| 172                                  | <b>Pelargonium transvaalense</b> TRANSSVAAL PELARGONIUM,<br>KALWERBOSSIE Much-branched herbaceous shrublet with hairy stems, leaves often 5-lobed, hairy, coarsely toothed, flowers pink with carmine veins, summer flowering, sun or semi-shade, sow spring.                        | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 173                                  | <b>Pelargonium zonale</b> HORSESHOE PELARGONIUM, WILDEMALVA 1,5 m.<br>Erect or scrambling fast-growing shrub, rounded leaves often with dark ring marking, pink and red flowers all year peaking early summer, sow autumn or spring, full sun or semi shade.                         | 10 sds/pkt<br>153 sds/g    | R 11.00<br>/pkt   |                    |                     |

Looking for pictures? More information?

How to grow South African plants?

You'll find it on PlantZAfrica.com, go to <http://pza.sanbi.org/>  
click on Plants of the Week or search the site.



| Ref. no.:                          | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                          | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| <b>Proteaceae (Protea Family):</b> |                                                                                                                                                                                                                                                                                                                   |                            |                   |                    |                     |
| 174                                | <b>Leucadendron argenteum</b> SILVER TREE, SILWERBOOM, WITTEBOOM<br>7 - 10 m Fast-growing ornamental tree with large light reflecting silver grey leaves, flowers dioecious, silvery-cream floral bracts, spring, wind tolerant, sow in autumn, beautiful garden subject, foliage useful for flower arrangements. | 15 sds/pkt<br>4 sds/g      | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| 175                                | <b>Leucadendron chamelaea</b> (= <i>L. decurrens</i> ) WITSENBERG CONEBUSH<br>1,5 - 2 m Sparsely branched shrub, narrow leaves, bright yellow flowerheads in spring, good cut flower, sow autumn.                                                                                                                 | 10 sds/pkt<br>52 sds/g     | R 11.00<br>/pkt   | R 33.00<br>/100    | R 280.50<br>/1000   |
| 176                                | <b>Leucadendron conicum</b> (= <i>L. ramosissimum</i> ) GARDEN ROUTE CONEBUSH, GREY CONEBUSH, VAALTOLBOS 3 - 6 m Tall tree-like shrub, very dark green leaves, involucre bracts pink-red or yellow, flowers in late spring, sow autumn.                                                                           | 15 sds/pkt<br>110 sds/g    | R 11.00<br>/pkt   | R 26.40<br>/100    | R 224.40<br>/1000   |
| 177                                | <b>Leucadendron coniferum</b> (= <i>L. sabulosum</i> , <i>L. inflexum</i> ) DUNE CONEBUSH, DUINGEELBOS 2 - 4 m Rounded shrub or small tree, densely branched, narrow yellow-green leaves, yellow flowers in spring, female cones redden in autumn, sow autumn, easily cultivated, good garden subject.            | 15 sds/pkt<br>95 sds/g     | R 11.00<br>/pkt   | R 26.40<br>/100    | R 224.40<br>/1000   |

Germination of protea, pincushion, conebush  
and restio seed is much improved when  
treated with  
Kirstenbosch Instant Smoke Plus  
Seed Primer

see page 1 for prices & how to order

KIRSTENBOSCH



INSTANT SMOKE PLUS  
*Seed Primer*  
FOR BETTER RESULTS WHEN  
GERMINATING SEEDS

|     |                                                                                                                                                                                                                                                                                                                                        |                         |                 |                 |                   |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------------|-----------------|-------------------|
| 178 | <b>Leucadendron cryptocephalum</b> CONCEALED CONEBUSH, TOLBOS<br>1 m Rounded shrub, flower heads concealed in leaves, late summer - autumn flowering, lower slopes, sow autumn.                                                                                                                                                        | 5 sds/pkt<br>65 sds/g   | R 11.00<br>/pkt | R 36.30<br>/100 |                   |
| 179 | <b>Leucadendron eucalyptifolium</b> GUM-LEAF CONEBUSH, TALL CONEBUSH, GROOTGEELBOS 3 - 5 m 'Eucalyptus-like' leaves, bright yellow floral bracts in winter-spring, decorative cones, good cut flower, sow autumn, fast growing, flowers two years from seed.                                                                           | 15 sds/pkt<br>105 sds/g | R 11.00<br>/pkt | R 26.40<br>/100 | R 224.40<br>/1000 |
| 180 | <b>Leucadendron flexuosum</b> WORCESTER CONEBUSH to 2.5 m Tall erect shrub, long slender branches, linear leaves, floral bracts yellow or reddish yellow during autumn, sow in autumn.                                                                                                                                                 | 10 sds/pkt<br>105 sds/g | R 11.00<br>/pkt | R 33.00<br>/100 |                   |
| 181 | <b>Leucadendron floridum</b> FLATS CONEBUSH, TOLBOS 2 m Much branched shrub, silvery silky haired foliage, flowers in profusely branched heads surrounded by shiny bright yellow bracts, in spring, very showy, good cutflower, sow autumn.                                                                                            | 10 sds/pkt<br>115 sds/g | R 11.00<br>/pkt | R 44.00<br>/100 |                   |
| 182 | <b>Leucadendron galpinii</b> HAIRLESS CONEBUSH 2 - 3 m Dense greyish shrub, linear twisted leaves, female flowerheads showy shiny silver, mature cones silky in early summer, no involucre bracts, sow autumn.                                                                                                                         | 10 sds/pkt<br>65 sds/g  | R 11.00<br>/pkt | R 44.00<br>/100 |                   |
| 183 | <b>Leucadendron hybrids mixed</b> An assortment of Leucadendron hybrids, red or yellow floral bracts, sow autumn.                                                                                                                                                                                                                      | 10 sds/pkt<br>sds/g     | R 11.00<br>/pkt | R 33.00<br>/100 |                   |
| 184 | <b>Leucadendron laxum</b> BREDASDORP CONEBUSH, VLEIROOSIE 1,5 m Slender lax erect shrubs branching from single stem at ground level, needle-like foliage, numerous yellow & greenish flower heads in clusters in spring, female heads form attractive pinkish cones, prefers damp situation, decorative, sow autumn.                   | 10 sds/pkt<br>98 sds/g  | R 11.00<br>/pkt | R 33.00<br>/100 |                   |
| 185 | <b>Leucadendron linifolium</b> (= <i>L. tortum</i> ) LINE-LEAF CONEBUSH, TORTUM, DUINEKNOPPIESBOS 1,5-2 m Well branched erect slender shrub, narrow twisted leaves, small yellow flowerheads in spring, female cones globose greyish & decorative, sow autumn, tolerates brak soil, ideal for sandy flats, useful filler for floristry | 10 sds/pkt<br>75 sds/g  | R 11.00<br>/pkt | R 33.00<br>/100 |                   |
| 186 | <b>Leucadendron loeriense</b> LOERIE CONEBUSH, TOLBOS 600 mm Densely-branched shrub, velvety hairy reddish-green leaves, involucre leaves greenish-white, flowers in mid summer, sow in autumn.                                                                                                                                        | 15 sds/pkt<br>260 sds/g | R 11.00<br>/pkt | R 33.00<br>/100 |                   |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                                                   | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 187       | <b>Leucadendron loranthifolium</b> (= <i>L. pearsonii</i> , <i>L. pseudospathulatum</i> ) GREENFLOWERED CONEBUSH 2 m Erect shrub, broad elliptic grey-green leaves, greenish flower heads in winter-spring, sow in autumn.                                                                                                                                                 | 10 sds/pkt<br>12 sds/g     | R 11.00<br>/pkt   | R 33.00<br>/100    |                     |
| 188       | <b>Leucadendron macowanii</b> ACACIA-LEAF CONEBUSH 1 - 3 m Erect attractive shrub, male & female cones bright yellow in winter, sow in autumn, occurs in damp soil near streams, endemic to Cape Peninsula, endangered by urbanisation and invasive alien acacias.                                                                                                         | 10 sds/pkt<br>55 sds/g     | R 11.00<br>/pkt   |                    |                     |
| 189       | <b>Leucadendron microcephalum</b> (= <i>L. stokoei</i> ) OILBRACT CONEBUSH 1,5 - 2 m Shrub, floral bracts yellow, during winter, sow autumn.                                                                                                                                                                                                                               | 5 sds/pkt<br>50 sds/g      | R 11.00<br>/pkt   |                    |                     |
| 190       | <b>Leucadendron modestum</b> ROUGH-LEAF CONEBUSH, TOLBOS 600 mm Small upright shrub, branches from a single stem, narrow leaves, small yellow flowerheads surrounded by red tinged pale green bracts in early spring, useful for flower arrangements, sow autumn.                                                                                                          | 10 sds/pkt<br>290 sds/g    | R 11.00<br>/pkt   | R 33.00<br>/100    |                     |
| 191       | <b>Leucadendron salicifolium</b> (= <i>L. strictum</i> ) RIVERINE CONEBUSH, STREAM CONEBUSH, RIVERTOLBOS, GEELBOS, KNOPPIESBOS, KRAALTOLBOS 2 - 3 m Tall erect shrub, narrow leaves, flowerheads on numerous short branchlets, surrounded by yellow bracts in winter-spring, grows in damp sandy areas, sow in autumn.                                                     | 15 sds/pkt<br>50 sds/g     | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| 192       | <b>Leucadendron salignum</b> (= <i>L. adscendens</i> , <i>L. involucreatum</i> ) SUNSHINE CONEBUSH, GEELBOS, KNOPPIESBOS, KRAALTOLBOS, TOLLETJESBOS 0,5 - 2 m Height variable, many stemmed shrub, foliage may be red, male involucre yellow or red, female yellow, variable flowering time, autumn to mid-summer, good cut flower, sow autumn, flowers 2 years from seed. | 10 sds/pkt<br>110 sds/g    | R 11.00<br>/pkt   | R 39.60<br>/100    |                     |
| 193       | <b>Leucadendron sessile</b> (= <i>L. humifusum</i> ) SUN CONEBUSH, TOLBOS 1 - 2 m Stout shrub, flowerheads surrounded by bright yellow bracts reddening with age, in late winter, sow autumn, requires plenty of water, good cut flower.                                                                                                                                   | 10 sds/pkt<br>5 sds/g      | R 11.00<br>/pkt   | R 44.00<br>/100    |                     |
| 194       | <b>Leucadendron spissifolium ssp. fragrans</b> FRAGRANT SPEAR-LEAF CONEBUSH, TOLBOS 1 - 1,3 m Erect multi-stemmed shrub, persistent rootstock, twisted hairless leaves, involucre bracts yellow to ivory in spring, sow autumn.                                                                                                                                            | 10 sds/pkt<br>140 sds/g    | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| 195       | <b>Leucadendron spissifolium ssp. natalense</b> (= <i>L. natalense</i> ) NATAL SPEAR-LEAF CONEBUSH, TOLBOS 1 m Erect multi-stemmed shrub, persistent rootstock, slender bright green leaves, involucre bracts yellow in early summer, sow in autumn.                                                                                                                       | 10 sds/pkt<br>140 sds/g    | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| 196       | <b>Leucadendron spissifolium ssp. phillipsii</b> (= <i>L. gnidioides</i> , <i>L. phillipsii</i> ) KAREEDOUWLAKTE SPEAR-LEAF CONEBUSH, TOLBOS 0,6 m Multi-stemmed shrub, persistent rootstock, fine bright green foliage, yellow involucre bracts in early summer, sow autumn.                                                                                              | 15 sds/pkt<br>205 sds/g    | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| 197       | <b>Leucadendron stellare</b> STAR CONEBUSH to 2 m Erect slender small leafed shrub, multistemmed, persistent rootstock, involucre leaves greenish-yellow in spring, sow in autumn.                                                                                                                                                                                         | 10 sds/pkt<br>55 sds/g     | R 11.00<br>/pkt   | R 33.00<br>/100    |                     |
| 198       | <b>Leucadendron uliginosum ssp. uliginosum</b> OUTENIQUA CONEBUSH, DUINEKNOPPIESBOS, GEELBOS, KRAALTOLBOS, KNOPPIESTOLBOS 2 - 2,5 m Bushy shrub, silvery hairy foliage, involucre bracts form showy yellowy-silver star-like cups in early summer, very decorative in groups, good cutflower, sow autumn, flowers 2 years from seed.                                       | 15 sds/pkt<br>180 sds/g    | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| 199       | <b>Leucadendron xanthoconus</b> SICKLELEAF CONEBUSH, TOLBOS, KNOPPIESBOS 1 - 2 m Dense shrub, soft narrow leaves, cones surrounded by decorative yellow bracts in spring, female cones pinkish in colour, sow autumn, flowers 3 years from seed, good cutflower & cut green.                                                                                               | 15 sds/pkt<br>110 sds/g    | R 11.00<br>/pkt   | R 27.50<br>/100    | R 233.75<br>/1000   |
| 200       | <b>Leucospermum bolusii</b> GORDON'S BAY PINCUSHION, WITLUISIESBOS 1,3 m Erect spreading rounded shrub, numerous small fragrant whitish flowerheads in late spring, decorative shrub, good cut flower, sow autumn.                                                                                                                                                         | 10 sds/pkt<br>20 sds/g     | R 11.00<br>/pkt   |                    |                     |
| 201       | <b>Leucospermum cordifolium</b> PINCUSHION, SPELDEKUSSING, BOBBEJAANKLOU 1,5 m Rounded spreading shrub, flowerheads shades of red, orange & yellow, summer flowering, sow autumn, very attractive garden plant, excellent cut flower, strong grower.                                                                                                                       | 10 sds/pkt<br>10 sds/g     | R 11.00<br>/pkt   | R 66.00<br>/100    |                     |
| 202       | <b>Leucospermum cordifolium 'Yellow Bird'</b> YELLOW BIRD PINCUSHION, SPELDEKUSSING 1,5 m Rounded spreading shrub, flowerheads shades of red, orange & yellow, summer flowering, sow autumn, very attractive garden plant, excellent cut flower, strong grower.                                                                                                            | 10 sds/pkt<br>10 sds/g     | R 11.00<br>/pkt   | R 66.00<br>/100    |                     |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                                                                                  | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 203       | <b>Leucospermum cuneiforme</b> WART-STEMMED PINCUSHION, GEWONELUISIESBOS 1,6 - 3 m Many-stemmed tall shrub, persistent rootstock, large yellow cone-shaped flower heads all year but mainly in early spring to mid-summer, sow in autumn, good cut flower.                                                                                                                                                | 10 sds/pkt<br>10 sds/g     | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 204       | <b>Leucospermum erubescens</b> ORANGE FLAME PINCUSHION, ORANJEVLAMSPELDEKUSSING 1 - 2 m Erect shrub, flowers orange-red to yellow in numerous large heads in spring to summer, sow in autumn, decorative shrub, good cut flower.                                                                                                                                                                          | 5 sds/pkt<br>11 sds/g      | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 205       | <b>Leucospermum formosum</b> SILVERLEAF WHEEL PINCUSHION 3 m Shrub, hairy grey leaves, large golden-yellow catherine-wheel-like flower-heads with, in spring, sow in autumn, excellent for flower arranging.                                                                                                                                                                                              | 10 sds/pkt<br>6 sds/g      | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 206       | <b>Leucospermum glabrum</b> OUTENIQA PINCUSHION 1,5 m Erect rounded shrub, large bright green many-toothed leaves, spectacular scarlet to orange flowerheads in spring, sow in autumn, good cut flower.                                                                                                                                                                                                   | 5 sds/pkt<br>9 sds/g       | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 207       | <b>Leucospermum grandiflorum</b> GREY-LEAF FOUNTAIN PINCUSHION, LUISIESBOOM, LUISIESBOS 2,5 m Upright shrub, dense greyish foliage, large yellow flowerheads, in winter-summer, sow autumn.                                                                                                                                                                                                               | 5 sds/pkt<br>13 sds/g      | R 11.00<br>/pkt   | R 66.00<br>/100    |                     |
| 208       | <b>Leucospermum guenzii</b> KLOOF FOUNTAIN PINCUSHION, LUISIESBOOM 2-3 m Stout upright shrub, bright green foliage, flowerheads yellow to orange with red tips when mature, summer, sow autumn.                                                                                                                                                                                                           | 10 sds/pkt<br>16 sds/g     | R 11.00<br>/pkt   | R 66.00<br>/100    |                     |
| 209       | <b>Leucospermum hybrids mixed</b> HYBRID PINCUSHIONS, SPELDEKUS-SING HIBRIEDE Assorted cordifolium, tottum, oleifolium, guenzii, conocarpodendron, oleifolium and glabrum hybrids, sow in autumn.                                                                                                                                                                                                         | 10 sds/pkt<br>11 sds/g     | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 210       | <b>Leucospermum muirii</b> ALBERTINIA PINCUSHION, BLOUKOOLHOUT, DOOIEKOOL, LUISIESBOOM 1,5 m Erect bushy rounded shrub, numerous small yellow flowerheads, winter – spring, sow autumn, good cutflower.                                                                                                                                                                                                   | 10 sds/pkt<br>24 sds/g     | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 211       | <b>Leucospermum oleifolium</b> OVERBERG PINCUSHION 1 m Compact rounded shrub, flowerheads yellow aging to orange then deep crimson, winter to summer, very decorative shrub, good cut flower, sow autumn.                                                                                                                                                                                                 | 5 sds/pkt<br>16 sds/g      | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 212       | <b>Paranomus reflexus</b> (= Nivenia reflexa) VAN STADEN'S SCEPTRE 1,5 - 2 m Branched shrub, leaves of two forms: low down on stem are dissected & upper leaves are entire, showy cream flower spikes, winter-autumn, sow in autumn, good cutflower, unusual, decorative shrub.                                                                                                                           | 10 sds/pkt<br>16 sds/g     | R 11.00<br>/pkt   | R 33.00<br>/100    |                     |
| 213       | <b>Protea aurea sp. aurea</b> (= P. longiflora, P. longiflora var. ovalis) SHUTTLECOCK PROTEA, LONG-BUD PROTEA, CANDLES, KERSE, GEELSUIKERKAN, LANGKNOPSUIKERBOS 3 - 5 m Large shrub, oblong cordate leaves, long candle-like buds when open resemble shuttlecocks, cream or pink flowerheads mainly late summer to early winter, sow autumn, sandy soils, responds well to cultivation, good cut flower. | 10 sds/pkt<br>30 sds/g     | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 214       | <b>Protea aurea sp. pothergensis</b> POTBERG PROTEA, SHUTTLECOCK PROTEA, CANDLES, KERSE, GEELSUIKERKAN 3 - 5 m Large shrub, long slender candle-like buds when open resemble shuttlecocks, cream-yellow flowerheads autumn to mid winter, sow autumn, sandy soils, responds well to cultivation, good cut flower.                                                                                         | 10 sds/pkt<br>23 sds/g     | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 215       | <b>Protea coronata</b> GREEN PROTEA, GROENHOFIESUIKERBOS 2 - 5 m Upright shrub, silvery leaves, deep cup-shaped bright apple green flower heads from autumn to spring, sow autumn, unusual, good cutflower.                                                                                                                                                                                               | 10 sds/pkt<br>30 sds/g     | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 216       | <b>Protea cynaroides</b> KING PROTEA, REUSE PROTEA, GROOTSUIKERROOS, IZADLUNG 0,3 - 2 m Upright or sprawling multi-stemmed shrub with underground rootstock, huge flower heads, pink bracts silvery white centre, from winter to summer, sow in autumn.                                                                                                                                                   | 5 sds/pkt<br>30 sds/g      | R 11.00<br>/pkt   | R 66.00<br>/100    |                     |
| 217       | <b>Protea eximia</b> (= P. latifolia) DUCHESS PROTEA, ROSE SPOON, BROAD-LEAVED PROTEA, BREËLAARSUIKERBOS 2 - 5 m Erect shrub, foliage greyish-green to purplish-green, large flowerheads with brilliant red bracts & purple black centre, summer, sow autumn, easily cultivated.                                                                                                                          | 10 sds/pkt<br>27 sds/g     | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 218       | <b>Protea lacticolor</b> HOTTENTOTS HOLLAND PROTEA, WITSUIKERBOS 2 - 6 m Neat upright shrub, large blue-green leaves, floral bracts with light reflecting fringe of hairs, bracts milky creamy-white or shades of pink, late summer-early winter, decorative shrub, good cut flower, sow autumn.                                                                                                          | 5 sds/pkt<br>35 sds/g      | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 219       | <b>Protea lanceolata</b> LANCELEAF PROTEA, SMALBLAARSUIKERBOS 2 - 4 m Upright shrub or small tree, floral bracts whitish with brown hairs, flowers white with brown hairs at the tips, during winter, coastal flats, sow autumn, habitat threatened by rooikrans invasion.                                                                                                                                | 10 sds/pkt<br>50 sds/g     | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                                                 | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 220       | <b>Protea laurifolia</b> (= <i>P. comigera</i> , <i>P. marginata</i> ) GREY-LEAF PROTEA, LAUREL PROTEA, LOURIERSUIKERBOS 5 - 8 m Tree-like shrub, similar to <i>Protea neriifolia</i> but foliage blue-green, leaves have heavy horny margins, flowers at anytime but mainly during winter, bearded flower-heads, soft rose to off-white with silvery sheen, sow autumn. | 10 sds/pkt<br>45 sds/g     | R 11.00<br>/pkt   |                    |                     |
| 221       | <b>Protea longifolia</b> LONG-LEAF PROTEA, AARDROOS 1,5 m Sprawling shrub, long narrow leaves, white, pink or green floral bracts, black hairy flowers, autumn-spring, variable & hybridises freely, sow autumn.                                                                                                                                                         | 5 sds/pkt<br>21 sds/g      | R 11.00<br>/pkt   |                    |                     |
| 222       | <b>Protea mixed species &amp; hybrids</b> A variety of <i>Protea</i> species and hybrids, not individually named, sow autumn.                                                                                                                                                                                                                                            | 10 sds/pkt<br>35 sds/g     | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 223       | <b>Protea mundii</b> FOREST PROTEA, WHITE PROTEA, WITSUIKERBOS 3 - 8 m Tall shrub or tree, small oblong flower heads, cream or pink, mid summer to spring, sow autumn, fast growing, easily cultivated, good cut flower.                                                                                                                                                 | 5 sds/pkt<br>40 sds/g      | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 224       | <b>Protea neriifolia</b> OLEANDER-LEAVED PROTEA, BLOUSUIKERBOS, 3 m Large shrub, bright green leaves, large oblong flower heads, bracts pure white, pale pink, deep pink or wine red, fringed with black or brown and white beard, sow autumn, good cut flower, tolerates a wide range of soils.                                                                         | 10 sds/pkt<br>32 sds/g     | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 225       | <b>Protea nitida</b> (= <i>P. arborea</i> , <i>P. grandiflora</i> ) WAGON TREE, WABOOM, BRANDHOUT 5 M Small gnarled tree or multistemmed shrub, leaves large blue-green to silver-grey, new growth bright red, floral bracts cream to pink, autumn-spring, sow autumn, suitable for coastal gardens.                                                                     | 5 sds/pkt<br>23 sds/g      | R 11.00<br>/pkt   |                    |                     |
| 226       | <b>Protea obtusifolia</b> (= <i>P. calocephala</i> ) BREDASDORP PROTEA, LIMESTONE PROTEA, BREDASDORPSUIKERBOS 2 - 4 m Large rounded shrub, rich dark green leaves with rounded tips, large oblong flower heads with tightly overlapping shiny white, pink or red bracts, from autumn to spring, sow in autumn, easily cultivated, good cutflower.                        | 10 sds/pkt<br>50 sds/g     | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 227       | <b>Protea repens</b> (= <i>P. mellifera</i> ) SUGARBUSH, SUIKERBOS, HONEY PROTEA, STROOPBOS, OPREGTESUIKERBOS 1 - 4 m Large upright shrub, linear hairless leaves, large deep oblong flower heads containing large amounts of nectar, bracts sticky & shiny white to crimson or white with pink tips, all year peaking autumn-spring, sow autumn, good cut flower.       | 10 sds/pkt<br>11 sds/g     | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 228       | <b>Protea repens (white)</b> (= <i>P. mellifera</i> var. <i>albiflora</i> ) WHITE SUGARBUSH, SUIKERBOS, HONEY PROTEA, STROOPBOS, WINTER WHITE 1 - 4 m Same as <i>Protea repens</i> only flowersheads shiny white.                                                                                                                                                        | 10 sds/pkt<br>11 sds/g     | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |
| 229       | <b>Protea scolymocephala</b> SMALL GREEN PROTEA, SCOLY, THISTLE PROTEA, WITSKOLLIE 1 m Dense rounded shrub, small bowl shaped creamy green flowerheads occasionally flushed pink-red, free flowering, late winter to summer, sow autumn, easily cultivated, good cutflower, decorative garden shrub, also suitable for flat sandy areas.                                 | 5 sds/pkt<br>80 sds/g      | R 11.00<br>/pkt   | R 59.40<br>/100    |                     |

## KIRSTENBOSCH

Germination of protea, pincushion,  
conebrush and restio seed is much  
improved when treated with  
Kirstenbosch Instant Smoke Plus  
Seed Primer

see page 1 for prices & how to order



INSTANT SMOKE PLUS  
*Seed Primer*

FOR BETTER RESULTS WHEN  
GERMINATING SEEDS

| Ref. no.:                      | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                                   | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| <b>Restionaceae (Restios):</b> |                                                                                                                                                                                                                                                                                                                                                            |                            |                   |                    |                     |
| <b>237</b>                     | <b>Chondropetalum tectorum</b> see <b>Elegia tectorum</b>                                                                                                                                                                                                                                                                                                  |                            |                   |                    |                     |
| <b>230</b>                     | <b>Elegia capensis</b> FONTEINRIET, BESEMRIET, BROOM REED 2 m Large upright tufted perennial with thick reed-like stems & feathery branches in whorls at nodes - like a horsetail, golden brown flowers in terminal spikes in spring, non-invasive roots, very ornamental, sow autumn, moist areas, full sun or semi shade.                                | 250 sds/pkt<br>2010 sds/g  | R 11.00<br>/pkt   |                    | R 27.50<br>/1000    |
| <b>231</b>                     | <b>Elegia cuspidata</b> BLOMBIESIE 1 m Clump forming small reed-like perennial, brown flowers in terminal spikes, brown bracts, non-invasive roots, sow in autumn, an attractive accent plant.                                                                                                                                                             | 220 sds/pkt<br>550 sds/g   | R 11.00<br>/pkt   |                    | R 27.50<br>/1000    |
| <b>232</b>                     | <b>Elegia equisetacea</b> 1 m Erect tussock, often with a few verticillated (whorled) branches, sow autumn                                                                                                                                                                                                                                                 | 150 sds/pkt<br>1250 sds/g  | R 11.00<br>/pkt   |                    | R 27.50<br>/1000    |
| <b>233</b>                     | <b>Elegia filacea</b> (= E. parviflora var. parviflora, E. parviflora var. filacea) 500 mm Erect tussock, simple slender branches, sow autumn.                                                                                                                                                                                                             | 150 sds/pkt<br>2200 sds/g  | R 11.00<br>/pkt   |                    | R 27.50<br>/1000    |
| <b>234</b>                     | <b>Elegia fistulosa</b> (= E. fistulosa var. parviflora) HOLLOW-STEMMED RESTIO 700 mm Tufted perennial, pipe-like stems, sow autumn.                                                                                                                                                                                                                       | 150 sds/pkt<br>2083 sds/g  | R 11.00<br>/pkt   |                    | R 27.50<br>/1000    |
| <b>235</b>                     | <b>Elegia racemosa</b> (= E. amoena, E. bella) RUSTLING REED, FLUISTERRIET 1,75 m Erect tussock, attractive blue-green stems, chestnut brown flowers in terminal spikes with large light brown papery spathe, in late summer, sow in autumn, easy & fast to grow, beautiful accent plant, a must in every fynbos garden.                                   | 175 sds/pkt<br>1265 sds/g  | R 11.00<br>/pkt   |                    | R 27.50<br>/1000    |
| <b>236</b>                     | <b>Elegia stipularis</b> CUSHION RESTIO 0,5 m Attractive, a dense mass of thin branched stems with pinkish golden bracts fading to light brown, sow autumn, grow in full sun and sandy well-drained soil.                                                                                                                                                  | 75 sds/pkt                 | R 11.00<br>/pkt   |                    | R 27.50<br>/1000    |
| <b>237</b>                     | <b>Elegia tectorum</b> (= <b>Chondropetalum tectorum</b> ) THATCHING REED, DAKRIET, DEKRIET 1,5 m Attractive ornamental plant, upright symmetrical tufted form, thin dark green stems, new stems arise in centre of plant each year, brown flowers in slender compact spikes in autumn, good feature plant, sow autumn, full sun, moist or dry sandy soil. | 200 sds/pkt<br>10550 sds/g | R 11.00<br>/pkt   |                    | R 27.50<br>/1000    |

**Germination of restio seed is markedly improved if it is treated with  
Kirstenbosch Instant Smoke Plus Seed Primer**

|            |                                                                                                                                                                                                                                                                                                                              |                           |                 |  |                  |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------|--|------------------|
| <b>238</b> | <b>Thamnochortus cinereus</b> (= T. argenteus) SILVER RESTIO, SILWERRIET 800 mm Attractive tufted perennial, silvery green stems, decorative long plumed inflorescence, the male inflorescence showy and silvery-grey, the female chestnut brown, sow in autumn, grow in full sun.                                           | 100 sds/pkt<br>950 sds/g  | R 11.00<br>/pkt |  | R 27.50<br>/1000 |
| <b>239</b> | <b>Thamnochortus fraternus</b> 1 m Reed-like perennial, decorative brown inflorescence with golden brown bracts, sow autumn.                                                                                                                                                                                                 | 150 sds/pkt<br>1750 sds/g | R 11.00<br>/pkt |  | R 27.50<br>/1000 |
| <b>240</b> | <b>Thamnochortus insignis</b> ALBERTINIA THATCHING REED, DEKRIET 2 m Large tussock, brown flowers in terminal spikes, male and female on separate plants, a very attractive ornamental plant, can be used in rockeries & open beds, beautiful pot plant, sow in autumn, grow under moist to dry, sandy conditions, full sun. | 250 sds/pkt<br>795 sds/g  | R 11.00<br>/pkt |  | R 27.50<br>/1000 |
| <b>241</b> | <b>Thamnochortus lucens</b> (= T. dichotomus) 600 mm Tufted elegant reed-like perennial, decorative dark golden brown inflorescences, sow in autumn, requires well-drained sandy soil and full sun, effective accent plant or in groups.                                                                                     | 120 sds/pkt<br>2040 sds/g | R 11.00<br>/pkt |  |                  |
| <b>242</b> | <b>Thamnochortus nutans</b> JAKKALSSTERTRIET 400 - 600 mm Tufted clump-forming, reed-like perennial, decorative golden brown inflorescences, sow in autumn.                                                                                                                                                                  | 100 sds/pkt<br>1000 sds/g | R 11.00<br>/pkt |  |                  |
| <b>243</b> | <b>Thamnochortus pellucidus</b> DWARF RESTIO, DWERGRIET 600 mm Compact tufted perennial, thin green fertile stems rising from a circle of finely divided infertile stems, inflorescence pale golden brown, showy, very attractive small restio, sow in autumn, grow in full sun.                                             | 120 sds/pkt<br>416 sds/g  | R 11.00<br>/pkt |  | R 27.50<br>/1000 |
| <b>244</b> | <b>Thamnochortus pluristachyus</b> AGULHAS RESTIO 0.6 – 1 m Dwarf tufted perennial, decorative spikelets, in winter, sow in autumn, grow in full sun, limestone flats & slopes.                                                                                                                                              | 100 sds/pkt               | R 11.00<br>/pkt |  |                  |
| <b>245</b> | <b>Thamnochortus spicigerus</b> DEKRIET, OLIFANTSRIET 1 - 2 m Forms large tussocks, arching habit, good accent plant and companion to other Fynbos plantings, golden brown inflorescence, 200mm long, autumn-winter, sow autumn.                                                                                             | 100 sds/pkt<br>385 sds/g  | R 11.00<br>/pkt |  | R 27.50<br>/1000 |

| Ref. no.:      | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                                                          | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| <b>Shrubs:</b> |                                                                                                                                                                                                                                                                                                                                                                                   |                            |                   |                    |                     |
| 246            | <b>Acokanthera oblongifolia</b> APOCYNACEAE DUNE POISON BUSH, DUINEGIFBOOM 3-7 m Large shrub or small tree, evergreen, glossy dark green leaves, masses of fragrant flowers in spring, fleshy purplish-black HIGHLY TOXIC FRUITS in autumn, sow spring.<br>NB ALL PARTS OF THIS PLANT ARE POISONOUS.                                                                              | 3 sds/pkt<br>0.8 sds/g     | R 11.00<br>/pkt   |                    |                     |
| 247            | <b>Acokanthera oppositifolia</b> APOCYNACEAE COMMON POISON-BUSH, GEWONE GIFBOOM, NTHUNGUYEMBE (X) 2-5 m Shrub to small tree, leathery glossy dark green foliage, young leaves reddish, fragrant white flowers in clusters in spring, fleshy red to purplish HIGHLY TOXIC fruits in summer, sow spring or autumn, a good shade plant.<br>NB ALL PARTS OF THIS PLANT ARE POISONOUS. | 3 sds/pkt                  | R 11.00<br>/pkt   |                    |                     |
| 248            | <b>Agathosma cerefolium</b> RUTACEAE ANISEED BUCHU, ANYSBOEGOE, 500 mm Aniseed scented shrublet, white, pink, or mauve flowers in terminal clusters cover the bush in spring-summer, full sun, sow autumn, good coastal plant for alkaline soils.                                                                                                                                 | 15 sds/pkt<br>510 sds/g    | R 11.00<br>/pkt   | R 15.10<br>/100    |                     |
| 249            | <b>Agathosma gonaquensis</b> RUTACEAE GONAQUA BUCHU 1 m Densely leafy aromatic shrub, white flowers in dense heads throughout the year, sow autumn.                                                                                                                                                                                                                               |                            | R 11.00<br>/pkt   | R 15.10<br>/100    |                     |
| 250            | <b>Agathosma ovata</b> RUTACEAE FALSE BUCHU, BASTERBOEGOE, BOSBOEGOE, RIVIERBOEGOE, WILDEBOEGOE 0,3 - 1 m Variable evergreen shrub, aromatic leaves, small showy white or mauve star-shaped flowers, cover the bush in winter to spring, sow autumn.                                                                                                                              | 10 sds/pkt<br>225 sds/g    | R 11.00<br>/pkt   | R 15.10<br>/100    |                     |
| 251            | <b>Anisodonteia anomala</b> MALVACEAE AFRICAN MALLOW, BERGROOS to 1 m Shrub with thick velvety leaves, magenta or rose-pink flowers in spring-summer, suitable for arid gardens, sow autumn.                                                                                                                                                                                      | 15 sds/pkt<br>627 sds/g    | R 11.00<br>/pkt   | R 14.30<br>/100    |                     |
| 252            | <b>Anisodonteia julii</b> MALVACEAE DRakensberg MALLOW, BERGROOS 1-2 m Attractive shrub, large pink flowers in summer, distinctive velvety maple-like leaves, ideal plant for background planting in a mixed perennial border, sow spring.                                                                                                                                        | 15 sds/pkt<br>365 sds/g    | R 11.00<br>/pkt   | R 14.30<br>/100    |                     |
| 253            | <b>Anisodonteia scabrosa</b> MALVACEAE ROUGH-LEAVED AFRICAN MALLOW, SANDROOS, 1 - 2 m Bushy upright shrub, pink flowers in masses during summer, easily cultivated, fast growing & suitable for coastal gardens, sow autumn or spring, prune in autumn to keep neat.                                                                                                              | 15 sds/pkt<br>250 sds/g    | R 11.00<br>/pkt   | R 14.30<br>/100    |                     |
| 254            | <b>Athanasia crithmifolia</b> ASTERACEAE KLAAS LOUW'S BUSH, KLAASLOUWBOSSIE 1,5 - 2 m Fast-growing herbaceous shrub, grey-green foliage, deep yellow flowers form showy flat heads at branch tips, during summer, sow autumn or spring, grow in full sun or semi-shade, effective in groups & in mixed borders.                                                                   | 50 sds/pkt<br>3500 sds/g   | R 11.00<br>/pkt   |                    | R 39.60<br>/1000    |
| 255            | <b>Athanasia dentata</b> ASTERACEAE GEELBLOMBOS 0,5 - 1 m Upright fast growing shrublet, glossy bright green serrated foliage, golden yellow flowers in showy flat heads in spring & summer, sunny position, drought tolerant, good for fynbos & coastal gardens, sow autumn.                                                                                                     | 50 sds/pkt<br>4200 sds/g   | R 11.00<br>/pkt   |                    | R 39.60<br>/1000    |
| 256            | <b>Azima tetraacantha</b> SALVADORACEAE BEE-STING BUSH, BYANGELBOS, NEEDLE BUSH, SPELDDORING 2 m Very spiny scrambling shrub, greenish-white flowers in summer, fleshy yellowish-white edible fruits, sow spring, summer or autumn, good barrier plant, suitable for coastal gardens.                                                                                             | 10 sds/pkt<br>45 sds/g     | R 11.00<br>/pkt   |                    |                     |
| 257            | <b>Bauhinia bowkeri</b> FABACEAE KEI BAUHINIA, KEIBESKLOU 3 m Scrambling shrub, or a small tree, attractive twin-lobed leaves, large white flowers, petals up to 2.5 x 2.5cm, early summer; sow in spring or summer, sun or semi-shade, compost enriched soil, water well in summer..                                                                                             | 10 sds/pkt<br>13 sds/g     | R 11.00<br>/pkt   |                    |                     |
| 258            | <b>Bauhinia galpinii</b> FABACEAE PRIDE-OF-DE-KAAP, VLAM-VAN-DIE-VLAKE, BEESKLOUKLIMOP 3 - 5 m Scrambling shrub, attractive twin-lobed leaves, very showy bright brick-orange flowers in late summer, cut down by frost but sprouts again, easy to grow, sow spring, compost enriched soil, sunny position, for informal hedge, mixed border, rockeries.                          | 5 sds/pkt<br>5 sds/g       | R 11.00<br>/pkt   | R 52.80<br>/100    |                     |
| 259            | <b>Bauhinia tomentosa</b> FABACEAE YELLOW BAUHINIA, GEELBESKLOU 2 - 4 m Decorative shrub with drooping branches, attractive twin-lobed leaves, bell-shaped yellow flowers in summer, sow spring, sunny position, well-drained soil, water well in summer, for mixed border, rockery, makes good bonsai subject.                                                                   | 15 sds/pkt<br>16 sds/g     | R 11.00<br>/pkt   | R 33.00<br>/100    |                     |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                               | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 260       | <b>Berzelia lanuginosa</b> BRUNIACEAE BERZELIA, VLEIKNOPPIESBOS, KOLKOLBOS 1,5 m Much-branched shrub, leaves soft and needle-like, cream flowers in globular flowerheads, good for cutting - flowers & greens, sow autumn, prefers damp, swampy or marshy places, prevents soil erosion when grown in dense stands.                                    | 125 sds/pkt<br>1446 sds/g  | R 11.00<br>/pkt   |                    | R 22.00<br>/1000    |
| 261       | <b>Brunia albiflora</b> BRUNIACEAE WHITE-FLOWERED BRUNIA, COFFEE-SCENTED BRUNIA, STOMPIES 2 m Attractive tall densely leafy shrub, spherical white flowerheads in large clusters, late summer-autumn, coffee-scented, sow autumn, good for cutting - flowers & greens.                                                                                 | 100 sds/pkt<br>165 sds/g   | R 11.00<br>/pkt   |                    | R 27.50<br>/1000    |
| 262       | <b>Carissa macrocarpa</b> APOCYNACEAE AMATHUNGULU, NATAL PLUM, GROOTNOEMNOEM, UMTHUNGULU 1 - 4 m Attractive dense evergreen shrub or small tree, glossy dark green foliage, forked spines, scented white starry flowers in spring-summer, red edible fruits, tolerant of wind & coastal conditions, sun or semi-shade, good hedging plant, sow spring. | 10 sds/pkt<br>80 sds/g     | R 11.00<br>/pkt   | R 19.80<br>/100    |                     |
| 263       | <b>Chrysanthemoides monilifera</b> ASTERACEAE BROTHER BERRY, BIETOU, BUSH-TICK BERRY, BOETABESSIE, BOKBESSIE 2 - 3 m Large, bushy evergreen shrub, fast-growing, yellow daisies in winter & spring, edible berries attract birds, wind & drought tolerant, sandy coastal gardens, sow autumn or spring.                                                | 10 sds/pkt<br>40 sds/g     | R 11.00<br>/pkt   | R 19.25<br>/100    |                     |

**ATTENTION overseas buyers & members - when importing seed of SA plants please:  
OBEY THE LAW - find out about the plant import regulations for your country.  
DON'T IMPORT WEEDS - find out which species are weeds in your area.**

|     |                                                                                                                                                                                                                                                                                                                                |                         |                 |                 |                   |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------------|-----------------|-------------------|
| 264 | <b>Clerodendrum glabrum</b> VERBENACEAE WHITE CAT'S WHISKERS, BITTERBLAAR 5 - 10 m Shrub or small tree, leaves dark green, flowers white with reddish, pink or mauve stamens, in showy rounded heads, in spring to summer, fragrant, sow spring, hardy, drought tolerant.                                                      | 5 sds/pkt<br>30 sds/g   | R 11.00<br>/pkt |                 |                   |
| 265 | <b>Coleonema pulchellum</b> RUTACEAE CONFETTI BUSH 2 m Neat evergreen shrub with feathery aromatic foliage, masses of small pink-white starry flowers, winter to spring, good container plant, low hedge, or bonsai subject, sow autumn, well-drained soil in full sun.                                                        | 10 sds/pkt<br>475 sds/g | R 11.00<br>/pkt | R 16.50<br>/100 |                   |
| 266 | <b>Combretum bracteosum</b> COMBRETACEAE (= Poivrea bracteosa) HICCUP NUT, HIKKLIMOP 3,5 m Shrub with the tendency to scramble, or small tree, deep orange to bright red flowers in short dense racemes, spring to early summer, sow spring or early summer.                                                                   | 3 sds/pkt<br>0.3 sds/g  | R 11.00<br>/pkt |                 |                   |
| 267 | <b>Crotalaria capensis</b> FABACEAE CAPE RATTLE-POD, KAAPSE KLAPPER-PEUL 3 - 5 m A much branched fast growing shrub or small tree, leaves fresh green, flowers bright yellow, pea-shaped in showy pendulous sprays during summer, sow autumn or spring, a useful informal hedge plant.                                         | 10 sds/pkt<br>54 sds/g  | R 11.00<br>/pkt | R 14.30<br>/100 | R 121.50<br>/1000 |
| 268 | <b>Diospyros glabra</b> EBENACEAE BLUEBERRY BUSH, LOUBESSIEBOS 2 - 3 m A neat compact rounded shrub, with small yellow flowers, followed by blue-purple berries, good specimen plant, hedge plant or for use in a fynbos garden, sow autumn.                                                                                   | 10 sds/pkt<br>9 sds/g   | R 11.00<br>/pkt | R 22.00<br>/100 |                   |
| 269 | <b>Diospyros simii</b> EBENACEAE STAR APPLE, RANKTOLBOS 2 m Scrambling shrub or small tree, flowers creamy-white, fragrant, fleshy berry covered with golden hairs, calyx forms a 'star' at the base of the fruit, sow spring or summer, good screening plant.                                                                 | 10 sds/pkt<br>4 sds/g   | R 11.00<br>/pkt | R 22.00<br>/100 |                   |
| 270 | <b>Dombeya burgessiae</b> STERCULIACEAE PINK WILD PEAR, PERSDROLPEER, IBUNDA 3 - 5 m Large bushy evergreen shrub or small tree, large soft-textured leaves, clusters of rose-pink flowers in autumn & winter, quick growing, recommended for frost-free gardens, sow spring or summer, good informal hedge or screening plant. | 15 sds/pkt<br>205 sds/g | R 11.00<br>/pkt | R 22.00<br>/100 |                   |
| 271 | <b>Dombeya pulchra</b> STERCULIACEAE SILVER WILD PEAR, BLOMBOS 3 - 5 m Shrub or small tree, large velvety leaves, upper surface green, under surface silver & felted, attractive white flowers sometimes with deep rose centre, in summer-autumn, sow spring.                                                                  | 10 sds/pkt<br>151 sds/g | R 11.00<br>/pkt | R 22.00<br>/100 |                   |
| 272 | <b>Dombeya tiliacea</b> STERCULIACEAE FOREST WILD PEAR, BOSDROLPEER, UTIYIBO 3 - 4 m Deciduous shrub or small tree, leaves heart-shaped, clusters of white flowers in late summer, frost-tender, sow spring.                                                                                                                   | 15 sds/pkt<br>250 sds/g | R 11.00<br>/pkt | R 22.00<br>/100 |                   |
| 273 | <b>Duvernoia adhatodoides</b> ACANTHACEAE PISTOL BUSH, PISTOOLBOS 3 - 7 m Large shrub or small tree, evergreen, attractive shiny dark green foliage, showy white flowers with purple markings in the throat, summer, sow spring, fast growing.                                                                                 | 10 sds/pkt<br>31 sds/g  | R 11.00<br>/pkt | R 18.70<br>/100 |                   |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                                                                                           | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 274       | <b>Eriocephalus africanus</b> ASTERACEAE WILD ROSEMARY, KAPOKBOS-SIE, WILDEROOSMARYN 1 - 1,5 m Fast growing shrub, aromatic felty grey foliage, white flowerheads in clusters at branch tips during late summer-autumn-winter, white woolly seedheads, wind tolerant, suitable for coastal gardens, sow autumn, leaves can be used in place of rosemary.                                                           | 15 sds/pkt<br>55 sds/g     | R 11.00<br>/pkt   | R 11.00<br>/100    | R 93.50<br>/1000    |
| 275       | <b>Eriocephalus racemosus</b> ASTERACEAE WILD ROSEMARY, KAPKAPPIE, KAPOKBOS-SIE, RIVIERKAPOK, SANDVELDKAPOK, STRANDVELDKAPOK 1 m Bushy shrub, aromatic felty grey foliage, white flowerheads in clusters during late summer-autumn-winter, decorative silky white seedheads, wind tolerant, suitable for coastal gardens, sow autumn, leaves can be used in place of rosemary.                                     | 15 sds/pkt<br>150 sds/g    | R 11.00<br>/pkt   | R 11.00<br>/100    |                     |
| 276       | <b>Euryops linearis</b> ASTERACEAE (=Jacobaeastrum lineare) BREDASDORP DAISY BUSH, HARPUISBOS 2 m Erect shrub, covered in yellow daisy flowers in spring, tolerates limestone soils, sow autumn, decorative shrub.                                                                                                                                                                                                 | 50 sds/pkt<br>855 sds/g    | R 11.00<br>/pkt   |                    | R 50.80<br>/1000    |
| 277       | <b>Euryops virgineus</b> ASTERACEAE (= E.flabelliformis, Othonna virginea) HONEY EURYOPS, RIVIERHARPUISBOS 1 - 3 m Attractive shrub with rounded shape, evergreen, masses of small yellow honey scented flowers in winter-early summer, sow autumn or spring, prune hard after flowering to keep neat, good cutflower.                                                                                             | 30 sds/pkt<br>925 sds/g    | R 11.00<br>/pkt   |                    | R 50.80<br>/1000    |
| 278       | <b>Garcinia gerrardii</b> CLUSIACEAE FOREST GARCINIA, BOSGEELMELKHOUT 4 - 5 m Large shrub or small evergreen tree, leaves leathery shiny green, flowers white or cream in terminal heads in mid summer, fruit berry-like, yellow when mature in autumn, sow spring or early summer.                                                                                                                                | 7 sds/pkt<br>0.14 sds/g    | R 11.00<br>/pkt   |                    |                     |
| 279       | <b>Gardenia thunbergia</b> RUBIACEAE WILD GARDENIA, WILDEKATJIEPIERING, BUFFELSBAL, BUFFELSKLAPPER, KANNETJIEBOOM 2 - 5 m Large shrub or small tree, evergreen, branchlets short & rigid, bark smooth pale grey, glossy foliage, showy creamy-white fragrant flowers in summer, persistent greyish-green egg shaped fruits, slow-growing, attractive garden subject, sow spring.                                   | 15 sds/pkt<br>30 sds/g     | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| 280       | <b>Gomphocarpus physocarpus</b> APOCYNACEAE (=Asclepias physocarpa) BALLOON MILKWEED, BALMELKBOS-SIE 2 m Upright shrublet, narrow leaves, flowers white with faint purple tinge, in pendulous clusters, in summer-autumn, followed by inflated seed pods sparsely covered with wiry hairs, splitting to release seeds with long silky hairs, sow spring, WARNING all parts weep poisonous milky latex when broken. | 15 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| 281       | <b>Grewia caffra</b> TILIACEAE CLIMBING RAISIN, RANKROSYNTJIE 2 - 4 m Scrambling many-stemmed shrub or small tree, starry yellow flowers in summer, edible yellow-brown fruits in autumn, sow spring, use in informal border, prune to keep neat, water well in summer.                                                                                                                                            | 15 sds/pkt<br>30 sds/g     | R 11.00<br>/pkt   |                    |                     |
| 282       | <b>Grewia lasiocarpa</b> TILIACEAE FOREST RAISIN, BOSROSYNTJIE, SHAGGY-FRUITED GREWIA, ELEPHANT'S EAR GREWIA 3 - 10 m Scrambling shrub or small tree, large oval leaves on sturdy hairy stalks, reddish velvety buds, large pinkish or lilac flowers in clusters, in summer, large four-lobed hairy fruits, confused with Trimeria grandifolia, sow spring.                                                        | 10 sds/pkt<br>4 sds/g      | R 11.00<br>/pkt   | R 14.30<br>/100    |                     |
| 283       | <b>Grewia occidentalis</b> TILIACEAE FOUR-CORNERS, KRUISBESSIE, BUTTON-WOOD, BOW-WOOD, ASSEGAAI-WOOD, ASSEGAAIBOS, UMNQABAZA 1 - 10 m Evergreen shrub, rambler or small tree, starry pink-mauve flowers with conspicuous puff of yellow stamens, flowers all year peaking spring-early summer, 4-lobed reddish brown fruit, attracts birds, sow spring, fast & easy to grow, recommended.                          | 15 sds/pkt<br>17 sds/g     | R 11.00<br>/pkt   | R 14.30<br>/100    |                     |
| 284       | <b>Halleria lucida</b> SCROPHULARIACEAE TREE FUCHSIA, NOTSUNG, UMBINZA 2 - 5 m Shrub or small tree, evergreen, attractive bright green glossy foliage, orange-red fuchsia-like flowers in winter-summer, carried directly on the branches, edible black berries, flowers & fruits attract birds, quick-growing, sow spring.                                                                                        | 20 sds/pkt<br>2020 sds/g   | R 11.00<br>/pkt   | R 22.00<br>/100    | R 187.00<br>/1000   |
| 285       | <b>Heterolepis aliena</b> ASTERACEAE (= H. decipiens, Oedera aliena) ROCK DAISY, ROTSGOUSBLOM 200 - 600 mm Sprawling leafy shrub, evergreen, large golden yellow daisies in spring-summer, drought tolerant, sow autumn, recommended for rockeries, fynbos gardens.                                                                                                                                                | 25 sds/pkt<br>510 sds/g    | R 11.00<br>/pkt   |                    | R 50.80<br>/1000    |
| 286       | <b>Hibiscus diversifolius</b> MALVACEAE BLACK-EYED SUSAN HIBISCUS, WILD HIBISCUS, WILDESTOKROOS 3 - 4 m Shrub, often scrambling or a small tree, leaves almost circular, roughly hairy, lobed with toothed margins, flowers yellow with blue-black centre (up to 80mm diam), in spring, prefers damp situation, sow spring or early summer.                                                                        | 10 sds/pkt<br>88 sds/g     | R 11.00<br>/pkt   | R 14.30<br>/100    |                     |

| Ref. no.:                                                                                                         | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                                              | seeds/packet<br>seeds/gram                 | PRICE<br>/ packet                | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|----------------------------------|--------------------|---------------------|
| 287                                                                                                               | <b>Hibiscus pedunculatus</b> MALVACEAE WILD HIBISCUS, WILDESTOKROOS 1 m Slender perennial shrublet, large bright pink flowers during summer, attractive garden subject, sow spring, water well in summer.                                                                                                                                                             | 10 sds/pkt<br>200 sds/g                    | R 11.00<br>/pkt                  |                    |                     |
| 288                                                                                                               | <b>Hypericum revolutum</b> CLUSIACEAE CURRY BUSH, KERREBOS 1 - 3 m Shrub, often a pioneer to forest, fresh green foliage, bright yellow flowers in summer & autumn, a beautiful shrub for the garden, fast growing, adaptable in cultivation, gives off a distinct smell of curry, sow spring or early summer.                                                        | 50 sds/pkt<br>15000 sds/g                  | R 11.00<br>/pkt                  |                    | R 39.60<br>/1000    |
| 289                                                                                                               | <b>Indigofera frutescens</b> FABACEAE (= I. cylindrica) RIVER INDIGO, RIVIERVERFBOS, KOUEBOS 2 - 4 m Graceful shrub, often scrambling, leaves compound dark green, fragrant pink 'pea' flowers in decorative sprays in summer, small brown seed pods, an attractive garden plant in sun or semi shade, sow autumn or spring                                           | 15 sds/pkt<br>62 sds/g                     | R 11.00<br>/pkt                  | R 14.30<br>/100    | R 121.50<br>/1000   |
| 290                                                                                                               | <b>Indigofera lyalli</b> FABACEAE (= I. obermeijeriae) VENDA INDIGO, VENDAVERFBOS 3 m Rounded shrub, dark pink to red flowers in late summer, full sun, quick growing, sow spring.                                                                                                                                                                                    | 10 sds/pkt<br>120 sds/g                    | R 11.00<br>/pkt                  | R 14.30<br>/100    |                     |
| 291                                                                                                               | <b>Kraussia floribunda</b> RUBIACEAE KRAUSSIA, RENOSTERKOFFIE 3 - 6 m Shrub or small tree, evergreen, glossy dark green leaves, attractive creamy white flowers in summer, edible black berries in autumn, tender, sow spring.                                                                                                                                        | 10 sds/pkt<br>52 sds/g                     | R 11.00<br>/pkt                  |                    |                     |
| 292                                                                                                               | <b>Lessertia frutescens</b> FABACEAE (= Sutherlandia frutescens) SUTHERLANDIA, CANCER BUSH, KANKERBOS, UMNWELE 1,5 m Fast growing short lived shrub, silver-grey leaves, orange-red pea-flowers in summer, large decorative pinkish inflated seed pods, sow autumn or spring, easy to grow, hardy, recommended.                                                       | 20 sds/pkt<br>115 sds/g                    | R 11.00<br>/pkt                  | R 14.30<br>/100    |                     |
| 293                                                                                                               | <b>Lobostemon belliformis</b> BORAGINACEAE GOURIQUA PAJAMA BUSH, GOURIQUA LOBOSTEMON 1-1.5 m Attractive rounded shrub, hairy leaves, striking bunches of red tubular flowers in winter-spring, suited to coastal gardens and limestone soils, sow in autumn.                                                                                                          | 10 sds/pkt                                 | R 11.00<br>/pkt                  | R 22.00<br>/100    |                     |
| 294                                                                                                               | <b>Lobostemon fruticosus</b> BORAGINACEAE EIGHT-DAY-HEALING BUSH, AGTDAEGENESBOS, DOUWURMBOS, LUIBOS 1 m Attractive rounded shrub, leaves often silvery, clusters of pink or blue flowers in spring to early summer, sow in autumn.                                                                                                                                   | 10 sds/pkt<br>109 sds/g                    | R 11.00<br>/pkt                  | R 19.80<br>/100    |                     |
| 295                                                                                                               | <b>Lobostemon montanus</b> BORAGINACEAE 1 - 2 m BLUE PAJAMA BUSH, BLOU AGTDAEGENESBOS Much-branched shrub, blue flowers in spring, sandy areas, sow in autumn.                                                                                                                                                                                                        | 5 sds/pkt<br>35 sds/g                      | R 11.00<br>/pkt                  | R 19.80<br>/100    |                     |
| 296                                                                                                               | <b>Mackaya bella</b> ACANTHACEAE FOREST BELL BUSH, BLOUKLOKKIESBOS 2 - 3 m Shrub or small evergreen tree, leaves glossy dark green, flowers pale lavender marked with purple, trumpet shaped, in lax terminal racemes in spring, very showy, beautiful garden plant best in semi- to full shade, water well in summer, sow spring.                                    | 5 sds/pkt<br>55 sds/g                      | R 11.00<br>/pkt                  | R 49.50<br>/100    |                     |
| 297                                                                                                               | <b>Metalasia muricata</b> ASTERACEAE METALASIA, BLOMBOS, STEEBOS 2 m Rounded shrub, tiny needle-like leaves, honey scented white flowers in flat compact heads at branch tips, during winter, wind tolerant, ideal for sandy areas and fynbos gardens, sow autumn, good cutflower.                                                                                    | 75 sds/pkt<br>3870 sds/g                   | R 11.00<br>/pkt                  |                    | R 33.00<br>/1000    |
| 298                                                                                                               | <b>Metarungia longistrobis</b> ACANTHACEAE (= Macrorungia longistrobis) 1,5 m Branched shrub, neat shape, yellow flowers in summer, sow spring.                                                                                                                                                                                                                       | 10 sds/pkt<br>40 sds/g                     | R 11.00<br>/pkt                  | R 13.75<br>/100    | R 116.60<br>/1000   |
| <b>FOR SALE ONLY - KEEP SEED REFRIGERATED</b>                                                                     |                                                                                                                                                                                                                                                                                                                                                                       |                                            |                                  |                    |                     |
| P24                                                                                                               | <b>Myrsine africana</b> MYRSINACEAE CAPE MYRTLE, MIRTING 2 m Neat rounded bushy shrub, small rounded shiny leaves, pink flowers, decorative purplish berries, sow spring, semi-shade.                                                                                                                                                                                 | 10 sds/pkt<br>50 sds/g                     | R 11.00<br>/pkt                  | R 14.30<br>/100    | R 121.50<br>/1000   |
| <b>FOR SALE ONLY - BACK ORDERS TAKEN for supply in Nov/Dec</b><br><b>NB seed is short lived, sow immediately.</b> |                                                                                                                                                                                                                                                                                                                                                                       |                                            |                                  |                    |                     |
| B3                                                                                                                | <b>Ochna serrulata</b> OCHNACEAE SMALL-LEAVED CAPE PLANE, FYNBLAARROOHOUT, MICKEY MOUSE BUSH, ILITIYE 2,5 m Glossy dark green leaves, new growth copper, showy fragrant yellow flowers in spring, sepals turn bright red & persist & hold the shiny black seeds, very decorative, sow early summer. NB back order only, for supply in Nov/Dec NB seed is short lived. | NOT ON<br>OFFER PER<br>PACKET<br>4.8 sds/g | NOT<br>ON<br>OFFER<br>PER<br>PKT | R 52.80<br>/100    |                     |

| Ref. no.:                                     | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                    | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| <b>FOR SALE ONLY - KEEP SEED REFRIGERATED</b> |                                                                                                                                                                                                                                                                                                                                             |                            |                   |                    |                     |
| <b>P25</b>                                    | <b>Oldenburgia grandis</b> ASTERACEAE (= Oldenburgia arbuscula) SUURBERG CUSHION BUSH, BASTERSUIKERBOS 2 - 3 m Bushy shrub or small gnarled tree, large stiff leathery glossy dark green leaves in rosettes at the end of branches, giant purple thistleform flowers, hardy, good accent plant, sow spring, seed is difficult to germinate. | 5 sds/pkt<br>130 sds/g     | R 11.00<br>/pkt   | R 55.00<br>/100    |                     |
| <b>299</b>                                    | <b>Osyris compressa</b> SANTALACEAE (= Colpoos compressus) CAPE SUMACH, PRUIMBAS, WILDEPRUIJ, BASBESSIE 3 - 5 m Dense evergreen shrub or small tree, blue-green leaves, shiny red and black edible fruits, attracts birds, recommended for seaside planting, sow autumn.                                                                    | 10 sds/pkt<br>5 sds/g      | R 11.00<br>/pkt   |                    |                     |
| <b>300</b>                                    | <b>Otholobium striatum</b> FABACEAE 2.5 to 4 m Willowy shrub or small tree, white to cream 'pea' flowers in early summer, sow autumn.                                                                                                                                                                                                       | 15 sds/pkt<br>200 sds/g    | R 11.00<br>/pkt   | R 11.00<br>/100    |                     |
| <b>301</b>                                    | <b>Pavetta gardeniifolia</b> RUBIACEAE 4 m Very attractive large spreading shrub, attractive snow-white flowers, mid-summer, for warm frost-free sites, water freely in summer, sow spring, semi-shade.                                                                                                                                     | 10 sds/pkt                 | R 11.00<br>/pkt   | R 50.80<br>/100    |                     |
| <b>302</b>                                    | <b>Pavetta revoluta</b> RUBIACEAE DUNE BRIDE'S BUSH, DUINEBRUIDSBOS 4 m Robust shrub or small tree, rich green oval leaves, very attractive clusters of white flowers in mid-summer, sow spring or summer, adaptable in cultivation, sun or light shade, also suitable for containers.                                                      | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |
| <b>303</b>                                    | <b>Pavonia praemorsa</b> MALVACEAE 2 - 3 m Attractive shrub, purplish stems, shiny leathery leaves, yellow hibiscus-like flowers in summer, sow spring.                                                                                                                                                                                     | 15 sds/pkt<br>25 sds/g     | R 11.00<br>/pkt   | R 14.30<br>/100    |                     |
| <b>304</b>                                    | <b>Phyllica pubescens</b> RHAMNACEAE FEATHER BUSH, VEERKOPPIE 1 - 1,5 m Attractive evergreen shrub, unusual yellowish-green feathery foliage, white flowers in plumose racemes, in spring, good cut & dried flower, sow autumn.                                                                                                             | 10 sds/pkt<br>50 sds/g     | R 11.00<br>/pkt   | R 19.80<br>/100    | R 168.30<br>/1000   |
| <b>305</b>                                    | <b>Phymaspermum acerosum</b> ASTERACEAE (= Athanasia acerosa) GEELBLOMBOS 1 - 1,5 m Upright straggly shrub, finely divided leaves, large yellow flowerheads (200 - 250 mm diameter), autumn, sow spring or autumn.                                                                                                                          | 25 sds/pkt<br>7140 sds/g   | R 11.00<br>/pkt   |                    | R 39.60<br>/1000    |
| <b>306</b>                                    | <b>Podalyria calyptrata</b> FABACEAE (=P.calyptrata var lanceolata, P.lanceolata, P.myrtillifolia Eckl.&Zeyh., P.styracifolia) SWEETPEA BUSH, KEURTJIE 3 m Evergreen, attractive grey-green foliage, showy lilac-pink sweetpea-like flowers in spring, scented, easy and fast-growing, recommended, sow autumn or spring.                   | 15 sds/pkt<br>35 sds/g     | R 11.00<br>/pkt   | R 14.30<br>/100    |                     |
| <b>307</b>                                    | <b>Podalyria sericea</b> FABACEAE SILKY PODALYRIA 0.5 - 1 m Low rounded evergreen shrub, attractive silver foliage, pink flowers in spring, inflated seed pods, sandy soil, sow autumn.                                                                                                                                                     | 15 sds/pkt<br>40 sds/g     | R 11.00<br>/pkt   | R 14.30<br>/100    |                     |
| <b>308</b>                                    | <b>Polygala myrtifolia</b> POLYGALACEAE SEPTEMBER BUSH, SEPTEMBER-BOSSIE, UCHWASHA, BLOUERTJIEBOOM, BLOUKAPPIES, LANGELEDE 2 - 3 m Attractive evergreen shrub, purple magenta or occasionally white flowers, all year round, sow spring or autumn, easy, adaptable and quick growing.                                                       | 10 sds/pkt<br>80 sds/g     | R 11.00<br>/pkt   |                    |                     |
| <b>309</b>                                    | <b>Polygala virgata</b> POLYGALACEAE PURPLE BROOM, BLOUKAPPIE, ITHETHE 1,5 - 2 m Fast growing shrub, long narrow leaves on slender branches, sprays of dark purple flowers all year but mainly winter-spring-summer, sow spring or autumn.                                                                                                  | 10 sds/pkt<br>105 sds/g    | R 11.00<br>/pkt   |                    |                     |
| <b>310</b>                                    | <b>Psoralea pinnata</b> FABACEAE BLUE SWEETPEA BUSH, FONTEINBOS, BLOUKEUR 4 m Shrub or small willow tree, clusters of fragrant blue pea flowers in spring, moist conditions, sow autumn.                                                                                                                                                    | 15 sds/pkt<br>138 sds/g    | R 11.00<br>/pkt   | R 14.30<br>/100    |                     |
| <b>311</b>                                    | <b>Psychotria capensis</b> RUBIACEAE LEMON-WOOD, LEMOENHOUT 3 m Shrub or small tree, glossy leaves, yellow flowers in winter followed by yellow berries turning red to black when ripe, in decorative clusters, attracts birds, shade, frost-tender, sow spring.                                                                            | 15 sds/pkt<br>30 sds/g     | R 11.00<br>/pkt   | R 14.30<br>/100    |                     |
| <b>312</b>                                    | <b>Rhigozum obovatum</b> BIGNONIACEAE KAROO RHIGOZUM, GEELBERGGRANAAT 2 - 3 m Shrub or small twiggy tree, reduced leaves, showy bright yellow flowers in spring, from arid regions, hardy, sow spring, well-drained soil, drought tolerant.                                                                                                 | 15 sds/pkt<br>85 sds/g     | R 11.00<br>/pkt   | R 16.50<br>/100    |                     |
| <b>Rhus see Searsia</b>                       |                                                                                                                                                                                                                                                                                                                                             |                            |                   |                    |                     |
| <b>313</b>                                    | <b>Salvia africana-lutea</b> LAMIACEAE (= S. aurea) GOLDEN SAGE, BRUINSALIE, GEELBLOM, SANDSALIE, STRANDSALIE 2 m Aromatic much branched shrub, grey leaves, orange-brown flowers in early spring-summer, dry slopes and coastal areas, sow autumn or spring.                                                                               | 10 sds/pkt<br>170 sds/g    | R 11.00<br>/pkt   | R 18.70<br>/100    |                     |

| Ref. no.:                                               | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                                                                                                                                      | seeds/packet<br>seeds/gram    | PRICE<br>/ packet     | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|---------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------------|--------------------|---------------------|
| 314                                                     | <b>Salvia chamelaeagnea</b> LAMIACEAE AFRICAN SAGE, BLUE SAGE, AFRIKAANSE SALIE, BLOUWLOMMETJIESALIE 1 - 2 m Much branched shrub, light green aromatic foliage, spikes of pale blue or white flowers in summer, sow autumn or spring, easy to grow, sunny position.                                                                                                                                                                                           | 10 sds/pkt<br>290 sds/g       | R 11.00<br>/pkt       | R 18.70<br>/100    |                     |
| 315                                                     | <b>Salvia dolomitica</b> LAMIACEAE DOLOMITE SAGE 1- 1,5 m Spreading shrub, grey foliage, attractive pale lilac flowers, sow spring or autumn.                                                                                                                                                                                                                                                                                                                 | 10 sds/pkt<br>280 sds/g       | R 11.00<br>/pkt       | R 18.70<br>/100    |                     |
| 316                                                     | <b>Salvia lanceolata</b> LAMIACEAE (= S. hastifolia, S. nivea) LANCE-LEAF SAGE, 750 mm Upright shrub, aromatic grey foliage, yellow to burnt red flowers, attractive fruits, sunny situation, sow spring or autumn.                                                                                                                                                                                                                                           | 10 sds/pkt                    | R 11.00<br>/pkt       | R 18.70<br>/100    |                     |
| 317                                                     | <b>Salvia repens</b> LAMIACEAE CREEPING SAGE, KRUIPSALIE, USIKIKI to 700 mm Shrubby perennial with creeping woody rhizome, blue to white flowers in summer, sow autumn or spring.                                                                                                                                                                                                                                                                             | 15 sds/pkt<br>585 sds/g       | R 11.00<br>/pkt       | R 18.70<br>/100    |                     |
| 318                                                     | <b>Searsia batophylla</b> (= <b>Rhus batophylla</b> ) ANACARDIACEAE REDBERRY RHUS, GREY RHUS 1,5 - 3 m Shrub, branching freely from the base, attractive strongly toothed trifoliate grey leaves, decorative dark red fruits in long spikes, summer, drought-tolerant, summer-growing, sunny position, sow spring.                                                                                                                                            | 15 sds/pkt<br>69 sds/g        | R 11.00<br>/pkt       |                    |                     |
| 319                                                     | <b>Searsia crenata</b> (= <b>Rhus crenata</b> ) ANACARDIACEAE DUNE CROWBERRY, DUINE-KRAABESSIE 3 m Compact branched shrub, evergreen, white flowers in autumn, decorative berries, highly wind-resistant, suitable for coastal gardens, recommended, sow spring.                                                                                                                                                                                              | 15 sds/pkt<br>95 sds/g        | R 11.00<br>/pkt       | R 11.00<br>/100    |                     |
| 320                                                     | <b>Searsia lucida</b> (= <b>Rhus lucida</b> ) ANACARDIACEAE GLOSSY TAAIBOS, BLINKTAAIBOS 3 - 4 m Shrub or small tree, dark green glossy leaves, creamy-white flowers in heads in spring, shiny brown fruit, sow autumn or spring, suitable for coastal gardens.                                                                                                                                                                                               | 15 sds/pkt<br>120 sds/g       | R 11.00<br>/pkt       | R 11.00<br>/100    | R 93.50<br>/1000    |
| 321                                                     | <b>Searsia tomentosa</b> (= <b>Rhus tomentosa</b> ) ANACARDIACEAE FURRY RHUS, KORENTEBOS 2 - 5 m Shrub or small tree, tri-foliolate leaves with hairy undersurface, small furry flowers in conspicuous heads in winter, greyish furry berries, sow spring.                                                                                                                                                                                                    | 20 sds/pkt<br>92 sds/g        | R 11.00<br>/pkt       | R 11.00<br>/100    | R 93.50<br>/1000    |
| 322                                                     | <b>Smelophyllum capense</b> SAPINDACEAE BEND-ME-NOT, BUIG-MY-NIE 3-4 m Shrub or tree, brittle branches, compound leaves, greenish flowers in mid-summer, 2-lobed fleshy fruit, coastal forest, sow spring or autumn.                                                                                                                                                                                                                                          | 10 sds/pkt                    | R 11.00<br>/pkt       |                    |                     |
| 323                                                     | <b>Sparrmannia africana</b> TILIACEAE CAPE STOCK-ROSE, KAAPSE STOKROOS 4-6 m Large spreading shrub or small tree, evergreen, decorative large hairy leaves, showy white flowers in spring, sow spring, grow in full sun or semi-shade, fast growing, keep well watered.                                                                                                                                                                                       | 10 sds/pkt<br>140 sds/g       | R 11.00<br>/pkt       |                    |                     |
| <b>FOR SALE ONLY, BACK ORDERS TAKEN, STOCKS LIMITED</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                               |                       |                    |                     |
| B4                                                      | <b>Strelitzia juncea</b> STRELITZIACEAE (= S. reginae var. juncea) RUSH LEAVED STRELITZIA, RIET-STRELITZIA 1,5 m Similar to Strelitzia reginae with same blue & orange flowers during winter-spring, but has partly cylindrical spear-like leaves, very decorative, good form plant, sow spring-summer, well-drained, rich soil in full sun.                                                                                                                  | SOLD PER<br>SEED<br>3.7 sds/g | R 4.62<br>PER<br>SEED | R415.80<br>/100    |                     |
| 324                                                     | <b>Strelitzia reginae</b> STRELITZIACEAE STRELITZIA, BIRD-OF-PARADISE FLOWER, CRANE FLOWER, KRAANVOELBLOM, VOELS 1 - 3 m Evergreen, clump forming, slow growing, grey-green banana-like leaves, large orange & blue flowers in winter-spring, sow spring-summer, wind tolerant, rich soil, water regularly, sun or semi-shade, a striking feature plant, excellent cut flower. <b>STOCKS LIMITED</b>                                                          | 10 sds/pkt<br>4 sds/g         | R 11.00<br>/pkt       | R 49.50<br>/100    |                     |
| <b>FOR SALE ONLY, BACK ORDERS TAKEN, STOCKS LIMITED</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                               |                       |                    |                     |
| B5                                                      | <b>Strelitzia reginae</b> 'Mandela's Gold' STRELITZIACEAE (= Strelitzia reginae 'Kirstenbosch Gold') MANDELA'S GOLD STRELITZIA, YELLOW BIRD-OF-PARADISE, GEELKRAANVOELBLOM, GEELPIESANG 1 - 3 m Evergreen, clump forming, large grey-green banana-like leaves, flowers striking yellow & deep purple, during winter-spring, plant against N or W facing wall in frosty areas, rich well-drained soil in full sun, suitable as a pot plant, sow spring-summer. | SOLD PER<br>SEED<br>6 sds/g   | R 5.94<br>PER<br>SEED | R534.60<br>/100    | R 4 811<br>/1000    |
| 325                                                     | <b>Strophanthus speciosus</b> APOCYNACEAE COMMON POISON ROPE, GEWONE GIFTOU 1 - 2 m Rambling evergreen shrub or climber, curious yellow and red flowers in summer, poisonous, tender, sow spring.                                                                                                                                                                                                                                                             | 15 sds/pkt<br>55 sds/g        | R 11.00<br>/pkt       |                    |                     |
| 292                                                     | <b>Sutherlandia frutescens</b> - see <i>Lessertia frutescens</i>                                                                                                                                                                                                                                                                                                                                                                                              |                               |                       |                    |                     |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                                                           | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 326       | <b>Tarchonanthus camphoratus</b> ASTERACEAE CAMPHOR BUSH, KANFERBOS 3 - 5 m Large dense bushy shrub or small tree, evergreen, leaves leathery grey-green to greyish-white, camphor-scented, thistle-form creamy white flowers in autumn, white woolly seeds on bush almost all year, fast growing, hardy, drought tolerant, sow spring.                                            | 20 sds/pkt<br>380 sds/g    | R 11.00<br>/pkt   | R 11.00<br>/100    | R 93.50<br>/1000    |
| 327       | <b>Tephrosia grandiflora</b> FABACEAE PINK PEA BUSH, ROOI-ERTJIE 1 m Small evergreen shrub, bright cerise pink pea flowers in summer, sow spring.                                                                                                                                                                                                                                  | 15 sds/pkt<br>80 sds/g     | R 11.00<br>/pkt   | R 14.30<br>/100    |                     |
| 328       | <b>Turraea obtusifolia</b> MELIACEAE KLEINKAMPERFOELIE-BOOM 1 - 2,5 m Semi-evergreen shrub, glossy foliage, very showy, unscented white star-like flowers, in summer, red seeds remain on bush, suitable for containers, frost-tender, recommended, sow in spring.                                                                                                                 | 15 sds/pkt<br>25 sds/g     | R 11.00<br>/pkt   | R 14.30<br>/100    |                     |
| 329       | <b>Vernonia mespilifolia</b> ASTERACEAE SWARTTEEBOSSIE 750 mm Scrambling shrub, large heads of sweetly scented mauve to white flowers, sow spring.                                                                                                                                                                                                                                 | 15 sds/pkt<br>1115 sds/g   | R 11.00<br>/pkt   | R 11.00<br>/100    | R 93.50<br>/1000    |
| 330       | <b>Withania somnifera</b> SOLANACEAE POISONOUS GOOSEBERRY, GENEESBLAARBOSSE, BITTERAPPELLIEFIE, UBUVUMA 1.2 m Upright, bushy, perennial shrub, densely velvety stems and leaves, leaves foetidly scented, small white or yellowish flowers in clusters, small orange-red berries in a papery capsule, juicy but bitter, not eaten, plant used in traditional medicine, sow spring. | 10 sds/pkt                 | R 11.00<br>/pkt   |                    |                     |

Looking for pictures?

More information?

How to grow South African plants?

You'll find it on our website: [PlantZAfrica.com](http://pza.sanbi.org/)

go to <http://pza.sanbi.org/>

click on Plants of the Week or search the site.



| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|----------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
|-----------|----------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|

## Succulents & Xerophytic Plants:

|                                              |                                                                                                                                                                                                                                                                                                                                                    |                           |                 |                 |                   |
|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------|-----------------|-------------------|
| <b>FOR SALE ONLY, KEEP SEED REFRIGERATED</b> |                                                                                                                                                                                                                                                                                                                                                    |                           |                 |                 |                   |
| <b>P26</b>                                   | <b>Aloe arborescens</b> ASPHODELACEAE KRANTZ ALOE, KRANSALWYN, IKALENE (X), 1-3m Large many branched shrub, leaves in apical rosettes, many orange-red conical flower spikes in autumn-winter, sow spring, recommended ornamental plant. / CITES Appendix II                                                                                       | 10 sds/pkt<br>840 sds/g   | R 11.00<br>/pkt | R 25.30<br>/100 |                   |
| <b>FOR SALE ONLY, KEEP SEED REFRIGERATED</b> |                                                                                                                                                                                                                                                                                                                                                    |                           |                 |                 |                   |
| <b>P27</b>                                   | <b>Aloe ferox</b> ASPHODELACEAE BITTER ALOE, BITTERAALWYN, UMHLABA (X,Z,S), TAPAALWYN 2 m Robust, single-stemmed plant, broad dull to greyish green spined leaves, turn reddish when under drought stress, branched inflorescence of 5-12 bright red racemes, in winter, good accent plant, sow spring. / CITES Appendix II                        | 15 sds/pkt<br>430 sds/g   | R 11.00<br>/pkt | R 18.15<br>/100 |                   |
| <b>FOR SALE ONLY, KEEP SEED REFRIGERATED</b> |                                                                                                                                                                                                                                                                                                                                                    |                           |                 |                 |                   |
| <b>P28</b>                                   | <b>Aloe pluridens</b> ASPHODELACEAE FRENCH ALOE, FRANSALWYN 2 - 5 m Single stemmed or branched, gracefully recurved leaves in large rosettes, bright green with numerous small white teeth, branched inflorescence, long conical racemes of orange or pinkish-red flowers, in winter, sow spring, attractive, frost sensitive. / CITES Appendix II | 15 sds/pkt<br>450 sds/g   | R 11.00<br>/pkt | R 25.30<br>/100 |                   |
| <b>331</b>                                   | <b>Argyroderma congregatum</b> MESEMBRYANTHEMACEAE Stemless, dwarf, clump-forming succulent, greyish-green leaves, yellow flowers.                                                                                                                                                                                                                 | 20 sds/pkt<br>11000 sds/g | R 11.00<br>/pkt |                 |                   |
| <b>332</b>                                   | <b>Argyroderma delatetii</b> MESEMBRYANTHEMACEAE Single pair of flat leaves, yellow or magenta flowers, keep dry in summer.                                                                                                                                                                                                                        | 20 sds/pkt                | R 11.00<br>/pkt | R 22.00<br>/100 |                   |
| <b>333</b>                                   | <b>Argyroderma mixed species</b> MESEMBRYANTHEMACEAE Dwarf plant, clump-forming, flower red, yellow, purple or pink, sow autumn, keep dry in summer.                                                                                                                                                                                               | 15 sds/pkt                | R 11.00<br>/pkt | R 22.00<br>/100 |                   |
| <b>334</b>                                   | <b>Argyroderma ringens</b> MESEMBRYANTHEMACEAE Dwarf clump forming succulent, grey-green rounded leaves, like a pebble, flowers yellow, autumn, best in containers in a green-house, keep dry in summer.                                                                                                                                           | 25 sds/pkt                | R 11.00<br>/pkt |                 |                   |
| <b>335</b>                                   | <b>Bulbine latifolia</b> ASPHODELACEAE (= B. natalensis) BULBINE, ROOIWORTEL, WATERGLAS, INCELWANE (X) 400 mm Rosette of succulent leaves, evergreen, yellow flower spikes during spring, recommended for rockery, sow spring.                                                                                                                     | 75 sds/pkt<br>1840 sds/g  | R 11.00<br>/pkt | R 14.30<br>/100 | R 121.50<br>/1000 |
| <b>336</b>                                   | <b>Cheiridopsis denticulata</b> MESEMBRYANTHEMACEAE Stemless dwarf plant, grey leaves, flowers pale straw-yellow, best in containers or dry winter rainfall rockeries, sow autumn.                                                                                                                                                                 | 35 sds/pkt<br>8800 sds/g  | R 11.00<br>/pkt |                 |                   |
| <b>337</b>                                   | <b>Cheiridopsis excavata</b> MESEMBRYANTHEMACEAE Dwarf clump forming succulent, oblong leaves, flowers yellow, early spring, best cultivated in containers, preferably in a green-house, sow autumn, keep dry in summer.                                                                                                                           | 35 sds/pkt                | R 11.00<br>/pkt | R 11.00<br>/100 |                   |
| <b>338</b>                                   | <b>Cheiridopsis mixed species</b> MESEMBRYANTHEMACEAE Dwarf cluster forming perennial succulents, grey leaves, showy flowers, best in containers in a greenhouse, sow autumn, keep dry in summer.                                                                                                                                                  | 25 sds/pkt                | R 11.00<br>/pkt | R 11.00<br>/100 |                   |
| <b>339</b>                                   | <b>Cheiridopsis robusta</b> MESEMBRYANTHEMACEAE Stemless leaf succulent with bluish-green leaves, yellow flowers in spring, sow autumn.                                                                                                                                                                                                            | 20 sds/pkt<br>8500 sds/g  | R 11.00<br>/pkt |                 |                   |
| <b>340</b>                                   | <b>Cheiridopsis schlechteri</b> MESEMBRYANTHEMACEAE Dwarf cluster forming vygie, yellow flowers in winter, sow autumn.                                                                                                                                                                                                                             | 20 sds/pkt<br>sds/g       | R 11.00<br>/pkt |                 |                   |
| <b>341</b>                                   | <b>Cotyledon orbiculata</b> CRASSULACEAE PLAKKIE, PIG'S EARS, VARKORE, IMPHEWULA, KOUTERIE, KOOLTIE, IPEWULA 1 m Variable in leaf and flower colour but leaves mostly grey & waxy, flowers shades of green and red, hardy, suitable for rockeries or containers, sow spring or summer.                                                             | 75 sds/pkt<br>31000 sds/g | R 11.00<br>/pkt |                 | R 19.80<br>/1000  |
| <b>342</b>                                   | <b>Crassula arborescens</b> CRASSULACEAE JADE PLANT, BEESTEBALBOS 1 - 2 m Shrubby perennial, fleshy stems and leaves, cream-white flowers in spring-summer, suitable for containers or well-drained gardens, sun or semi-shade, sow autumn.                                                                                                        | 50 sds/pkt                | R 11.00<br>/pkt |                 | R 22.00<br>/1000  |
| <b>343</b>                                   | <b>Crassula coccinea</b> CRASSULACEAE RED CRASSULA, KLIPBLOM, SUIKERBLOM 300 - 600 mm Robust perennial, bright green leaves, showy rounded heads of scarlet flowers in summer, sow autumn, winter growing, suitable for pot culture, the rockery or fynbos gardens, attractive.                                                                    | 50 sds/pkt<br>8542 sds/g  | R 11.00<br>/pkt |                 |                   |
| <b>344</b>                                   | <b>Crassula dejecta</b> CRASSULACEAE (= C. albiflora, C. undulata) 400 - 600 mm Densely branched leafy shrub, sprawling habit, evergreen, white flowers, in summer, sow spring or summer, good groundcover.                                                                                                                                        | 50 sds/pkt<br>21400 sds/g | R 11.00<br>/pkt |                 | R 19.80<br>/1000  |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                      | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 345       | <b>Crassula multicava</b> CRASSULACEAE FAIRY CRASSULA, PITTED CRASSULA, SKADUPLAKKIE, UMADINSANE 200 mm Mat-forming evergreen perennial, decorative rounded leaves, heads of dainty pink flowers form a misty pink mass in winter-spring, sow spring-summer, easy, low maintenance, sun or light to deep shade, good groundcover under trees. | 125 sds/pkt<br>55190 sds/g | R 11.00<br>/pkt   |                    | R 14.30<br>/1000    |
| 346       | <b>Crassula multiflora</b> CRASSULACEAE 800 mm Shrubby, flat oblong leaves, cream flowers in summer, sow spring or summer.                                                                                                                                                                                                                    | 75 sds/pkt<br>65700 sds/g  | R 11.00<br>/pkt   |                    | R 14.30<br>/1000    |

**ATTENTION overseas buyers & members - when importing seed of SA plants please:  
OBEY THE LAW - find out about the plant import regulations for your country.  
DON'T IMPORT WEEDS - find out which species are weeds in your area.**

|     |                                                                                                                                                                                                                                                                                                                                                                     |                           |                 |                 |                  |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------|-----------------|------------------|
| 347 | <b>Crassula ovata</b> CRASSULACEAE JADE PLANT, KARKAY, PLAKKIES, T'KARKAI, UMXHALAGUBE 1,8 m Large rounded well-branched evergreen shrub, glossy dark green oval succulent leaves, star-shaped pale pink flowers in rounded heads cover the shrub in winter-spring, full sun, wind tolerant, suitable for coastal gardens, sow spring-summer or autumn.             | 50 sds/pkt<br>40090 sds/g | R 11.00<br>/pkt |                 | R 16.50<br>/1000 |
| 348 | <b>Crassula perfoliata var. minor</b> CRASSULACEAE (= C. perfoliata var. falcata, C. falcata) RED CRASSULA, HEUNINGBOSSIE, SICKLE CRASSULA 300 - 500 mm Erect large-leaved perennial, silver-grey leaves, showy bright red flowers in late summer, sow spring-summer, summer growing, suitable for containers, rockeries or well-drained sunny gardens, attractive. | 50 sds/pkt<br>73300 sds/g | R 11.00<br>/pkt |                 | R 22.00<br>/1000 |
| 349 | <b>Crassula rubicaulis</b> CRASSULACEAE 500 mm Upright, branched perennial shrublet, white flowers, suitable for rockeries, sow spring.                                                                                                                                                                                                                             | 50 sds/pkt<br>sds/g       | R 11.00<br>/pkt |                 | R 19.80<br>/1000 |
| 350 | <b>Crassula tetragona ssp. robusta</b> CRASSULACEAE 400 - 500 m Small shrubby succulent, linear opposite leaves, flowers greenish yellow or white, for outdoor rockeries, sow spring or summer.                                                                                                                                                                     | 75 sds/pkt<br>57000 sds/g | R 11.00<br>/pkt |                 | R 18.15<br>/1000 |
| 351 | <b>Cyphostemma juttiae</b> VITACEAE (= Cissus juttiae) TREE GRAPE, BOTTERBOOM 1,5 m Deciduous succulent shrub, huge swollen trunk with yellow-green papery bark, succulent blue-grey leaves, red-purple berries in grape-like bunches in summer, good accent plant, rockeries or pots, well-drained position essential, sow spring-summer.                          | 5 sds/pkt<br>13 sds/g     | R 11.00<br>/pkt |                 |                  |
| 352 | <b>Cyphostemma simulans</b> VITACEAE (=Cissus simulans) Tall climber, red fruit, small cream flowers.                                                                                                                                                                                                                                                               | 5 sds/pkt<br>8,7 sds/g    | R 11.00<br>/pkt |                 |                  |
| 353 | <b>Delosperma lydenburgense</b> MESEMBRYANTHEMACEAE 200 mm Laxly branched groundcover, linear leaves, purple vygie flowers in summer, sow in spring, sunny areas.                                                                                                                                                                                                   | 20 sds/pkt<br>7895 sds/g  | R 11.00<br>/pkt |                 | R 18.15<br>/1000 |
| 354 | <b>Dorotheanthus bellidiformis</b> MESEMBRYANTHEMACEAE BOKBAAIVYGIE, LIVINGSTONE DAISY, SANDVYGIE, SKILPADKOS, YSPANT 25 - 100 mm Small annual, brilliant flowers, mainly pink or mauve but also yellow & white, in spring, full sun, sow in autumn.                                                                                                                | 300 sds/pkt<br>3175 sds/g | R 11.00<br>/pkt |                 | R 11.00<br>/1000 |
| 355 | <b>Drosanthemum bellum</b> MESEMBRYANTHEMACEAE 200 mm Cushion plant, pink & white vygie flowers in spring, sunny rockeries, sow autumn.                                                                                                                                                                                                                             | 30 sds/pkt<br>9500 sds/g  | R 11.00<br>/pkt |                 | R 18.15<br>/1000 |
| 356 | <b>Drosanthemum floribundum</b> MESEMBRYANTHEMACEAE 50 mm Low growing, spreading cushion forming shrublet, floriferous, pale or deep pink flowers in spring, sow autumn or early spring                                                                                                                                                                             | 35 sds/pkt<br>14700 sds/g | R 11.00<br>/pkt |                 | R 16.50<br>/1000 |
| 357 | <b>Drosanthemum micans</b> MESEMBRYANTHEMACEAE 800 mm Freely branched shrub, crystalline leaves, yellow and purple vygie flowers, in spring, sunny rockeries, sow autumn or early spring.                                                                                                                                                                           | 25 sds/pkt<br>9087 sds/g  | R 11.00<br>/pkt |                 |                  |
| 358 | <b>Drosanthemum speciosum</b> MESEMBRYANTHEMACEAE BERGVYGIE 600 mm Upright, rounded bushy shrublet, showy yellow, red or orange vygie flowers in spring, sunny rockeries, sow autumn or early spring.                                                                                                                                                               | 35 sds/pkt<br>10872 sds/g | R 11.00<br>/pkt |                 |                  |
| 359 | <b>Drosanthemum striatum</b> MESEMBRYANTHEMACEAE PORSELEINBOS, VLEISBOS, BERGVYGIE 300 mm Rounded shrub, covered with pink-mauve vygie flowers during spring, sunny rockeries, sow autumn or spring.                                                                                                                                                                | 35 sds/pkt<br>3445 sds/g  | R 11.00<br>/pkt |                 |                  |
| 360 | <b>Faucaria mixed species &amp; hybrids</b> MESEMBRYANTHEMACEAE Dwarf clump forming vygies, sow in summer, best in containers.                                                                                                                                                                                                                                      | 10 sds/pkt                | R 11.00<br>/pkt | R 22.00<br>/100 |                  |
| 361 | <b>Gasteria acinacifolia</b> ASPHODELACEAE COAST GASTERIA, KUS-BEESTONG 750 mm x 650 mm Large rosette of narrow spotted leaves, tall flat-topped spike of large pink flowers in summer, sow spring, shade or sun, well suited to coastal gardens, sow in summer.                                                                                                    | 10 sds/pkt<br>920 sds/g   | R 11.00<br>/pkt | R 22.00<br>/100 |                  |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                            | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 362       | <b>Gasteria baylissiana</b> ASPHODELACEAE Dwarf compact succulent, leaves dense tuberlate, flowers orange-red, in winter-summer, attractive, suitable for containers, partial shade, rare, sow spring.                                                                              | 10 sds/pkt<br>1145 sds/g   | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| 363       | <b>Gasteria bicolor</b> ASPHODELACEAE Rosette of opposite leaves on short stem, pink pendulous flowers in winter-spring, suitable for containers or rockeries, sow spring.                                                                                                          | 10 sds/pkt<br>880 sds/g    | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| 364       | <b>Gasteria brachyphylla</b> ASPHODELACEAE Clump forming succulent, attractive mottled leaves, inflorescence branched, flowers pendulous & swollen at base, red-pink, spring, suitable for containers in shady areas, sow spring, summer or autumn.                                 | 10 sds/pkt<br>1200 sds/g   | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| 365       | <b>Gasteria disticha</b> ASPHODELACEAE 200 - 250 mm Stemless, thick warty leaves, red flowers in winter-summer, sow spring-summer.                                                                                                                                                  | 10 sds/pkt<br>1190 sds/g   | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| 366       | <b>Gasteria excelsa</b> ASPHODELACEAE BOSAAWYN, IMPUNDU (Z) 100 - 150 mm Aloe-like rosette-forming succulent, flowers in summer, prefers light shade, for rockeries & large containers, sow spring or summer.                                                                       | 10 sds/pkt<br>1300 sds/g   | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| 367       | <b>Gasteria glomerata</b> ASPHODELACEAE KOUGA GASTERIA, KOUGA-BEESTONG 14-40 x 50 mm Attractive dwarf species, forms dense clusters, leaves glaucous, flowers bright red-pink in spring, shade, sow spring or summer, rare endemic, sow spring or summer, slow growing, long lived. | 10 sds/pkt<br>1200 sds/g   | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| 368       | <b>Gasteria mixed species</b> ASPHODELACEAE GASTERIA, BEESTONG Dwarf succulents, prefer light shade, suitable for containers and rockeries, sow spring or summer..                                                                                                                  | 10 sds/pkt                 | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| 369       | <b>Gasteria nitida var. nitida</b> ASPHODELACEAE RICE PLANT, HOTTENTOTSRY, Dwarf clump forming succulent, attractive tuberculate leaves in a small rosette, flowers red-pink, summer, containers in shade, sow spring or summer, flower buds edible.                                | 10 sds/pkt                 | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| 370       | <b>Gasteria vlokii</b> ASPHODELACEAE SWARTBERG GASTERIA, SWARTBERG-BEESTONG to 600 mm Dwarf stemless succulent, solitary, occasionally clump forming, attractive mottled leaves in a rosette, flowers red-pink, summer, for containers, fynbos gardens, in shady areas, sow autumn. | 10 sds/pkt<br>1150 sds/g   | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| 371       | <b>Kalanchoe sexangularis</b> CRASSULACEAE SIX-ANGLE-STEM KALANCHOE Robust perennial, leaves broadly ovate, folded lengthwise, toothed, green to ruby red, panicle of yellow flowers in mid winter-early summer, sun or semi-shade, sow spring or summer.                           | 50 sds/pkt                 | R 11.00<br>/pkt   |                    | R 18.15<br>/1000    |
| 372       | <b>Lampranthus mixed species &amp; Drosanthemum mixed species</b> MESEMBRYANTHEACEAE PERENNIAL VYGIES MIXED COLOURS 300 - 600 mm Free flowering perennial vygies, flowers purple, mauve, pink, white, yellow or red, in spring flowering, sow autumn or summer.                     | 200 sds/pkt<br>3245 sds/g  | R 11.00<br>/pkt   |                    | R 18.15<br>/1000    |
| 373       | <b>Lampranthus multiradiatus</b> MESEMBRYANTHEACEAE 300 mm Low-growing shrublet, free-flowering, shades of mauve, pink and white, in spring, recommended, sow autumn or summer.                                                                                                     | 35 sds/pkt<br>3170 sds/g   | R 11.00<br>/pkt   |                    | R 18.15<br>/1000    |
| 374       | <b>Lampranthus roseus</b> MESEMBRYANTHEACEAE 300 mm Spreading branched floriferous shrub, flowers purple or pink, in early summer, for dry, well-drained rockeries, sow autumn.                                                                                                     | 35 sds/pkt<br>3125 sds/g   | R 11.00<br>/pkt   |                    | R 18.15<br>/1000    |
| 375       | <b>Pleiospilos compactus</b> MESEMBRYANTHEACEAE STONE PLANT Very fat leaves resemble weathered stones, shelter from cold and wet.                                                                                                                                                   | 15 sds/pkt<br>sds/g        | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| 376       | <b>Ruschia maxima</b> MESEMBRYANTHEACEAE 300 - 500 mm Succulent shrub, pink vygie flowers in winter, suitable for rockeries.                                                                                                                                                        | 25 sds/pkt<br>3535 sds/g   | R 11.00<br>/pkt   |                    | R 16.50<br>/1000    |
| 377       | <b>Ruschia multiflora</b> MESEMBRYANTHEACEAE 1 m Shrub, numerous white vygie flowers in summer, suitable for coastal gardens.                                                                                                                                                       | 25 sds/pkt<br>1308 sds/g   | R 11.00<br>/pkt   |                    | R 16.50<br>/1000    |
| 378       | <b>Ruschia strubeniae</b> MESEMBRYANTHEACEAE Shrub, leaves boat-shaped, purplish pink vygie flowers in early summer, rockery subject.                                                                                                                                               | 25 sds/pkt<br>3398 sds/g   | R 11.00<br>/pkt   |                    | R 16.50<br>/1000    |
| 379       | <b>Stoeberia littlewoodii</b> MESEMBRYANTHEACEAE 60 mm Succulent, small lilac vygie flowers in spring.                                                                                                                                                                              | 45 sds/pkt<br>1547 sds/g   | R 11.00<br>/pkt   |                    | R 16.50<br>/1000    |
| 380       | <b>Tylecodon paniculatus</b> CRASSULACEAE BUTTER BUSH, BOTTERBOS 0,3 - 2 m Fleshy stemmed shrub, thick very soft trunk, papery yellowish bark, grey-green leaves, red & green flowers, summer, full sun, dry slope.                                                                 | 25 sds/pkt<br>sds/g        | R 11.00<br>/pkt   | R 14.30<br>/100    |                     |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|----------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
|-----------|----------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|

## Trees:

|     |                                                                                                                                                                                                                                                                                                                                                                     |                           |                 |                 |                   |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------|-----------------|-------------------|
| 421 | <b>Acacia ataxacantha</b> see <b>Senegalia ataxacantha</b>                                                                                                                                                                                                                                                                                                          |                           |                 |                 |                   |
| 426 | <b>Acacia borlea</b> see <b>Vachellia borlea</b>                                                                                                                                                                                                                                                                                                                    |                           |                 |                 |                   |
| 427 | <b>Acacia sieberiana</b> see <b>Vachellia sieberiana</b>                                                                                                                                                                                                                                                                                                            |                           |                 |                 |                   |
| 381 | <b>Afrocarpus falcatus</b> (= <b>Podocarpus falcatus</b> ) <b>PODOCARPACEAE</b><br>OUTENIKUA YELLOWWOOD, OUTENIEKWAGEELHOUT 12 - 30 m Large evergreen tree, leaves small narrow dark green, rounded fleshy yellow fruits, relatively hardy, valuable timber, sow spring.                                                                                            | 5 sds/pkt<br>1.3 sds/g    | R 11.00<br>/pkt | R 33.00<br>/100 |                   |
| 382 | <b>Alberta magna</b> <b>RUBIACEAE</b> NATAL FLAME BUSH, BREEKHOUT 5 - 13 m Medium sized tree, glossy dark green leaves, brilliant crimson red flowers in summer, winged fruit brilliant red to scarlet, late summer-winter, slow growing, spectacular garden plant though better for coastal gardens, sow spring/summer, semi-shade.                                | 10 sds/pkt<br>44 sds/g    | R 11.00<br>/pkt | R 27.50<br>/100 |                   |
| 383 | <b>Allophylus dregeanus</b> <b>SAPINDACEAE</b> SIMPLE-LEAVED ALLOPHYLUS, BOSBASTERTAIBOS 7 m Small tree, bright green leaves, red-orange berries in winter attract birds, sow in spring.                                                                                                                                                                            | 10 sds/pkt<br>7 sds/g     | R 11.00<br>/pkt | R 11.00<br>/100 |                   |
| 384 | <b>Allophylus natalensis</b> <b>SAPINDACEAE</b> DUNE ALLOPHYLUS, DUINEBASTERTAIBOS 2 - 5 m Shrub or small tree, evergreen, bark grey, leaves tri-foliolate, small yellow flowers in autumn, decorative bright red berries in winter, sow in spring                                                                                                                  | 15 sds/pkt<br>25 sds/g    | R 11.00<br>/pkt | R 11.00<br>/100 |                   |
| 385 | <b>Apodytes dimidiata ssp. dimidiata</b> <b>ICACINACEAE</b> WHITE PEAR, BIRD'S EYE, WITPEER 3 - 15 m Dense evergreen forest tree, leathery glossy dark green leaves, showy sprays of white flowers in summer, decorative black & red berries attract birds, sow spring, slow to germinate, moderate growth rate.                                                    | 10 sds/pkt<br>7 sds/g     | R 11.00<br>/pkt |                 |                   |
| 386 | <b>Atalaya alata</b> <b>SAPINDACEAE</b> LEBOMBO WING-NUT, LEBOMBOKRANSESSEBOOM 5-10 m Small to medium deciduous tree, pale grey warty bark, leaves compound dark green, attractive small white flowers in terminal heads in early summer, fruit a winged nut in late summer, sow spring.                                                                            | 10 sds/pkt<br>8 sds/g     | R 11.00<br>/pkt | R 33.00<br>/100 |                   |
| 387 | <b>Bersama lucens</b> <b>MELIANTHACEAE</b> GLOSSY WHITE ASH, BLINKBLAARWITTESSENHOUT 3 - 10 m Small to medium sized tree, leathery shiny green compound leaves, flowers white-cream in conspicuous racemes, winter-spring, used in traditional medicine, parts of tree regarded as poisonous, sow spring/summer.                                                    | 10 sds/pkt<br>6 sds/g     | R 11.00<br>/pkt | R 33.00<br>/100 |                   |
| 388 | <b>Brachylaena elliptica</b> <b>ASTERACEAE</b> BITTER-LEAF, BITTERBLAAR, FIRE-STICKS, SUURBOS 3 - 4 m Small evergreen tree or large shrub, rough bark young stems grooved, leaves dark green above white felted hairs below, cream thistle-like flowers in dense sprays, in winter-spring, suitable for coastal gardens, sow spring.                                | 50 sds/pkt<br>1220 sds/g  | R 11.00<br>/pkt |                 | R 35.20<br>/1000  |
| 389 | <b>Brachylaena neriifolia</b> <b>ASTERACEAE</b> WATER WHITE ALDER, WATERWITELS, KLOOF BRACHYLAENA 2 - 6 m Tree or medium shrub, grows well in waterside & mist environments, leathery lanceolate leaves resembling those of the oleander, whitish thistle-like flowers in dense pyramidal heads, summer, fruit a small nutlet, sow autumn or spring.                | 50 sds/pkt<br>14280 sds/g | R 11.00<br>/pkt |                 | R 35.20<br>/1000  |
| 390 | <b>Brachylaena rotundata</b> <b>ASTERACEAE</b> MOUNTAIN SILVER OAK, BERGVAALBOS, BERGVAALBOOM, TRANSVAAL SILVER TREE, 3 - 8 m Graceful tree, dense silver foliage, serrated grey leaves, dark blackish bark, small yellow tistle-like flowers massed in sprays at branch ends, in spring, sow spring or summer.                                                     | 50 sds/pkt<br>1750 sds/g  | R 11.00<br>/pkt |                 | R 35.20<br>/1000  |
| 391 | <b>Calodendrum capense</b> <b>RUTACEAE</b> CAPE CHESTNUT, WILDEKASTAING, UMBHABA 7-20 m Spreading crown, smooth grey bark, leaves large shiny dark green, scented pink flowers in large terminal sprays in early summer, sow spring/summer, very decorative.                                                                                                        | 3 sds/pkt<br>1 sds/g      | R 11.00<br>/pkt | R 49.50<br>/100 |                   |
| 392 | <b>Calpurnia aurea ssp. aurea</b> <b>FABACEAE</b> WILD LABURNUM, NATALSE GEELKEUR 2 - 4 m Evergreen small bushy tree, showy hanging sprays of yellow 'pea' flowers in summer, sow spring/summer.                                                                                                                                                                    | 10 sds/pkt<br>45 sds/g    | R 11.00<br>/pkt | R 23.10<br>/100 | R 196.35<br>/1000 |
| 393 | <b>Canthium inerme</b> <b>RUBIACEAE</b> (= <b>Canthium ventosum</b> , <b>Lycium inerme</b> ) TURKEY BERRY, BOKDROL, UMYNUSHULUBE 3 - 10 m Small evergreen tree, flat or rounded spreading crown, or a shrub, pale grey bark, armed with short stout sharp spines, small green flowers, early summer, purple to black oval fruit, late summer, sow spring or summer. | 10 sds/pkt<br>9 sds/g     | R 11.00<br>/pkt | R 11.00<br>/100 | R 93.50<br>/1000  |

| Ref. no.:                                    | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                                                                       | seeds/packet<br>seeds/gram             | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|-------------------|--------------------|---------------------|
| 394                                          | <b>Combretum kraussii</b> COMBRETACEAE FOREST BUSHWILLOW, BOSVADERLANDSWILG 8 - 12 m Shrub or small to medium sized tree, leaves turn red in autumn & fall in winter, fruit 4-winged russet-red to mid-brown in late summer, quick-growing, attractive garden subject, sow spring or summer.                                                                                                   | 7 sds/pkt<br>12 sds/g                  | R 11.00<br>/pkt   | R 19.80<br>/100    |                     |
| 395                                          | <b>Combretum vendae</b> COMBRETACEAE VENDA BUSHWILLOW, VENDA BOSWILG 1,5 - 3 m Small tree or shrub, leaves with conspicuous raised veins & white bloom on undersurface, cream-yellow flowers in spring-summer, pinkish to wine red fruits in autumn-early winter, sow spring, drought tolerant, mildly frost hardy.                                                                            | 5 sds/pkt                              | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| 396                                          | <b>Croton sylvaticus</b> EUPHORBIACEAE FOREST FEVER-BERRY, BOSKOORSBESSIE 7 - 13 m Evergreen, dense spreading rounded crown, spikes of cream flowers in summer, conspicuous orange berries in pendent clusters, eaten by birds, decorative shade tree, sow spring or early summer.                                                                                                             | 5 sds/pkt<br>9 sds/g                   | R 11.00<br>/pkt   |                    |                     |
| <b>FOR SALE ONLY, KEEP SEED REFRIGERATED</b> |                                                                                                                                                                                                                                                                                                                                                                                                |                                        |                   |                    |                     |
| P29                                          | <b>Curtisia dentata</b> CORNACEAE ASSEGAI, ASSEGAAI, ASSEGAAIHOUT, UMLAHLANI (X,Z) 6 - 12 m Medium to large evergreen tree, large glossy dentate leaves, upper surface glossy dark green, under surface light green covered with grey or rusty brown hairs, small cream flowers, fleshy berries, fast-growing, adaptable, attracts birds, sow spring/summer                                    | 5 sds/pkt<br>12 sds/g                  | R 11.00<br>/pkt   | R 33.00<br>/100    |                     |
| 397                                          | <b>Dais cotinifolia</b> THYMELAEACEAE POMPON TREE, BASBOOM, GONNABAS, INTOZANE, ITOZANE 3 - 7 m Small tree, rounded crown, blue-green foliage, very attractive pink flowers in dense almost spherical heads cover the tree in mid summer, fast growing, an excellent garden subject, ideal for small gardens, sow spring/summer.                                                               | 10 sds/pkt<br>150 sds/g                | R 11.00<br>/pkt   | R 27.50<br>/100    |                     |
| 398                                          | <b>Diospyros whyteana</b> EBENACEAE BLADDER-NUT, SWARTBAS, BLINKBLAAR, UMTENATANE 5 - 7 m Shrub or small evergreen tree, bark almost black, leaves dark green, strikingly glossy, fragrant cream flowers in early summer, seed in bladder-like fruits drying to reddish-brown, sow spring/summer, good bonsai subject, sun/shade, recommended.                                                 | 10 sds/pkt<br>6 sds/g                  | R 11.00<br>/pkt   | R 33.00<br>/100    |                     |
| 399                                          | <b>Ekebergia pterophylla</b> MELIACEAE ROCK ASH, ROTSESENHOUT 3 - 10 m Small sturdy evergreen tree, bluish-green leaves, small white fragrant flowers in spring, fleshy berry-like fruit maturing to yellow or red in late summer, full sun, occurs in rocky areas, sow autumn or spring.                                                                                                      | 10 sds/pkt<br>17 sds/g                 | R 11.00<br>/pkt   |                    |                     |
| <b>FOR SALE ONLY : BACK ORDERS TAKEN</b>     |                                                                                                                                                                                                                                                                                                                                                                                                |                                        |                   |                    |                     |
| B6                                           | <b>Ensete ventricosum</b> MUSACEAE (= E. edule, Musa davyae, Musa ventricosa) WILD BANANA PALM, WILDEPIESANG, PIESANGBOOM 6 - 12 m Handsome palm tree, large oblong to oval deep green leaves up to 5m long x 1m broad with a red mid-rib, crowded at the top of the bare stout fleshy trunk, monocarpic, lifespan of +-8yrs, fast-growing, sow spring or early summer, rich soil, water well. | SOLD PER SEED NOT PER PKT<br>0.5 sds/g | R 0.72<br>/SEED   | R 64.35<br>/100    | R 579.15<br>/1000   |
| 400                                          | <b>Euclea natalensis</b> EBENACEAE NATAL GUARRI, NATAL GHWARRIE 5 - 12 m Medium sized tree, dense spreading crown, or dense rounded shrub, evergreen, drooping habit, shiny olive-green leaves, inconspicuous heavily scented flowers in autumn-summer, round fleshy green-orange-red-black fruits, eaten by birds, sow spring.                                                                | 10 sds/pkt<br>7 sds/g                  | R 11.00<br>/pkt   | R 19.80<br>/100    |                     |
| 401                                          | <b>Faurea speciosa</b> PROTEACEAE BROAD-LEAVED BEECHWOOD, BREEBLAARBOEKENHOUT 4 - 7 m Small leafy tree, leaves thick, glossy green, cream to pink flowers in robust spikes in winter-spring, leaves develop fiery autumn colours, sow spring, slow growing.                                                                                                                                    | 10 sds/pkt<br>35 sds/g                 | R 11.00<br>/pkt   | R 22.00<br>/100    | R 217.80<br>/1000   |
| 402                                          | <b>Ficus burtt-davyi</b> MORACEAE VELD FIG, VELDVI 5 m Attractive shrub, climber or small tree, pale white-grey bark, glossy foliage, suitable for hedges & pergolas, also for difficult sandy coastal garden, sow spring.                                                                                                                                                                     | 25 sds/pkt<br>3900 sds/g               | R 11.00<br>/pkt   | R 11.00<br>/100    |                     |
| 403                                          | <b>Ficus natalensis</b> MORACEAE NATAL FIG, NATALVY 5 - 20 m Evergreen, small glossy green leaves, small figs in spring & summer, sow spring, good shade tree for large subtropical gardens                                                                                                                                                                                                    | 25 sds/pkt<br>1580 sds/g               | R 11.00<br>/pkt   | R 11.00<br>/100    |                     |
| 404                                          | <b>Ficus sur</b> MORACEAE (= F. capensis) BROOM CLUSTER FIG, BESEMTRSVY, UMKHIWANE 10 - 18 m Spreading evergreen tree, large grey-green leaves, ornamental fruits in heavy clusters, shade tree for large gardens in high rainfall areas, sow spring.                                                                                                                                          | 25 sds/pkt<br>2500 sds/g               | R 11.00<br>/pkt   | R 11.00<br>/100    | R 93.50<br>/1000    |

| Ref. no.:                                    | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                      | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 405                                          | <b>Galpinia transvaalica</b> LYTHRACEAE WILD PRIDE-OF-INDIA, TRANSVAAL PRIVET, TRANSVAALLIGUSTER 3 - 6 m Well shaped low-branching small tree or multi-stemmed shrub, dark green glossy undulate leaves, young leaves reddish, sprays of fragrant starry cream flowers in late summer-autumn, very ornamental, recommended, sow spring.       | 25 sds/pkt<br>775 sds/g    | R 11.00<br>/pkt   | R 11.00<br>/100    | R 93.50<br>/1000    |
| 406                                          | <b>Heteropyxis natalensis</b> MYRTACEAE LAVENDER TREE, LAVENTELBOOM, UMKHUZUA (Z) 5 - 7 m Small neat tree, pale grey bark, leaves shiny light green, tiny pale cream-yellow fragrant flowerheads in summer, crushed twigs and leaves strongly aromatic, rich red autumn colours, highly ornamental, recommended, sow spring.                  | 35 sds/pkt<br>6180 sds/g   | R 11.00<br>/pkt   | R 11.00<br>/100    | R 93.50<br>/1000    |
| <b>FOR SALE ONLY, KEEP SEED REFRIGERATED</b> |                                                                                                                                                                                                                                                                                                                                               |                            |                   |                    |                     |
| P30                                          | <b>Ilex mitis</b> AQUIFOLIACEAE AFRICAN HOLLY, WITHOUT, IPHUPHUMA 10 - 30 m Medium to large tree, bark smooth very pale grey to light brown, leaves shiny dark green, young leaves reddish, white scented flowers in clusters in summer, fruit a crimson berry in winter, edible attract birds, sow autumn or spring, keep well watered .     | 15 sds/pkt<br>370 sds/g    | R 11.00<br>/pkt   | R 23.10<br>/100    |                     |
| 407                                          | <b>Kiggelaria africana</b> FLACOURTIACEAE WILD PEACH, WILDEPERSKE, UMKOKOKO 4 - 13 m Medium sized well-shaped tree, evergreen, bark pale grey and smooth, darkening and becoming flaky with age, fast growing, recommended garden tree, sow autumn or spring.                                                                                 | 10 sds/pkt<br>26 sds/g     | R 11.00<br>/pkt   | R 16.50<br>/100    | R 140.25<br>/1000   |
| 408                                          | <b>Nuxia floribunda</b> LOGANIACEAE FOREST NUXIA, FOREST ELDER, BOSVLIER 3 - 10 m Small to medium evergreen tree, leaves light glossy green, fragrant creamy white flowers in conspicuous sprays in autumn & winter, sow spring, a good garden subject, deep rich soil, water well throughout the year, fast growing.                         | 25 sds/pkt<br>5620 sds/g   | R 11.00<br>/pkt   | R 11.00<br>/100    | R 93.50<br>/1000    |
| 409                                          | <b>Olea europaea ssp. africana</b> OLEACEAE WILD OLIVE, OLIENHOUT, UMNQUMA 5-10 m Small to medium sized tree, dense rounded crown, narrow glossy dark grey-green leaves, small edible purple-black olives attract birds, sow spring, slow growing, drought tolerant, adaptable, valuable wood, recommended for arid regions.                  | 10 sds/pkt<br>13 sds/g     | R 11.00<br>/pkt   | R 24.20<br>/100    |                     |
| 410                                          | <b>Olinia emarginata</b> OLINIACEAE MOUNTAIN OLINIA, MOUNTAIN HARD PEAR, BERGHARDEPEER, IQUDU 1 - 5 m Dense evergreen tree, glossy dark green foliage, lightly scented pink flowers in summer, clusters of very decorative bright red berries during winter, attractive, recommended garden tree, sow spring, seed is difficult to germinate. | 25 sds/pkt<br>35 sds/g     | R 11.00<br>/pkt   | R 11.00<br>/100    | R 99.00<br>/1000    |
| 411                                          | <b>Olinia ventosa</b> OLINIACEAE HARD PEAR, HARDEPEER, INGOBAMAKHOSI 10 - 20 m Spreading evergreen tree, leaves glossy dark green above, pale green below, small sweetly-scented white flowers in summer, berry-like pink to red fruits, sow spring, slow to germinate but fast growing, tolerates poor or stony soil.                        | 10 sds/pkt<br>4 sds/g      | R 11.00<br>/pkt   | R 18.15<br>/100    |                     |
| 412                                          | <b>Peddiea africana</b> THYMELAEACEAE GREEN FLOWER TREE, POISON OLIVE, FIBRE-BARK, GIFOLYF, STERKBAS, INTOZANE, ISIFUFU 2 - 5 m Shrub to small tree, attractive shiny dark green foliage, interesting tubular green flowers, purple berries in late summer, full sun to deep shade, sow spring, easy, reputed to be poisonous.                | 10 sds/pkt<br>16 sds/g     | R 11.00<br>/pkt   |                    |                     |
| 413                                          | <b>Peltophorum africanum</b> FABACEAE WEEPING WATTLE, HUILBOOM 7 - 9 m Widely spreading low-branching deciduous tree, feathery compound leaves, large sprays of bright yellow flowers in summer, sow spring.                                                                                                                                  | 10 sds/pkt<br>25 sds/g     | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| 414                                          | <b>Phoenix reclinata</b> ARECACEAE WILD DATE PALM, WILDEDADELBOOM, ISUNDU 3 - 6 m Palm tree tending to sucker becoming multi-stemmed, sprays of cream flowers in summer, bright orange edible fruits during late summer, adaptable, prefers good well-composted soil & water all year, does well alongside streams, sow spring.               | 10 sds/pkt<br>4 sds/g      | R 11.00<br>/pkt   |                    |                     |
| 381                                          | <b>Podocarpus falcatus see Afrocarpus falcatus</b>                                                                                                                                                                                                                                                                                            |                            |                   |                    |                     |
| 415                                          | <b>Prunus africana</b> ROSACEAE RED STINKWOOD, ROOSTINKHOUT UMKAKASE, 10 - 20 m Attractive spreading medium-sized tree, glossy dark green leaves, crushed leaves have a faint smell of almonds, small white fragrant flowers, summer to autumn, fruit pinkish-brown, intensely bitter, summer, sow spring.                                    | 10 sds/pkt<br>4 sds/g      | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                                                                                                   | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 416       | <b>Pterocarpus rotundifolius</b> FABACEAE ROUND-LEAVED KIAAT, ROUND-LEAVED TEAK, DOPPERKIAAT 8 - 20 m Graceful medium to large tree, deciduous, spreading crown, glossy rounded leaves, covered with sprays of sweetly scented brilliant yellow flowers in spring-summer, sow spring, fast growing, good shade tree, beautiful in full flower.                                                                             | 5 sds/pkt<br>3 sds/g       | R 11.00<br>/pkt   | R 33.00<br>/100    |                     |
| 422       | <b>Rhus lancea</b> see <b>Searsia lancea</b>                                                                                                                                                                                                                                                                                                                                                                               |                            |                   |                    |                     |
| 417       | <b>Rothmannia capensis</b> RUBIACEAE WILD GARDENIA, WILDEKATJIEPIERING 5 - 14 m Attractive small evergreen tree, glossy leathery dark green leaves, large bell-shaped fragrant cream flowers with maroon speckles inside, in summer, round fruits, sow spring, moderately fast-growing, recommended.                                                                                                                       | 15 sds/pkt<br>23 sds/g     | R 11.00<br>/pkt   | R 24.20<br>/100    |                     |
| 418       | <b>Rothmannia globosa</b> RUBIACEAE SMALL-FLOWERED ROTHMANNIA, BELL GARDENIA, SEPTEMBER BELLS, KLOKKIESKATJIEPIERING 4 - 7 m Attractive evergreen tree, glossy dark green foliage, masses of large fragrant bell-shaped white flowers with pink markings inside, in spring-summer, round green fruits, sow spring, easily cultivated, recommended.                                                                         | 15 sds/pkt<br>18 sds/g     | R 11.00<br>/pkt   | R 24.20<br>/100    |                     |
| 419       | <b>Schefflera umbellifera</b> ARALIACEAE (= Cussonia umbellifera, Neocussonia umbellifera) FOREST CABBAGE TREE, BASTERKIEPERSOL, SAMBREELBOOM, UMGESISA 7 - 10 m Dark green, leathery shiny leaves, crowded at the end of branches, palmately compound, small yellowish flowers in conspicuous heads stand out above the leaves, summer, dark red berries attract birds, sow spring, difficult to germinate, slow growing. | 10 sds/pkt<br>170 sds/g    | R 11.00<br>/pkt   | R 24.20<br>/100    |                     |
| 420       | <b>Schotia brachypetala</b> FABACEAE WEEPING BOER-BEAN, HUILBOER-BOON, TREE FUCHSIA, UMGXAM (X) 5-16 m Tall, rounded dense tree, semi-deciduous, compound leaves, new growth is bronze, dark green when mature, showy deep red flowers in dense panicles on the old wood in spring, copious nectar attracts birds & drips from the flowers, sow spring.                                                                    | 3 sds/pkt<br>1.2 sds/g     | R 11.00<br>/pkt   | R 33.00<br>/100    |                     |
| 421       | <b>Senegalia ataxacantha</b> (= <b>Acacia ataxacantha</b> ) FABACEAE FLAME ACACIA, VLAMDORING 3-10 m Thorny climber, straggling shrub or small tree, sharp hooked prickles scattered along younger stems & leaves, flowers in creamy white spikes in summer, young pods brilliant red in winter, sow in spring.                                                                                                            | 10 sds/pkt<br>12 sds/g     | R 11.00<br>/pkt   | R 14.30<br>/100    |                     |
| 422       | <b>Searsia lancea</b> (= <b>Rhus lancea</b> ) ANACARDIACEAE KARREE, KAREE 7 m Small to medium evergreen tree, dense crown of drooping dark green foliage, sweetly scented small pale greenish-yellow flowers in clusters, shiny brown berries in spring-summer, attracts birds, drought tolerant; fast growing, attractive tree, sow spring                                                                                | 15 sds/pkt<br>40 sds/g     | R 11.00<br>/pkt   | R 11.00<br>/100    |                     |
| 423       | <b>Strelitzia nicolai</b> STRELITZIACEAE WILD BANANA, WILDEPIESANG, WITPIESANG 7 - 10 m Tall bare stems topped with very large banana-palm-like leaves, large 'bird of paradise' flowers are white & purple, good accent plant, sow spring, fast growing, tends to sucker from the base so allow room to spread.                                                                                                           | 10 sds/pkt<br>3.3 sds/g    | R 11.00<br>/pkt   | R 55.00<br>/100    |                     |
| 424       | <b>Strychnos decussata</b> LOGANIACEAE CAPE TEAK, KAAPSE KIAAT 10 m Small slender tree, drooping densely leaved branches, glossy dark-green smooth leathery leaves, orange-red fruit, sow spring.                                                                                                                                                                                                                          | 5 sds/pkt<br>3 sds/g       | R 11.00<br>/pkt   |                    |                     |
| 425       | <b>Terminalia phanerophlebia</b> COMBRETACEAE LEBOMBO CLUSTERLEAF, LEBOMBOTROSBLAAR 2 - 5 m Deciduous, flat-topped tree, dark purple-brown bark, light green to greyish green foliage, strongly scented greenish-white flowers in spikes, yellowish-green flat winged fruits, sow spring.                                                                                                                                  | 10 sds/pkt<br>10 sds/g     | R 11.00<br>/pkt   | R 18.15<br>/100    |                     |
| 426       | <b>Vachellia borlea</b> (= <b>Acacia borlea</b> ) FABACEAE STICKY ACACIA, KLEEFDORING, 5 m Small slender tree, or shrub, branching from base, often thicket forming, young branches with reddish sticky glands, 5cm slender white spines, flowers in small yellow balls, summer, small slender sticky pods, markedly constricted between the seeds, sow spring.                                                            | 10 sds/pkt<br>29 sds/g     | R 11.00<br>/pkt   |                    |                     |
| 427       | <b>Vachellia sieberiana</b> var. <b>woodii</b> (= <b>Acacia sieberiana</b> var. <b>woodii</b> ) FABACEAE PAPERBARK ACACIA, PAPIERBASDORING 7-17 m Large deciduous widely branching flat-topped tree, bark light brown or greyish-yellow, peeling in papery strips, spines whitish straight up to 9cm long, flowers scented white or cream in balls in summer, sow spring/summer, good bonsai subject.                      | 10 sds/pkt<br>5 sds/g      | R 11.00<br>/pkt   | R 33.00<br>/100    |                     |

| Ref. no.: | Botanical name FAMILY (= synonym) COMMON NAME, height, short description / CITES status where applicable                                                                                                                                                                                                                                    | seeds/packet<br>seeds/gram | PRICE<br>/ packet | PRICE<br>/ 100 sds | PRICE<br>/ 1000 sds |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------|--------------------|---------------------|
| 428       | <b>Vangueria esculenta</b> RUBIACEAE FOREST WILD MEDLAR,<br>BLINKBLAARMISPEL 8 m Small tree or shrub, deciduous, sweet-scented yellow-green flowers in early summer, pendulous clusters of edible yellow-brown fruits in summer, sow spring.                                                                                                | 5 sds/pkt<br>1.1 sds/g     | R 11.00<br>/pkt   | R 25.30<br>/100    |                     |
| 429       | <b>Vepris lanceolata</b> RUTACEAE (= V. undulata) WHITE IRONWOOD,<br>WITYSTERHOUT, UMZANE 3 - 7 m Small evergreen tree, leaves trifoliate, strongly lemon scented when crushed, markedly wavy, flowers inconspicuous in summer, fruit smooth black berries, in winter, tidy growth habit, recommended small tree in warm areas, sow spring. | 5 sds/pkt<br>44 sds/g      | R 11.00<br>/pkt   | R 27.50<br>/100    | R 233.75<br>/1000   |
| 430       | <b>Virgilia divaricata</b> FABACEAE (= V. capensis) BLOSSOM TREE,<br>KEURBOOM 8 - 13 m Medium sized evergreen tree, compound dark green leaves, sprays of dark pink 'pea' flowers in spring, very decorative, fast-growing but relatively short lived, good garden tree, soak seed in warm water before sowing, sow autumn or spring.       | 10 sds/pkt<br>16 sds/g     | R 11.00<br>/pkt   | R 13.20<br>/100    |                     |
| 431       | <b>Virgilia oroboides</b> FABACEAE (= V. capensis) BLOSSOM TREE,<br>KEURBOOM 8 - 13 m Evergreen tree, fast-growing but relatively short-lived, grey-green compound leaves, sprays of pale pink flowers in summer, very decorative, good garden tree, soak seed before sowing, sow autumn or spring.                                         | 10 sds/pkt<br>15 sds/g     | R 11.00<br>/pkt   | R 13.20<br>/100    |                     |
| 432       | <b>Widdringtonia nodiflora</b> CUPRESSACEAE (= W. cupressoides)<br>MOUNTAIN CYPRESS, BERGSIPRES, CAPE CYPRESS, BOBBEJAANKERS, SIPRESBOOM 4 - 6 m Small evergreen tree, fine blue-green or yellow-green needle-like foliage, dark brown cones, fragrant wood, grows well in containers, upright growth form, sow spring or autumn.           | 10 sds/pkt<br>86 sds/g     | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |
| 433       | <b>Widdringtonia schwarzii</b> CUPRESSACEAE WILLOWMORE CEDAR,<br>BAVIAANSKLOOFSEDER 20 m Large evergreen tree, majestic habit, reddish-grey flaking bark, dark brown cones, threatened by overcutting & fires, good bonsai subject or tree for large gardens, sow autumn or spring.                                                         | 10 sds/pkt<br>71 sds/g     | R 11.00<br>/pkt   | R 22.00<br>/100    |                     |

## Food Plants:

|     |                                                                                                                                                                                                                                                                                                                                                          |            |                 |  |  |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------|--|--|
| 434 | <b>Sorghum bicolor</b> POACEAE GRAIN SORGHUM, AMAZIMBA,<br>BESEMKORING Tall annual to 3m, erect simple culm, large expanded leaf blade, margin entire, inflorescence a dense terminal panicle, grain small, globose, straw coloured to reddish brown, drought tolerant, important staple food, & used to brew beer.                                      | 25 sds/pkt | R 11.00<br>/pkt |  |  |
| 435 | <b>Sorghum dochna</b> POACEAE BROOM SORGHUM, SWEET SORGHUM,<br>AMBER CANE, BESEMKORING, SOETRIET, IMFE Tall annual up to 3m, erect simple culm, large expanded leaf blade, inflorescence a dense terminal panicle, drought resistant, grown for sweet juicy sap, after removal of grain is used for brooms, also grown for fodder, sow spring.           | 25 sds/pkt | R 11.00<br>/pkt |  |  |
| 436 | <b>Vigna unguiculata</b> FABACEAE COW PEA, BACHAPIN BEAN, BOONTJIE,<br>CATJANG, IMBUMBA Annual climber or bushy perennial herb, 3-foliolate leaves, large mauve flowers, fruit an erect pod, linear cylindrical, seeds white to dark red or black, often mottled, sow spring-summer, seeds a staple food, leaves eaten as spinach, valuable fodder crop. | 25 sds/pkt | R 11.00<br>/pkt |  |  |

Looking for pictures? More information?

How to grow South African plants?

Go to [www. http://pza.sanbi.org/](http://pza.sanbi.org/)

click on Plants of the Week or search the site.



*Notes:* \_\_\_\_\_

[illegible]

# 2016 Kirstenbosch Saadkatalogus

**Verkoopsvoorwaardes:** van toepassing net op Kirstenbosch saad bestellings (net betalende kliënte)

- 1) Pryse vermeld is netto en nie onderhewig aan handelsafslag nie.
- 2) Pryse sluit BTW in.
- 3) Pryse sluit nie posgeld in nie. LW pakkies binne RSA word per gewone pos gestuur en per lugpos buite RSA of indien anders gestipuleer deur kliënt volgens instruksies op die bestellingsvorm.
- 4) Ons behou die reg om pryse te verander sonder kennisgewing.
- 5) 'n Hanteringsfooi van 5% word op alle bestellings gehef.
- 6) Kwotasies is geldig vir 30 dae vanaf uitreiking waarna dit ongeldig verklaar word en saad elders aangebied sal word.
- 7) Vir goedgekeurde krediet-kliënte is rekening-terme streng 30 dae. Rente teen prima-koers sal op uitstaande rekeninge gehef word.
- 8) Saadbestellings word in volgorde van ontvangs uitgevoer. Ons probeer om aandag binne 5 werkende dae te gee, maar gedurende ons besigte periode gee ons asb. tot 15 werkende dae..

**Verkoops- en Verskaffingsvoorwaardes:** van toepassing op Kirstenbosch saad bestellings en Botaniese Vereniging gratis saad bestellings

- 9) Saad word versend V.A.B. Kaapstad en totaal op kopersrisiko.
- 10) Die inhoud en waarde van alle pakkes vir internasionale versendings word verklaar vir doeane doeleindes. Alle internasionale kliënte is verplig om ons in kennis te stel indien daar enige ander invoer vereistes van belang is vir hulle land.
- 11) 'n Bykomende R650 is betaalbaar deur kopers wat a fito-sanitêre sertifikaat verlang.
- 12) Saad word geoes van plante wat korrek benaam is volgens die jongste botaniese inligting, maar alle plante is oop-bestuif, en die moontlikheid van hibrides kan nie uitgesluit word nie.
- 13) Saad-kiemkragtigheid word nie gewaarborg nie.
- 14) Voorrade is beperk. Saad wat nie in voorraad is wanneer die bestelling uitgevoer word nie sal nie outomaties voorsien word wanneer dit later weer in voorraad kom nie.
- 15) As kontrakteur van die Konvensie vir Biologiese Diversiteit, word saad verkoop en voorsien volgens die volgende vooreis: Die aankoper / ontvanger mag nie die saad of die resultaat daarvan vir enige seleksie of aanteling gebruik sonder enige voorafgaande geskrewe ooreenkoms met die SANBI nie.

**Verskaffingsvoorwaardes:** van toepassing net op Botaniese Vereniging gratis saad bestellings

- 16) Verspreiding van gratis saad word beperk tot die periode 1 Januarie tot 30 September 2016.
- 17) Faksimilie- en fotokopie-bestelvorms word NIE aanvaar nie – indien u vorm verlore of beskadig is kontak asb die BotSoc kantoor Tel (021) 7972090 / Faks (021) 7972376 / e-pos: [info@botanicalsociety.org.za](mailto:info@botanicalsociety.org.za)
- 18) Net pakkies saad is vir lede beskikbaar vir hulle gratis saad bestelling EN katalogusitems met 'n P nommer is net te kope en is nie gratis voorsienbaar nie
- 19) 'n Maksimum van twee pakkies van enige katalogusitem word toegelaat.
- 20) Geen hanteringsfooi sal op Botaniese Vereniging gratis saad bestellings gehef word nie, maar enige ekstra bestellings wat geplaas word sal teen standaard koste geskiet (pt 5).
- 21) Saadbestellings word in volgorde van ontvangs uitgevoer . Verspreiding van gratis saad sal gedurende Februarie - Maart begin

**Prosedure vir bestellings uit hierdie katalogus:** van toepassing op Kirstenbosch en Botaniese Vereniging gratis saad bestellings

- 1) Gebruik asseblief die ingeslote bestelvorms.
  - \* Betalende kliënte gebruik asb. die Kirstenbosch bestellingsvorm of fotokopie daarvan
  - \* BotSoc Lede, om u gratis saad te ontvang, voltooi u Botaniese Vereniging bestellingsvorm en stuur dit terug na ons voor 30 September. As u nie seker is hoe om dit in te vul, lees asb. die omkeerkaart van die BotSoc vorm.
- 2) Saad word aangebied per pakkie, en per 100 of per 1000 sade, of in veelvoude van hierdie hoeveelhede. Dui asb op die bestelvorm duidelik aan watter hoeveelhede bestel word bv. 5 pakkies, 500 sade of 5000 sade.
- 3) Bestellings moet gerig word aan: Die Saadkamer, Kirstenbosch Nasionale Botaniese Tuin, Privaatsak X7, Claremont 7735, Suid Afrika. Tel.(021) 7998899, Faks (021) 7976570, e-pos:[seedroom@sanbi.org.za](mailto:seedroom@sanbi.org.za). Kirstenbosch saadbestellings kan per pos, per faks of per e-pos aan ons gestuur word. LW net die oorspronklike Botaniese Vereniging saadbestellingsvorm is aanvaarbaar vir gratis saadbestellings.
- 4) Geen betaling moet by u bestelling ingesluit word nie. 'n Kwotasie sal uitgereik word. Saad word versend by ontvangs van betaling van bogenoemde kwotasie. OF, u is welkom om u krediet kaart besonderhede met u saadbestelling te stuur. U bestelling sal dan debiteer word en die saad versend sodra u bestelling gereed is, sonder om 'n kwotasie uit te reik.
- 5) By ontvangs van 'n kwotasie kan betaling geskied: A) per tjek, posorder ens. betaalbaar aan SANBI; B) Visa of MasterCard kredietkaart: voorsien asb besonderhede nl. nommer, vervaldatum end die laaste drie nommers van die nommer agterkant; C) Direkte bankoordrag of krediet-oordrag: doen asb navraag oor bankbesonderhede; D) Kontant of tjek by afhaal van goedere per afspraak. **BELANGRIK** onthou asb. om 'n kopie van u kwotasie aan die betaling te heg, sodat ons weet waarvoor dit is.
- 6) Hierdie katalogus is geldig tot 31 Desember 2016 of totdat die volgende uitgawe beskikbaar is. Gratis saad bestellings sal tot 30 September 2016 aanvaar word.